

CLASSIC KOLDA EBF 12 EVO FG (1:1)

Yellow colored Si-OAT radiator protection ready-mix based on 1,2-ethanediol (MEG)

Description

CLASSIC KOLDA EBF 12 EVO FG (1:1) is a yellow colored, nitrite-, amine-, phosphate-, and borate-free, ready-to-use radiator protection agent based on 1,2-ethanediol (MEG) with the latest Si-OAT technology for cooling circuits of combustion engines, e.g. in passenger cars and commercial vehicles. The organic additives and acids work together with the mineralized silicate to provide the best protection. **CLASSIC KOLDA EBF 12 EVO FG (1:1)** is free from the harmful 2-ethylhexanoic acid and fulfills the standards according to British Standard 6580:2010.

Application

CLASSIC KOLDA EBF 12 EVO FG (1:1) is a ready-to-use radiator protection consisting of 50% radiator protection concentrate and 50% demineralized water, which is suitable for direct filling into the radiator circuit. The recommendation to the mixing ratio of the manufacturer should be observed! The maximum minus operating temperature of the ready-to-use mixture is -38°C.

Properties

- excellent corrosion protection
- good long-term stability
- good protection against thermal stress
- special sealing and workshop compatibility
- best possible frost protection

Product data

Properties	Unit	EBF 12 EVO FG (1:1)*
Density 20 °C	g/cm ³	1.06
pH	pH	8.5
Frost protect	°C	up to -38
Boiling point	°C	108

*are average values and may vary in the framework of the standard.

Quality Level

BS 6580:2010	ASTM D3306	ASTM D4985
ASTM D6210	CUNA NC 956-16	SAE J1034
ÖNORM V 5123	JIS K 2234:2006	

Performance

VW TL 774-L (G12evo)	Deutz (DQC CC-14)	MAN Type Si-OAT
MB 326.6	DTR 29D100	MTU (MTL 5048)
BMW LC-87	Volvo Trucks (TR 1286083)	Volvo Cars (TR-31854114-002)
Mini and Rolls Royce	John Deere (>2011)	Perkins
Steyrs Motors	Liebherr Min. LH-01-COL3A	
Bugattiy/Lamborghini from 1998 (G12evo,G13,G12++,G12,G11)		
Audi/Porsche/Seat/Skoda/VW from 1996 /G12evo,G13,G12++,G12+,G11)		