

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.07.2025

Version number 6.00 (replaces version 5.00)

Revision: 11.07.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: **CLASSIC ADRENALIN ST 10W-40 4T**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Lubricant

#### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:

CLASSIC Schmierstoff GmbH & Co. KG

Lange Straße 100-106

D-27318 HOYA

DEUTSCHLAND

Telephone: +49 (4251) - 8120

products@classic-oil.de

Further information obtainable from: product management

1.4 Emergency telephone number: 24-hour emergency contact number : +1 872 5888271 (CSG)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms Void

Signal word Void

##### Hazard statements

H412 Harmful to aquatic life with long lasting effects.

##### Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 2.3 Other hazards

##### Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

#### Determination of endocrine-disrupting properties

CAS: 121158-58-5 | phenol, dodecyl-, branched

List II

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

##### Dangerous components:

CAS: 121158-58-5	phenol, dodecyl-, branched	0-<0.12%
EC number: 310-154-3	⚠ Repr. 1B, H360F; ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318;	
Reg.nr.: 01-2119513207-49	⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10)	

##### SVHC

CAS: 121158-58-5 | phenol, dodecyl-, branched

Additional information: For the wording of the listed hazard phrases refer to section 16.

EU

(Contd. on page 2)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.07.2025

Version number 6.00 (replaces version 5.00)

Revision: 11.07.2025

Trade name: **CLASSIC ADRENALIN ST 10W-40 4T**

(Contd. of page 1)

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information:

In case of accident or if you feel unwell, seek medical advice immediately (if possible, show operating instructions or safety data sheet). Remove the casualty from the danger zone. Remove soiled, Remove contaminated, soaked clothing. If unconscious and not breathing, place in recovery position and seek medical advice. Do not leave the victim unattended.

First aiders: Pay attention to self-protection!

**After inhalation:** Supply fresh air; consult doctor in case of complaints.

**After skin contact:** Consult a doctor in case of complaints.

##### After eye contact:

In case of eye contact, immediately rinse with clean water for 10-15 minutes.  
Seek medical treatment.

##### After swallowing:

Rinse mouth thoroughly with water. Consult a doctor if symptoms occur. Rinse out mouth. If you feel unwell, seek medical advice/attention. Drink 1 glass of water in small sips (diluting effect).

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

Observe risk of aspiration if vomiting occurs.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing agents:

Use water spray to protect persons and to cool containers in the danger zone

**For safety reasons unsuitable extinguishing agents:** Water with full jet

#### 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

The formation of combustible vapours is possible at temperatures above: Flash point.

Hazardous combustion products:

Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>),

During heating or in case of fire, toxic gases is possible. In case of fire: Gases/vapours, toxic.

#### 5.3 Advice for firefighters

##### Protective equipment:

In case of fire: Wear self-contained breathing apparatus. Protective clothing. Wear a self-contained breathing apparatus and chemical protective clothing.

##### Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

##### Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product. Avoid breathing dust/fume/gas/mist/vapours/spray. Remove persons to safety.

##### Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

Remove persons from danger area.

**For emergency responders** See section 8 for suitable protective equipment and material specifications.

(Contd. on page 3)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.07.2025

Version number 6.00 (replaces version 5.00)

Revision: 11.07.2025

Trade name: **CLASSIC ADRENALIN ST 10W-40 4T**

(Contd. of page 2)

### 6.2 Environmental precautions:

Do not allow to enter into soil/subsoil. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Do not allow to enter into surface water or drains.

### 6.3 Methods and material for containment and cleaning up:

For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids.

For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Dispose of the material collected according to regulations.

Clean up spills immediately. Use suitable container to avoid contamination of the environment.

### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use appropriate container to avoid environmental contamination. Wear personal protection equipment.

**Information about fire - and explosion protection:** No special measures required.

#### Handling:

Minimum standards for protective measures when handling working substances are listed in TRGS 500.

Do not eat, drink or smoke at work.

Avoid contact with skin, eyes and clothing.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

#### Requirements to be met by storerooms and receptacles:

Keep container tightly closed in a dry, cool and well-ventilated place.

**Information about storage in one common storage facility:** Not required.

#### Further information about storage conditions:

Suitable material for containers/facilities: Floors should be impermeable, resistant to liquids and easy to clean. Manholes and ducts should be protected against product ingress. Keep/store only in the original container.

Store in a cool dry place. Keep away from heat.

Store only in original containers.

**Storage class:** 10

**7.3 Specific end use(s)** Observe the technical data sheet

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### DNELs

**CAS: 101316-72-7 Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated**

Dermal	DNEL, long-term, dermal, systemic	0.97 mg/kg KG/d (worker)
Inhalative	long-term, inhalative, local	5.58 mg/m <sup>3</sup> (worker)
	DNEL Long term Systemic	2.73 mg/m <sup>3</sup> (worker)

(Contd. on page 4)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.07.2025

Version number 6.00 (replaces version 5.00)

Revision: 11.07.2025

Trade name: **CLASSIC ADRENALIN ST 10W-40 4T**

(Contd. of page 3)

<b>CAS: 4259-15-8 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)</b>		
Inhalative	DNEL, long-term, inhalation, systemic	6.6 mg/m <sup>3</sup> (worker)
<b>CAS: 68784-31-6 Phosphorodithionic acid, mixed O,O-bis(sec-butyl and 1,3-dimethylbutyl) esters, zinc salts</b>		
Inhalative	DNEL, long-term, inhalation, systemic	2.93 mg/m <sup>3</sup> (worker)
<b>CAS: 121158-58-5 phenol, dodecyl-, branched</b>		
Dermal	DNEL(long/systemic)	0.25 mg/kg bw/d (worker)
	DNEL acute dermal, systemic	166 mg/kg (worker)
Inhalative	DNEL inhalative, short-term, systemic, (acute)	44.18 mg/m <sup>3</sup> (worker) acute
<b>PNECs</b>		
<b>CAS: 101316-72-7 Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b>		
PNEC	9.33 mg/Kg (Intoxication secondaire)	
<b>CAS: 68784-31-6 Phosphorodithionic acid, mixed O,O-bis(sec-butyl and 1,3-dimethylbutyl) esters, zinc salts</b>		
PNEC aquatic, fresh water	4 µg/l	
PNEC water bodies, sea water	4.6 µg/l	
<b>CAS: 64742-65-0 Distillates (petroleum), solvent-dewaxed heavy paraffinic</b>		
Secondary poisoning	9.33 mg/kg	
<b>CAS: 121158-58-5 phenol, dodecyl-, branched</b>		
PNEC aquatic, fresh water	0.074 µg/l	
PNEC water bodies, sea water	0.0074 µg/l	
Micro-organisms in sewage treatment plants (STP)	100 mg/l	
PNEC (freshwater sediment)	0.226 mg/kg	
PNEC (Seawater sediment)	0.0266 mg/kg	
PNEC aquatic environment, intermittent release	0.37 µg/l	

### Additional information:

The data sheets of the upstream suppliers and lists valid at the time of production serve as a basis.  
Mineral oil mist, limit values: US-OSHA PEL - value 5 mg/m<sup>3</sup>, ACGIH-STEL - value 10 mg/m<sup>3</sup>

### 8.2 Exposure controls

**Appropriate engineering controls** No further data; see section 7.

**Individual protection measures, such as personal protective equipment**

**General protective and hygienic measures:** Wash hands before breaks and at the end of work.

**Respiratory protection:** Usually no personal respiratory protection necessary.

#### Hand protection



Protective gloves

Protective gloves according to EN 374.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If gloves are to be reused, clean them before taking them off and store them in a well-ventilated place.

#### Material of gloves

Suitable material: NBR (nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber)

Recommended material thickness: >0.4 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.07.2025

Version number 6.00 (replaces version 5.00)

Revision: 11.07.2025

**Trade name: CLASSIC ADRENALIN ST 10W-40 4T**

(Contd. of page 4)

**Penetration time of glove material**

>480min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection**

During transfer: Eye glasses with side protection

Wear eye/face protection. DIN EN 166.

**Body protection:** Protective work clothing

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

**General Information**

<b>Physical state</b>	Liquid
<b>Colour:</b>	Red
<b>Odour:</b>	Not determined
<b>Odour threshold:</b>	Not determined.
<b>Melting point/freezing point:</b>	-39 °C
<b>Boiling point or initial boiling point and boiling range</b>	Undetermined.
<b>Flammability</b>	Not applicable.
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Flash point:</b>	226 °C
<b>Decomposition temperature:</b>	Not determined.
<b>pH</b>	Not determined.
<b>Viscosity:</b>	
<b>Kinematic viscosity at 40 °C</b>	98 mm <sup>2</sup> /s
<b>Dynamic:</b>	Not determined.
<b>Solubility</b>	
<b>water:</b>	Not determined.
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
<b>Vapour pressure:</b>	Not determined.
<b>Density and/or relative density</b>	
<b>Density at 15 °C:</b>	0.862 g/cm <sup>3</sup>
<b>Relative density</b>	Not determined.
<b>Vapour density</b>	Not determined.
<b>Particle characteristics</b>	Does not apply to liquids.

#### 9.2 Other information

<b>Appearance:</b>	
<b>Form:</b>	Fluid
<b>Important information on protection of health and environment, and on safety.</b>	
<b>Ignition temperature:</b>	Not determined.
<b>Explosive properties:</b>	Not determined.
<b>Change in condition</b>	
<b>Evaporation rate</b>	Not determined.

#### Information with regard to physical hazard classes

<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void

(Contd. on page 6)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.07.2025

Version number 6.00 (replaces version 5.00)

Revision: 11.07.2025

Trade name: **CLASSIC ADRENALIN ST 10W-40 4T**

(Contd. of page 5)

Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No known hazardous reactions.

**10.2 Chemical stability**

**Thermal decomposition / conditions to be avoided:**

The mixture is chemically stable under recommended conditions of storage, use and temperature.

**10.3 Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

**10.4 Conditions to avoid** Do not overheat to avoid decomposition by heat.

**10.5 Incompatible materials:** Materials to avoid: Acid, Oxidising agent, Reducing agent.

**10.6 Hazardous decomposition products:**

Hazardous combustion products: Carbon dioxide Carbon monoxide Nitrogen oxides (NOx)

### SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

**CAS: 121158-58-5 phenol, dodecyl-, branched**

Oral	LD50 oral	2,100–2,200 mg/kg (Rat)
------	-----------	-------------------------

Dermal	LD50 dermal	15,000 mg/kg (rabbit)
--------	-------------	-----------------------

**Primary irritant effect:**

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Additional toxicological information:**

**CAS: 121158-58-5 phenol, dodecyl-, branched**

Oral	ATE	2,100–2,200 mg/kg
------	-----	-------------------

**11.2 Information on other hazards**

**Endocrine disrupting properties**

This substance has endocrine disrupting properties in humans.

(Contd. on page 7)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.07.2025

Version number 6.00 (replaces version 5.00)

Revision: 11.07.2025

Trade name: **CLASSIC ADRENALIN ST 10W-40 4T**

(Contd. of page 6)

CAS: 121158-58-5 | phenol, dodecyl-, branched

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

**CAS: 121158-58-5 phenol, dodecyl-, branched**

NOEC | 0.07 mg/L / (3d) (algae)

LC50 | ≥40 mg/L / 48 h (Fish)

| ≥0.58 mg/L / 4 d (crustaceans)

**12.2 Persistence and degradability** No further relevant information available.

#### 12.3 Bioaccumulative potential

**CAS: 121158-58-5 phenol, dodecyl-, branched**

Bioaccumulative potential | 7.14 / Log KOW

**12.4 Mobility in soil** No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

**CAS: 121158-58-5 phenol, dodecyl-, branched**

Results of PBT and vPvB assessment | The substance in the mixture does not meet the criteria for PBT / vPvB according to REACH, Annex XIII.

**PBT:** Not applicable.

**vPvB:** Not applicable.

**12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

#### 12.7 Other adverse effects

##### Additional ecological information:

##### General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### Recommendation

Contact the responsible authorised waste disposal company for waste disposal. Dispose of in accordance with official regulations.

##### Waste disposal key:

The assignment of waste code numbers/waste designations must be carried out in accordance with the EWC in a sector- and process-specific manner.

##### European waste catalogue

HP14 | Ecotoxic

##### Uncleaned packaging:

##### Recommendation:

Non contaminated packagings may be recycled.

Completely emptied packaging can be recycled.

Disposal must be made according to official regulations.

EU

(Contd. on page 8)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.07.2025

Version number 6.00 (replaces version 5.00)

Revision: 11.07.2025

Trade name: **CLASSIC ADRENALIN ST 10W-40 4T**

(Contd. of page 7)

### SECTION 14: Transport information

<b>14.1 UN number or ID number</b> ADR, IMDG, IATA	not regulated
<b>14.2 UN proper shipping name</b> ADR, IMDG, IATA	not regulated
<b>14.3 Transport hazard class(es)</b> ADR, ADN, IMDG, IATA Class	not regulated
<b>14.4 Packing group</b> ADR, IMDG, IATA	not regulated
<b>14.5 Environmental hazards:</b>	Not applicable.
<b>14.6 Special precautions for user</b>	Not applicable.
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
<b>UN "Model Regulation":</b>	not regulated

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms** Void

**Signal word** Void

##### Hazard statements

H412 Harmful to aquatic life with long lasting effects.

##### Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

##### Directive 2012/18/EU

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

#### DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

#### Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

#### Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 9)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.07.2025

Version number 6.00 (replaces version 5.00)

Revision: 11.07.2025

**Trade name: CLASSIC ADRENALIN ST 10W-40 4T**

(Contd. of page 8)

### National regulations:

#### Technical instructions (air):

**Class Share in %** For Germany: To be noted: 5.2.5

**Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

#### Other regulations, limitations and prohibitive regulations

For Germany:

Technical rules for hazardous substances

TRGS 510

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

For Germany:

Regulations of the German Social Accident Insurance Institutions (DGUV regulations):

Information from the Employer's Liability Insurance Association (DGUV Information) 868

Rules of the Employer's Liability Insurance Association (DGUV Rules) 189, 190, 192, 195

For Germany:

Altöl-Verordnung (AltöIV)

#### Substances of very high concern (SVHC) according to REACH, Article 57

CAS: 121158-58-5 | phenol, dodecyl-, branched

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H360F May damage fertility.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### Classification according to Regulation (EC) No 1272/2008

Hazardous to the aquatic environment - long-term  
(chronic) aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

**Department issuing SDS:** product management

**Contact:** product management

**Date of previous version:** 27.11.2023

**Version number of previous version:** 5.00

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Repr. 1B: Reproductive toxicity – Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

(Contd. on page 10)

**Safety data sheet**  
**according to Regulation (EC) No 1907/2006, Article 31**

Printing date 11.07.2025

Version number 6.00 (replaces version 5.00)

Revision: 11.07.2025

**Trade name: CLASSIC ADRENALIN ST 10W-40 4T**

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1  
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

**\* Data compared to the previous version altered.**

(Contd. of page 9)

— EU —