

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.08.2025

Version number 1.00

Revision: 22.08.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **CLASSIC BRAKE CLEANER SPRAY**

UFI:

5611-Y0NF-T009-VW36

Notified for: Germany, Czech Republic, Denmark, Finland

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Cleaner

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

CLASSIC Schmierstoff GmbH & Co. KG

Lange Straße 100-106

D-27318 HOYA

DEUTSCHLAND

Telephone: +49 (4251) - 8120

products@classic-oil.de

Further information obtainable from: product management

1.4 Emergency telephone number: 24-hour emergency contact number : +1 872 5888271 (CSG)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Aerosol 1

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



GHS09 environment

Aquatic Chronic 2 H411

Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2

H315

Causes skin irritation.

STOT SE 3

H336

May cause drowsiness or dizziness.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS02



GHS07



GHS09

Signal word Danger

Hazard-determining components of labelling:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclenes, <5% n-hexane

Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

(Contd. on page 2)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.08.2025

Version number 1.00

Revision: 22.08.2025

Trade name: **CLASSIC BRAKE CLEANER SPRAY**

(Contd. of page 1)

- H315 Causes skin irritation.
H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P260 Do not breathe spray.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves.
P302+P352 IF ON SKIN: Wash with plenty of water.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312 Call a POISON CENTER/doctor if you feel unwell.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Formation of explosive/highly flammable mixtures possible with insufficient ventilation and/or through use. The substances in the mixture do not fulfil the PBT/vPvB criteria according to REACH, Annex XIII. Aspiration hazard labelling (Asp. Tox. 1 H304) is not required for aerosol dispensers and containers with a sealed spray device (Regulation (EC) 1272/2008, Annex 1, 1.3.3).

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Determination of endocrine-disrupting properties No ingredient is listed.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

EC number: 921-024-6 Reg.nr.: 01-2119475514-35	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclenes, <5% n-hexane ⚠ Flam. Liq. 2, H225; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; STOT SE 3, H336	50-<100%
CAS: 124-38-9 EINECS: 204-696-9	carbon dioxide substance with a Community workplace exposure limit	3-<5%

Additional information:

Labelling of ingredients according to Regulation (EC) No. 648/2004

≥ 30 % aliphatic hydrocarbons

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

First aiders: Pay attention to self-protection! Move people to safety. Never give anything by mouth to an unconscious person or in the event of convulsions.

After inhalation: Remove person to fresh air and keep comfortable for breathing.

After skin contact:

Wash with plenty of soap and water. Remove all contaminated clothing immediately and wash before reuse. If symptoms occur or in case of doubt, seek medical advice.

(Contd. on page 3)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.08.2025

Version number 1.00

Revision: 22.08.2025

Trade name: CLASSIC BRAKE CLEANER SPRAY

(Contd. of page 2)

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical treatment.

After swallowing:

Do NOT induce vomiting. In case of vomiting, observe the risk of aspiration. Always consult a doctor!

4.2 Most important symptoms and effects, both acute and delayed

Headache

Nausea

Dizziness

Tiredness, skin irritation

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

Call a POISON INFORMATION CENTRE. Symptoms may not appear until many hours after exposure.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Water mist. Foam. Carbon dioxide (CO₂). Extinguishing powder

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis can produce gases of varying toxicity. In the case of products containing hydrocarbons, e.g. CO, CO₂, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

5.3 Advice for firefighters

Do not inhale explosion and combustion gases. If safe to do so, remove undamaged containers from the danger zone.

In case of fire: Use self-contained breathing apparatus.

Additional information Risk of bursting of the container

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Respiratory protection must be used when exposed to vapours, dusts and aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not smoke. Wear personal protective equipment.

For non-emergency personnel First aiders: Pay attention to self-protection!

For emergency responders Fight the fire with the usual precautions from an appropriate distance.

6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Ensure that all wastewater is collected and treated in a wastewater treatment plant.

Do not allow product to reach sewage system or any water course.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomaceous earth, acid binder, universal binder).

Clean contaminated articles and floor according to the environmental legislation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Follow the instructions for use.

Dust must be safely extracted directly at the point of origin. Vapours/aerosols must be safely extracted directly at the point of origin. If local extraction is not possible or insufficient, good ventilation of the work area should

(Contd. on page 4)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.08.2025

Version number 1.00

Revision: 22.08.2025

Trade name: CLASSIC BRAKE CLEANER SPRAY

(Contd. of page 3)

be ensured wherever possible.

Do not eat, drink, smoke or sniff at the workplace.

Wear personal protective equipment (see section 8).

Formation of explosive/highly flammable mixtures possible with insufficient ventilation and/or through use

Avoid contact with eyes and skin.

Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Keep container tightly closed. Observe legal regulations and provisions.

Information about storage in one common storage facility:

Do not store together with: Oxidising agents. Pyrophoric or self-heating hazardous substances. Foodstuffs and animal feed.

Further information about storage conditions:

Keep container tightly sealed.

Protect from frost. Protect from direct sunlight. Store in a cool and dry place. Observe legal rules and regulations.

Storage class: 2 B

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 124-38-9 carbon dioxide

IOELV | Long-term value: 9000 mg/m³, 5000 ppm

DNELs

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclenes, <5% n-hexane

Oral	DNEL long-term oral systemic	699 mg/kg bw/d (Consumer)
Dermal	DNEL, long-term, dermal, systemic	773 mg/kg KG/d (worker) 699 mg/kg KG/d (Consumer)
Inhalative	DNEL, long-term, inhalation, systemic	2,035 mg/m ³ (worker)
	DNEL, long-term, inhalation, systemic	608 mg/m ³ (Consumer)

Additional information:

The data sheets of the upstream suppliers and lists valid at the time of production serve as a basis.

8.2 Exposure controls

Appropriate engineering controls For open handling, use devices with local extraction.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Respiratory protection:

Respiratory protection must be used when exposed to vapours, dusts and aerosols.

If the relevant occupational exposure limit values are exceeded, the following must be observed:

Suitable respiratory protection device: Combination filtering respirator (DIN EN 141).

Filter device with filter or blower filter device type: AX

The wearing time limits according to the manufacturer's instructions must be observed.

Observe legal regulations and provisions.

(Contd. on page 5)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.08.2025

Version number 1.00

Revision: 22.08.2025

Trade name: **CLASSIC BRAKE CLEANER SPRAY**

(Contd. of page 4)

Hand protection



Protective gloves

When handling chemical substances, only chemical protective gloves with a CE mark including a four-digit test number may be worn. The design of chemical protective gloves must be selected specifically for the workplace depending on the concentration and quantity of hazardous substances.

It is recommended to clarify the chemical resistance of the above-mentioned protective gloves for special applications with the glove manufacturer.

Preventive skin protection through skin protection ointment.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Suitable material: NBR (nitrile rubber)

Recommended thickness of the material: ≥ 0.45 mm

EN ISO 374

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

>480min

Eye/face protection



Tightly sealed goggles

EN 166

Body protection:

Wear suitable protective clothing when working. Remove all contaminated clothing immediately and wash before reuse.

Environmental exposure controls Observe legal rules and regulations.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state	Aerosol
Colour:	Colourless
Odour:	Solvent-like
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	88 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	-12 °C
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity at 40 °C	<7 mm/s

(Contd. on page 6)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.08.2025

Version number 1.00

Revision: 22.08.2025

Trade name: **CLASSIC BRAKE CLEANER SPRAY**

(Contd. of page 5)

Dynamic:	Not determined.
Solubility water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.673 g/cm ³ (DIN 51757)
Relative density	Not determined.
Vapour density	Not determined.

9.2 Other information

Appearance:	
Form:	Aerosol
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Solid: not applicable Gas: not applicable
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Change in condition	
Drip point:	
Oxidising properties	Not oxidising.
Evaporation rate	Not applicable.

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Extremely flammable aerosol. Pressurised container: May burst if heated.
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void
Additional information	The data refer to the technical active substance: relative density, colour, odour, viscosity, pH value.

SECTION 10: Stability and reactivity

10.1 Reactivity Extremely flammable aerosol.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Do not expose to temperatures above 50 °C. Heating leads to an increase in pressure and risk of bursting.

(Contd. on page 7)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.08.2025

Version number 1.00

Revision: 22.08.2025

Trade name: **CLASSIC BRAKE CLEANER SPRAY**

(Contd. of page 6)

10.4 Conditions to avoid

Keep away from heat sources (e.g. hot surfaces), sparks and open flames. Vapours may form explosive mixtures with air. Take measures against electrostatic charges.

10.5 Incompatible materials: Oxidising agents. Pyrophoric or self-heating hazardous substances.

10.6 Hazardous decomposition products:

Incomplete combustion and thermolysis can produce gases of varying toxicity. In the case of products containing hydrocarbons, e.g. CO, CO₂, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

Additional information: Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

No test data are available for the complete mixture.

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclenes, <5% n-hexane

Oral	LD50 oral	>5,000 mg/kg (Rat)
Dermal	LD50 dermal	>2,800–3,100 mg/kg (Rat)
Inhalative	LC50 Acute inhalation toxicity (dust/mist):	>25.2 mg/l (Rat)

Primary irritant effect:

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness and dizziness. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclenes, <5% n-hexane)

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard May be fatal if swallowed and enters airways.

Other information (about experimental toxicology):

Specific effects in animal experiments: No data available for the preparation/mixture.

Additional toxicological information:

Oral	ATE	>2,000 mg/kg (Calculated)
Dermal	ATE	>2,000 mg/kg (Calculated)
Inhalative	ATE Dust/Mist	>5 mg/L (Calculated)
	ATE Vapour	>20 mg/L (Calculated)

Information on likely routes of exposure

Ingestion, inhalation, skin contact, eye contact.

Reference to other sections: 2.1, 4.2.

11.2 Information on other hazards

Endocrine disrupting properties

This product does not contain any substance with endocrine disrupting properties towards humans, as no ingredient fulfils the criteria.

Other information No further information available.

SECTION 12: Ecological information

12.1 Toxicity Toxic to aquatic organisms, with long lasting effects.

(Contd. on page 8)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.08.2025

Version number 1.00

Revision: 22.08.2025

Trade name: **CLASSIC BRAKE CLEANER SPRAY**

(Contd. of page 7)

Aquatic toxicity:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclenes, <5% n-hexane

ErC50	10–30 mg/l /(72h) (Pseudokirchnerella subcapitata) (OECD 201)
NOEC	1 mg/l /(21d) (Daphnia magna) ((OECD Guideline 211)) 2.045 mg/l /(28d) (Oncorhynchus mykiss)
EC50	>1–10 mg/L /(48h) (Daphnia magna)
LC50	>1–10 mg/L /(96h) (Pimephales promelas)

12.2 Persistence and degradability

The product has not been tested.

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclenes, <5% n-hexane

Persistence and degradability	98 % /(28) (OECD method 301F) Readily biodegradable (according to OECD criteria)
-------------------------------	---

12.3 Bioaccumulative potential

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclenes, <5% n-hexane

Partition coefficient n-octanol/water	3.4–5.2
---------------------------------------	---------

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

Additional ecological information:

General notes:

Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Do not allow to enter drains or water courses.
Dispose of waste according to applicable legislation.

European waste catalogue

16 05 04*	gases in pressure containers (including halons) containing hazardous substances
15 01 04	metallic packaging
HP3	Flammable
HP4	Irritant - skin irritation and eye damage
HP14	Ecotoxic

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number ADR, IMDG, IATA

UN1950

(Contd. on page 9)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.08.2025

Version number 1.00

Revision: 22.08.2025

Trade name: **CLASSIC BRAKE CLEANER SPRAY**

(Contd. of page 8)

14.2 UN proper shipping name

ADR

UN1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS

IMDG

AEROSOLS, MARINE POLLUTANT

IATA

AEROSOLS, flammable

14.3 Transport hazard class(es)

ADR



Class

2 5F Gases.

Label

2.1

IMDG



Class

2 Gases.

Label

2.1

IATA



Class

2 Gases.

Label

2.1

14.4 Packing group

ADR, IMDG, IATA

not regulated

14.5 Environmental hazards:

ENVIRONMENTALLY HAZARDOUS: yes
Hazard inducer: Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexanes

Marine pollutant:

Symbol (fish and tree)

Special marking (ADR):

Symbol (fish and tree)

14.6 Special precautions for user

Warning: Gases.

Hazard identification number (Kemler code):

-

EMS Number:

F-D,S-U

Stowage Code

SW1 Protected from sources of heat.
SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.

(Contd. on page 10)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.08.2025

Version number 1.00

Revision: 22.08.2025

Trade name: **CLASSIC BRAKE CLEANER SPRAY**

(Contd. of page 9)

Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
-------------------------	---

14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
---	-----------------

Transport/Additional information:

ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	D

IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity

UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS
-------------------------------	--

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS02 GHS07 GHS09

Signal word Danger

Hazard-determining components of labelling:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclenes, <5% n-hexane

Hazard statements

- H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
- H315 Causes skin irritation.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P260 Do not breathe spray.
- P271 Use only outdoors or in a well-ventilated area.

(Contd. on page 11)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.08.2025

Version number 1.00

Revision: 22.08.2025

Trade name: CLASSIC BRAKE CLEANER SPRAY

(Contd. of page 10)

P273 Avoid release to the environment.
 P280 Wear protective gloves.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P312 Call a POISON CENTER/doctor if you feel unwell.
 P332+P313 If skin irritation occurs: Get medical advice/attention.
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
Directive 2004/42/EC There is no information available.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category

E2 Hazardous to the Aquatic Environment

P3b FLAMMABLE AEROSOLS

Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3,40

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

Information about limitation of use: Employment restrictions concerning juveniles must be observed.

Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

Other regulations, limitations and prohibitive regulations

Directive 2010/75/EU on industrial emissions: No information available.

Aerosol Directive (75/324/EEC)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Aerosols, Section 2.3.1

On basis of test data

(Contd. on page 12)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.08.2025

Version number 1.00

Revision: 22.08.2025

Trade name: CLASSIC BRAKE CLEANER SPRAY

(Contd. of page 11)

Skin corrosion/irritation Specific target organ toxicity (single exposure)	Bridging principles
Hazardous to the aquatic environment - long-term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS: product management

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 DNEL: Derived No-Effect Level (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Aerosol 1: Aerosols – Category 1
 Flam. Liq. 2: Flammable liquids – Category 2
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
 Asp. Tox. 1: Aspiration hazard – Category 1
 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2