

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2025

Version number 2.00 (replaces version 1.00)

Revision: 15.08.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **CLASSIC BRAKE CLEANER**

EC number:

921-024-6

Registration number 01-2119475514-35

UFI:

US01-F06G-800U-K65V

Notified for: Germany

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Cleaner

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

CLASSIC Schmierstoff GmbH & Co. KG

Lange Straße 100-106

D-27318 HOYA

DEUTSCHLAND

Telephone: +49 (4251) - 8120

products@classic-oil.de

Further information obtainable from: product management

1.4 Emergency telephone number: 24-hour emergency contact number : +1 872 5888271 (CSG)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2025

Version number 2.00 (replaces version 1.00)

Revision: 15.08.2025

Trade name: **CLASSIC BRAKE CLEANER**

(Contd. of page 1)

Hazard pictograms



GHS02 GHS07 GHS08 GHS09

Signal word Danger

Hazard-determining components of labelling:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclenes, <5% n-hexane

Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P243 Take action to prevent static discharges.

P261 Avoid breathing vapours.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P312 IF INHALED: Call a POISON CENTER/doctor if you feel unwell.

P332+P313 If skin irritation occurs: Get medical advice/attention.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Determination of endocrine-disrupting properties No ingredient is listed.

SECTION 3: Composition/information on ingredients

3.1 Substances

CAS No. Description

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclenes, <5% n-hexane: 50 - < 100 %

Identification number(s)

EC number: 921-024-6

Additional information:

Labelling of ingredients according to Regulation (EC) No. 648/2004: ≥ 30 % aliphatic hydrocarbons.

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

First aiders: Pay attention to self-protection! Move people to safety. Never give anything by mouth to an unconscious person or in the event of convulsions.

After inhalation: Remove person to fresh air and keep comfortable for breathing.

(Contd. on page 3)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2025

Version number 2.00 (replaces version 1.00)

Revision: 15.08.2025

Trade name: CLASSIC BRAKE CLEANER

(Contd. of page 2)

After skin contact:

Wash with plenty of soap and water. Remove all contaminated clothing immediately and wash before reuse. If symptoms occur or in case of doubt, seek medical advice.

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical treatment.

After swallowing:

Do NOT induce vomiting.
In case of vomiting, note the risk of aspiration.
Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Headache
Nausea
Dizziness
Tiredness, skin irritation

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.
Call a POISON INFORMATION CENTRE. Symptoms may not appear until many hours after exposure.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Water mist. Foam. Carbon dioxide (CO₂). Extinguishing powder

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis can produce gases of varying toxicity. In the case of products containing hydrocarbons, e.g. CO, CO₂, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

5.3 Advice for firefighters

Do not inhale explosion and combustion gases. If safe to do so, remove undamaged containers from the danger zone.

In case of fire: Use self-contained breathing apparatus.

Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Respiratory protection must be used when exposed to vapours, dusts and aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not smoke. Wear personal protective equipment.

For non-emergency personnel First aiders: Pay attention to self-protection!

For emergency responders Fight the fire with the usual precautions from an appropriate distance.

6.2 Environmental precautions:

Do not allow to enter drains or waterways. Prevent the spill from spreading (e.g. by damming or oil barriers). Ensure that all waste water is collected and channelled to a waste water treatment plant.

6.3 Methods and material for containment and cleaning up:

For containment: Prevent the spill from spreading (e.g. by damming or oil barriers).

For cleaning: Thoroughly clean contaminated objects and floor in compliance with environmental regulations.

Further information: Absorb with liquid-binding material (sand, diatomaceous earth, acid binder, universal binder). Thoroughly clean soiled objects and floors in compliance with environmental regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2025

Version number 2.00 (replaces version 1.00)

Revision: 15.08.2025

Trade name: CLASSIC BRAKE CLEANER

(Contd. of page 3)

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Follow the instructions for use.

Dust must be safely extracted directly at the point of origin. Vapours/aerosols must be safely extracted directly at the point of origin. If local extraction is not possible or insufficient, good ventilation of the work area should be ensured wherever possible.

Do not eat, drink, smoke or sniff at the workplace.

Wear personal protective equipment (see section 8).

Formation of explosive/highly flammable mixtures possible with insufficient ventilation and/or through use

Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

Handling:

Avoid exposure. Wear suitable protective clothing when working. Draw up and observe a skin protection plan! Avoid contact with eyes and skin.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Keep container tightly closed. Observe legal regulations and provisions.

Information about storage in one common storage facility:

Do not store together with: Oxidising agents. Pyrophoric or self-heating hazardous substances. Foodstuffs and animal feed.

Further information about storage conditions:

Store in a cool and dry place. Observe legal rules and regulations.

Storage class: 3

7.3 Specific end use(s) Cleaner

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

Hydrocarbon mixtures, fractions (RCP group): C6-C8 aliphatics

700mg/m³

2(II)

TRGS 900 (Germany)

DNELs

CAS: 64742-49-0 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclenes, <5% n-hexane

Oral	DNEL long-term oral systemic	699 mg/kg bw/d (Consumer)
Dermal	DNEL, long-term, dermal, systemic	773 mg/kg KG/d (worker) 699 mg/kg KG/d (Consumer)
Inhalative	DNEL, long-term, inhalation, systemic	2,035 mg/m ³ (worker)
	DNEL, long-term, inhalation, systemic	608 mg/m ³ (Consumer)

8.2 Exposure controls

Appropriate engineering controls For open handling, use devices with local extraction.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

(Contd. on page 5)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2025

Version number 2.00 (replaces version 1.00)

Revision: 15.08.2025

Trade name: CLASSIC BRAKE CLEANER

(Contd. of page 4)

Respiratory protection:

Respiratory protection must be used when exposed to vapours, dusts and aerosols.

If the relevant occupational exposure limit values are exceeded, the following must be observed:

Suitable respiratory protective equipment: Combination filtering respirator (DIN EN 141).

Filter device with filter or blower filter device type: A

The wearing time limits according to the manufacturer's instructions must be observed.

Observe legal regulations and provisions.

Hand protection



Protective gloves

Wear chemical protective gloves according to EN 374

Chemical protective gloves with a CE mark including a four-digit test number must be worn.

The design of chemical protective gloves must be selected specifically for the workplace, depending on the concentration and quantity of hazardous substances.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.45 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

>480min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

EN 166

Body protection:

Wear suitable protective clothing when working. Remove all contaminated clothing immediately and wash before reuse.

Skin protection Preventive skin protection with skin protection ointment.

Environmental exposure controls Observe legal rules and regulations.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

Liquid

Colour:

Colourless

Odour:

Characteristic

Odour threshold:

Not determined.

Melting point/freezing point:

Undetermined.

Boiling point or initial boiling point and boiling range

88 °C

(Contd. on page 6)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2025

Version number 2.00 (replaces version 1.00)

Revision: 15.08.2025

Trade name: **CLASSIC BRAKE CLEANER**

(Contd. of page 5)

Flammability	Highly flammable.
Lower and upper explosion limit	
Lower:	1 Vol %
Upper:	8 Vol %
Flash point:	-12 °C (ISO 3679)
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity at 40 °C	<7 mm ² /s (DIN EN ISO 3104)
Dynamic:	Not determined.
Solubility	
water:	No testing required as the substance is known to be insoluble in water.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.714 g/cm ³ (DIN 51757)
Relative density	Not determined.
Vapour density	Not determined.
Particle characteristics	Does not apply to liquids.

9.2 Other information

Appearance:	
Form:	Fluid
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Not determined.
Explosive properties:	Not determined.
Change in condition	
Drip point:	
Oxidising properties	Not oxidising.
Evaporation rate	Not determined.

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Highly flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

EU

(Contd. on page 7)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2025

Version number 2.00 (replaces version 1.00)

Revision: 15.08.2025

Trade name: **CLASSIC BRAKE CLEANER**

(Contd. of page 6)

SECTION 10: Stability and reactivity

10.1 Reactivity Highly flammable.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other sources of ignition. Do not smoke.

10.5 Incompatible materials: Oxidising agents. Pyrophoric or self-heating hazardous substances.

10.6 Hazardous decomposition products:

Incomplete combustion and thermolysis can produce gases of varying toxicity. In the case of products containing hydrocarbons, e.g. CO, CO₂, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

Additional information: Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 64742-49-0 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclenes, <5% n-hexane

Oral	LD50 oral	>5,000 mg/kg (Rat)
Dermal	LD50 dermal	>2,800–3,100 mg/kg (Rat)
Inhalative	LC50 Acute inhalation toxicity (dust/mist):	>25.2 mg/l (Rat)

Primary irritant effect:

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness and dizziness. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclenes, <5% n-hexane)

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard May be fatal if swallowed and enters airways.

Other information (about experimental toxicology):

Specific effects in animal experiments: No data available for the preparation/mixture.

Additional toxicological information:

Information on likely routes of exposure

Eye contact, ingestion, inhalation, skin contact

Reference to other sections: 2.1, 4.2.

11.2 Information on other hazards

Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

12.1 Toxicity Toxic to aquatic organisms, with long lasting effects.

(Contd. on page 8)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2025

Version number 2.00 (replaces version 1.00)

Revision: 15.08.2025

Trade name: **CLASSIC BRAKE CLEANER**

(Contd. of page 7)

Aquatic toxicity:

CAS: 64742-49-0 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclenes, <5% n-hexane

ErC50 10–30 mg/l /(72h) (Pseudokirchnerella subcapitata) (OECD 201)

NOEC 1 mg/l /(21d) (Daphnia magna) ((OECD Guideline 211))

2.045 mg/l /(28d) (Oncorhynchus mykiss)

EC50 >1–10 mg/L /(48h) (Daphnia magna)

LC50 >1–10 mg/L /(96h) (Pimephales promelas)

12.2 Persistence and degradability

The product has not been tested.

CAS: 64742-49-0 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclenes, <5% n-hexane

Persistence and degradability 98 % /(28) (OECD method 301F)

Readily biodegradable (according to OECD criteria)

12.3 Bioaccumulative potential

The product has not been tested.

CAS: 64742-49-0 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclenes, <5% n-hexane

Partition coefficient n-octanol/water 3.4–5.2 (Log Pow)

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

This substance does not fulfil the PBT/vPvB criteria of REACH regulation, annex XIII.

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

This substance has no endocrine disrupting properties towards non-target organisms.

12.7 Other adverse effects There are no data available.

Additional ecological information:

General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Dispose of waste according to applicable legislation.

European waste catalogue

07 07 04* other organic solvents, washing liquids and mother liquors

15 01 10* packaging containing residues of or contaminated by hazardous substances

HP3 Flammable

HP4 Irritant - skin irritation and eye damage

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

HP14 Ecotoxic

Uncleaned packaging:

Recommendation: Completely emptied packaging can be recycled.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

EU

(Contd. on page 9)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2025

Version number 2.00 (replaces version 1.00)

Revision: 15.08.2025

Trade name: **CLASSIC BRAKE CLEANER**

(Contd. of page 8)

SECTION 14: Transport information

14.1 UN number or ID number
ADR, IMDG, IATA

UN1268

14.2 UN proper shipping name
ADR

UN1268 PETROLEUM DISTILLATES, N.O.S.
(Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, < 5% n-hexane) ENVIRONMENTALLY HAZARDOUS

IMDG, IATA

UN 1268 PETROLEUM DISTILLATES, N.O.S.
(Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, < 5% n-hexane) MARINE POLLUTANT

14.3 Transport hazard class(es)

ADR



Class
Label

3 (F1) Flammable liquids.
3

IMDG



Class
Label

3 Flammable liquids.
3

IATA



Class
Label

3 Flammable liquids.
3

14.4 Packing group
ADR, IMDG, IATA

II

14.5 Environmental hazards:

Marine pollutant:

Symbol (fish and tree)

Special marking (ADR):

Symbol (fish and tree)

14.6 Special precautions for user

Warning: Flammable liquids.

Hazard identification number (Kemler code):

33

EMS Number:

F-E,S-E

Stowage Category

B

14.7 Maritime transport in bulk according to
IMO instruments

Not applicable.

(Contd. on page 10)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2025

Version number 2.00 (replaces version 1.00)

Revision: 15.08.2025

Trade name: **CLASSIC BRAKE CLEANER**

(Contd. of page 9)

Transport/Additional information:

ADR

Limited quantities (LQ)
Excepted quantities (EQ)

1L
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

Transport category
Tunnel restriction code

2
D/E

IMDG

Limited quantities (LQ)
Excepted quantities (EQ)

1L
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

UN "Model Regulation":

UN 1268 PETROLEUM DISTILLATES, N.O.S.
(Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclic, < 5% n-hexane), 3, II, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS02 GHS07 GHS08 GHS09

Signal word Danger

Hazard-determining components of labelling:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclenes, <5% n-hexane

Hazard statements

H225 Highly flammable liquid and vapour.
H315 Causes skin irritation.
H336 May cause drowsiness or dizziness.
H304 May be fatal if swallowed and enters airways.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P243 Take action to prevent static discharges.
P261 Avoid breathing vapours.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P331 Do NOT induce vomiting.
P302+P352 IF ON SKIN: Wash with plenty of water.
P304+P312 IF INHALED: Call a POISON CENTER/doctor if you feel unwell.
P332+P313 If skin irritation occurs: Get medical advice/attention.

Directive 2004/42/EC There is no information available.

(Contd. on page 11)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2025

Version number 2.00 (replaces version 1.00)

Revision: 15.08.2025

Trade name: CLASSIC BRAKE CLEANER

(Contd. of page 10)

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients are included.

Seveso category

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3,28,29,40,75

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

Substance is not listed.

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed.

Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

National regulations:

Technical instructions (air):

Class	Share in %
NK	>50–≤100

Waterhazard class: Water hazard class 2 (Assessment by list): hazardous for water.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: product management

Contact: product management

Date of previous version: 01.08.2025

Version number of previous version: 1.00

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

* **Data compared to the previous version altered.**