

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.02.2026

Version number 2.00 (replaces version 1.00)

Revision: 18.02.2026

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: **CLASSIC FENJA SL 2 EP**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

#### Application of the substance / the mixture

Grease

Lubricant

#### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:

CLASSIC Schmierstoff GmbH &amp; Co. KG

Lange Straße 100-106

D-27318 HOYA

GERMANY

Phone: +49 (4251) - 8120

products@classic-oil.de

Further information obtainable from: product management

#### 1.4 Emergency telephone number: 24-hour emergency contact number : +1 872 5888271 (CSG)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

##### Additional information:

EUH208 Contains: Naphthenic acids, zinc salts, polysulfides, di-tert-dodecyl. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

#### 2.3 Other hazards

##### Results of PBT and vPvB assessment

PBT: Not applicable

vPvB: Not applicable

Determination of endocrine-disrupting properties No ingredient is listed.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

##### Dangerous components:

|                                                                   |                                                                                                                                                                                                    |       |
|-------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| CAS: 4259-15-8<br>EINECS: 224-235-5<br>Reg.nr.: 01-2119493635-27  | Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)<br>⚠ Eye Dam. 1, H318; ⚠ Aquatic Chronic 2, H411<br>Specific concentration limits: Eye Dam. 1; H318: C ≥ 50 %<br>Eye Irrit. 2; H319: C ≥ 50 % | 1-<5% |
| CAS: 12001-85-3<br>EINECS: 234-409-2<br>Reg.nr.: 01-2120783834-41 | Naphthenic acids, zinc salts<br>⚠ Aquatic Chronic 2, H411; ⚠ Eye Irrit. 2, H319; Skin Sens. 1, H317                                                                                                | <1%   |
| CAS: 68425-15-0<br>EINECS: 270-335-7<br>Reg.nr.: 01-2119540516-41 | polysulfides, di-tert-dodecyl<br>⚠ Skin Sens. 1B, H317                                                                                                                                             | <1%   |

(Contd. on page 2)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.02.2026

Version number 2.00 (replaces version 1.00)

Revision: 18.02.2026

**Trade name: CLASSIC FENJA SL 2 EP**

(Contd. of page 1)

### Additional information:

Classification as a carcinogen is not required. The substance contains less than 3 % DMSO extract.  
For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information:

Avoid contact with skin, eyes and clothing. Remove casualty from the danger zone. Remove contaminated, soaked clothing immediately. Seek medical advice if symptoms occur or in case of doubt. Never administer anything by mouth to an unconscious person or if convulsions occur. If unconscious and breathing, place in recovery position and seek medical advice. Keep the victim quiet, covered and warm. Do not leave victim unattended. In case of cardiac arrest, perform cardiopulmonary. Perform cardiopulmonary resuscitation immediately.

#### After inhalation:

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After skin contact:

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, seek medical treatment.

#### After eye contact:

Remove any contact lenses if possible. Continue rinsing. In case of eye contact, rinse the eyes with water for a sufficiently long time with the eyelids open, then consult an ophthalmologist immediately. Protect uninjured eye.

#### After swallowing:

Rinse mouth with water (only if casualty is conscious). Do NOT induce vomiting. If vomiting occurs, be aware of the risk of aspiration. Call a doctor if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

The following symptoms may occur: Breathing difficulties. Headache. Feeling unwell. Dizziness. Symptoms may also occur many hours after exposure.

### 4.3 Indication of any immediate medical attention and special treatment needed

First aid, decontamination, symptomatic treatment.  
No further relevant information available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

**Suitable extinguishing agents:** Fire extinguishing powder, sand, foam, carbon dioxide (CO<sub>2</sub>)

**For safety reasons unsuitable extinguishing agents:** Water with full jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>)

### 5.3 Advice for firefighters

**Protective equipment:** In case of fire: Use self-contained breathing apparatus.

#### Additional information

Do not inhale explosion and fire gases. If safe to do so, remove undamaged containers from the danger zone.

Fight the fire with the usual precautions from an appropriate distance.

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

EU

(Contd. on page 3)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.02.2026

Version number 2.00 (replaces version 1.00)

Revision: 18.02.2026

Trade name: **CLASSIC FENJA SL 2 EP**

(Contd. of page 2)

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Take persons to safety. Avoid contact with eyes and skin. Use prescribed personal protective equipment. Remove all sources of ignition if safe to do so. Wear respiratory protective equipment when exposed to vapours, dusts, aerosols and gases. Special slip hazard due to leaking/spilled product. Provide fresh air.

##### For emergency responders

Respiratory protective equipment must be worn when exposed to vapours, dusts, aerosols and gases. Suitable material for personal protective clothing. NBR: Acrylonitrile butadiene rubber. Unsuitable material: IIR: Butyl rubber, isobutene-isoprene rubber. NR: Natural rubber, latex. CR: Chloroprene (chlorobutadiene) rubber.

#### 6.2 Environmental precautions:

Ensure that leaks can be contained, e.g. by means of catch basins or lowered areas. Prevent leakage into drains or surface and ground water. Retain and dispose of contaminated wash water. Do not allow to enter the subsoil/earth.

#### 6.3 Methods and material for containment and cleaning up:

Advice on how to prevent spillages from spreading: Cover the drains.  
Instructions on how to clean up in case of spillage: Wipe up with absorbent material (e.g. cloth, fleece).  
Absorb spillage: Sawdust, diatomite, sand, universal binder.  
Suitable containment techniques: Use adsorbent materials.  
Further information on spillage and release: Dispose of in suitable containers. Ventilate the affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5.  
Personal protective equipment: see section 8.  
Incompatible materials: see section 10.  
Disposal information: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

No hazardous reaction when handled and stored according to provisions. Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol. Provide fresh air.

Respiratory protection necessary at: generation/formation of aerosols, insufficient ventilation, insufficient exhaust.

##### Information about fire - and explosion protection:

No special fire protection measures required. Use local and general ventilation. Use only in well-ventilated areas.

##### Handling:

Advice on general hygiene at the workplace:

Wash hands after use. Do not eat, drink or smoke in areas where work is taking place. Remove contaminated clothing and protective equipment before entering areas where food is being eaten. Do not store food and drink together with chemicals. Do not use containers for chemicals that are usually intended for holding food. Keep away from food, drink and animal feed.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Storage:

##### Requirements to be met by storerooms and receptacles:

Keep container tightly closed in a dry, cool and well-ventilated place.

Information about storage in one common storage facility: Store away from oxidising agents.

##### Further information about storage conditions:

Floors should be impermeable, resistant to liquids and easy to clean. Ensure that leaks can be contained, e.g. using drip pans or lowered areas. Shafts and ducts must be protected against ingress of the product. Store only in the original container. Protect containers from damage. Ensure sufficient storage room ventilation.

Do not store at temperatures below : 0 °C .

Recommended storage temperature : 5 °C - 40 °C .

Protect against : Protect from direct sunlight. Protect from heat.

(Contd. on page 4)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.02.2026

Version number 2.00 (replaces version 1.00)

Revision: 18.02.2026

**Trade name: CLASSIC FENJA SL 2 EP**

(Contd. of page 3)

Storage stability : &gt; 6 months ( 5 °C - 40 °C ) .

**Storage class:** 10

**7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

##### DNELs

###### CAS: 4259-15-8 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)

|            |                                       |                               |
|------------|---------------------------------------|-------------------------------|
| Dermal     | DNEL, long-term, dermal, systemic     | 9.6 mg/kg KG/d workers        |
| Inhalative | DNEL, long-term, inhalation, systemic | 6.6 mg/m <sup>3</sup> workers |

###### CAS: 12001-85-3 Naphthenic acids, zinc salts

|            |                                       |                                |
|------------|---------------------------------------|--------------------------------|
| Dermal     | DNEL, long-term, dermal, systemic     | 3.3 mg/kg KG/d workers         |
| Inhalative | DNEL, long-term, inhalation, systemic | 1.18 mg/m <sup>3</sup> workers |

###### CAS: 68425-15-0 polysulfides, di-tert-dodecyl

|            |                                       |                                |
|------------|---------------------------------------|--------------------------------|
| Dermal     | DNEL, long-term, dermal, systemic     | 46.7 mg/kg KG/d workers        |
| Inhalative | DNEL, long-term, inhalation, systemic | 32.9 mg/m <sup>3</sup> workers |

##### PNECs

###### CAS: 4259-15-8 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)

|                                 |             |
|---------------------------------|-------------|
| PNEC aquatic, fresh water       | 4 µg/l      |
| PNEC water bodies, sea water    | 4.6 µg/l    |
| PNEC Wastewater treatment plant | 3.8 mg/l    |
| PNEC (freshwater sediment)      | 0.322 mg/kg |
| PNEC (Seawater sediment)        | 0.032 mg/kg |
| PNEC (ground)                   | 0.062 mg/kg |

###### CAS: 68425-15-0 polysulfides, di-tert-dodecyl

|                                 |            |
|---------------------------------|------------|
| PNEC Wastewater treatment plant | 1,000 mg/l |
|---------------------------------|------------|

**Additional information:** The safety data sheet of the pre-supplier served as the basis for the creation.

#### 8.2 Exposure controls

**Appropriate engineering controls** General ventilation.

**Individual protection measures, such as personal protective equipment**
**General protective and hygienic measures:**

Technical measures and the use of appropriate work procedures take precedence over the use of personal protective equipment.

**Respiratory protection:**

Usually no personal respiratory protection necessary.

Use suitable respiratory protective device in case of insufficient ventilation.

**Hand protection**

Protective gloves according to EN 374.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.02.2026

Version number 2.00 (replaces version 1.00)

Revision: 18.02.2026

**Trade name: CLASSIC FENJA SL 2 EP**

(Contd. of page 4)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If gloves are to be reused, clean them before taking them off and store them in a well-ventilated place.

### Material of gloves

NBR: Acrylonitrile butadiene rubber

Recommended thickness of the material:  $\geq 0.12$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

4 hours

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

### Not suitable are gloves made of the following materials:

Unsuitable material : Butyl caoutchouc (butyl rubber) , NR (natural rubber, natural latex) , CR (polychloroprene, chloroprene rubber)

### Eye/face protection



Tightly sealed goggles

### Body protection:

#### Other

Take rest periods to regenerate the skin. Preventive skin protection (protective creams/ointments) is recommended.

Wash hands thoroughly after use.

### Environmental exposure controls

Use suitable container to avoid contamination of the environment. Prevent entry into drains or surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### General Information

#### Physical state

Pasty

#### Colour:

Beige

#### Odour:

Characteristic

#### Odour threshold:

Not determined

#### Melting point/freezing point:

>190 °C (1013 hPa)

#### Boiling point or initial boiling point and boiling range

>250 °C (1013 hPa)

#### Flammability

Not determined

#### Lower and upper explosion limit

#### Lower:

Not determined

#### Upper:

Not determined

#### Flash point:

>200 °C

#### Decomposition temperature:

Not determined

#### pH

Not applicable

#### Viscosity:

#### Kinematic viscosity

Not applicable

#### Dynamic:

Not applicable

#### Solubility

#### water:

Insoluble.

#### Partition coefficient n-octanol/water (log value)

Not determined

(Contd. on page 6)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.02.2026

Version number 2.00 (replaces version 1.00)

Revision: 18.02.2026

Trade name: **CLASSIC FENJA SL 2 EP**

(Contd. of page 5)

|                                                                               |                                               |
|-------------------------------------------------------------------------------|-----------------------------------------------|
| Vapour pressure:                                                              | Not applicable                                |
| Density and/or relative density                                               |                                               |
| Density at 20 °C:                                                             | ~0.94 g/cm <sup>3</sup> (DIN 51757)           |
| Relative density                                                              | Not determined                                |
| Vapour density                                                                | Not applicable                                |
| Particle characteristics                                                      | not relevant (liquid)                         |
| <b>9.2 Other information</b>                                                  |                                               |
| Appearance:                                                                   |                                               |
| Form:                                                                         | Pasty                                         |
| Important information on protection of health and environment, and on safety. |                                               |
| Ignition temperature:                                                         | Not determined                                |
| Explosive properties:                                                         | Product does not present an explosion hazard. |
| Solvent content:                                                              |                                               |
| VOC (EC)                                                                      | <3 %<br><3.00 %                               |
| Change in condition                                                           |                                               |
| Evaporation rate                                                              | Not applicable.                               |

|                                                                           |      |
|---------------------------------------------------------------------------|------|
| <b>Information with regard to physical hazard classes</b>                 |      |
| Explosives                                                                | Void |
| Flammable gases                                                           | Void |
| Aerosols                                                                  | Void |
| Oxidising gases                                                           | Void |
| Gases under pressure                                                      | Void |
| Flammable liquids                                                         | Void |
| Flammable solids                                                          | Void |
| Self-reactive substances and mixtures                                     | Void |
| Pyrophoric liquids                                                        | Void |
| Pyrophoric solids                                                         | Void |
| Self-heating substances and mixtures                                      | Void |
| Substances and mixtures, which emit flammable gases in contact with water | Void |
| Oxidising liquids                                                         | Void |
| Oxidising solids                                                          | Void |
| Organic peroxides                                                         | Void |
| Corrosive to metals                                                       | Void |
| Desensitised explosives                                                   | Void |

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

This material is not reactive under normal environmental conditions. Regarding incompatibilities: see "Conditions to avoid" and "Incompatible materials" below.

#### 10.2 Chemical stability

##### Information on the shelf life

The product is chemically stable under the recommended storage, use and temperature conditions.

#### 10.3 Possibility of hazardous reactions

No dangerous reactions known.

#### 10.4 Conditions to avoid

Stable under normal use conditions.

#### 10.5 Incompatible materials:

Acids, oxidising agents

#### 10.6 Hazardous decomposition products:

Reasonably expected hazardous decomposition products arising from use, storage, spillage and heating are not known.

Hazardous combustion products: see section 5.

EU

(Contd. on page 7)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.02.2026

Version number 2.00 (replaces version 1.00)

Revision: 18.02.2026

Trade name: CLASSIC FENJA SL 2 EP

(Contd. of page 6)

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

No test data are available for the complete mixture.

Classification procedure:

The method of classification of the mixture is based on the mixture constituents (additivity formula)

**Acute toxicity** Based on available data, the classification criteria are not met.

**Primary irritant effect:**
**Skin corrosion/irritation** Is not classified as skin corrosive/irritant.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation**

Contains zinc naphthenate, polysulphides, di-tert-dodecyl. May cause allergic reactions.

Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

##### Endocrine disrupting properties

None of the ingredients is listed.

### SECTION 12: Ecological information

#### 12.1 Toxicity

**Aquatic toxicity:** No further relevant information available.

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable

**vPvB:** Not applicable

#### 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

#### 12.7 Other adverse effects

**Additional ecological information:**
**General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### Recommendation

Dispose of waste according to applicable legislation.

Do not allow to enter drains. Avoid release to the environment. Obtain special instructions/consult safety data sheet.

The allocation of waste code numbers/waste designations is to be carried out according to EAVK on a sector- and process-specific basis.

The waste must be kept separate from other types of waste until it is recycled.

##### European waste catalogue

12 01 12\* spent waxes and fats

(Contd. on page 8)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.02.2026

Version number 2.00 (replaces version 1.00)

Revision: 18.02.2026

**Trade name: CLASSIC FENJA SL 2 EP**

(Contd. of page 7)

15 01 10\* packaging containing residues of or contaminated by hazardous substances

### Uncleaned packaging:

#### Recommendation:

Send to a chemical/physical treatment plant in compliance with official regulations. Non-contaminated packaging must be reused or recycled. Packaging that cannot be cleaned must be disposed of. Contaminated packaging shall be treated in the same way as the substance. The waste shall be kept separate from other types of waste until recovery.

Disposal must be made according to official regulations.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR, IMDG, IATA

not regulated

### 14.2 UN proper shipping name

ADR, IMDG, IATA

not regulated

### 14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class

not regulated

### 14.4 Packing group

ADR, IMDG, IATA

not regulated

### 14.5 Environmental hazards:

Not applicable

### 14.6 Special precautions for user

Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable

### UN "Model Regulation":

not regulated

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Labelling according to Regulation (EC) No 1272/2008** Void

**Hazard pictograms** Void

**Signal word** Void

**Hazard statements** Void

#### Directive 2012/18/EU

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**Seveso category** Not subject to 2012/18/EU (SEVESO III)

**REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)** No ingredient is listed.

#### REGULATION (EC) No 1907/2006 ANNEX XVII

Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate): 3,75

Polysulphides, di-tert-dodecyl: 3, 75

Zinc naphthenate: 75

Legend R3

1. shall not be used

- in decorative articles intended to produce light or colour effects (by phase change), e.g. in mood lamps and ashtrays;

- in joke games;

- in games for one or more participants or in products intended to be used as such, including for decoration.

(2) Products which do not comply with the requirements of paragraph (1) shall not be placed on the market.

(Contd. on page 9)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.02.2026

Version number 2.00 (replaces version 1.00)

Revision: 18.02.2026

**Trade name: CLASSIC FENJA SL 2 EP**

(Contd. of page 8)

3. may not be placed on the market if they contain a colouring agent, except for fiscal reasons, and/or a perfume provided that

- they may be used as fuel in decorative oil lamps intended for supply to the general public, and
- the aspiration of which is classified as dangerous and which are labelled H304.

(4) Decorative oil lamps intended for supply to the general public shall not be placed on the market unless they comply with the European standard for decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).

5. Without prejudice to the implementation of other Union provisions on classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before placing on the market, that the following requirements are met:

(a) lamp oils labelled H304 and intended for supply to the general public shall bear the following inscriptions in a clearly visible, legible and indelible form: 'Keep lamps filled with this liquid out of the reach of children'; and, from 1 December 2010: 'Even a small sip of lamp oil - or even sucking on a lamp wick

- can lead to life-threatening damage to the lungs';

(b) liquid barbecue lighters labelled H304 and intended for supply to the general public shall bear the following words legibly and indelibly from 1 December 2010: 'Even a small sip of liquid barbecue lighter can cause life-threatening lung damage';

(c) lamp oils and barbecue lighters labelled H304 and intended for supply to the general public shall, from 1 December 2010, be packaged in black opaque containers not exceeding 1 litre.

Legend

R75

1. Shall not be placed on the market in mixtures for use for tattooing purposes and mixtures containing such substances shall not be used for tattooing purposes after 4 January 2022 if the substance or substances in question are present in the following circumstances:

(a) in the case of substances classified as category 1A, 1B or 2 carcinogens or category 1A, 1B or 2 germ cell mutagens in Part 3 of Annex VI to Regulation (EC) No 1272/2008, if the concentration of the substance in the mixture is at least 0,00005 % by weight;

(b) for substances classified as toxic to reproduction category 1A, 1B or 2 in Part 3 of Annex VI to Regulation (EC) No 1272/2008, if the concentration of the substance in the mixture is at least 0,001 % by weight;

(c) for substances classified as skin sensitising category 1, 1A or 1B in Part 3 of Annex VI to Regulation (EC) No 1272/2008, if the concentration of the substance in the mixture is at least 0,001 % by weight;

(d) for substances classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive substances of category 1A, 1B or 1C, as skin irritant substances of category 2, as severely eye damaging substances of category 1 or as eye irritant substances of category 2, if the concentration of the substance in the mixture is

(i) in the case of use solely as a pH regulator, at least 0,1 % by weight; and

(ii) in all other cases, at least 0,01 % by weight;

(e) for substances listed in Annex II to Regulation (EC) No 1223/2009 (\*1), if the concentration of the substance in the mixture is at least 0,00005 % by weight;

(f) for substances for which at least one of the following conditions is specified in column (g) (nature of the product, body parts) of the table in Annex IV to Regulation (EC) No 1223/2009:

(i) 'to be rinsed off',

(ii) 'Do not use in products applied to mucous membranes',

(iii) "Do not use in ophthalmic products", if the concentration of the substance in the mixture is at least 0,00005 % by weight;

(g) for substances for which a condition is specified in column (h) (maximum concentration in the ready-to-use preparation) or column (i) (other) of the table in Annex IV to Regulation (EC) No 1223/2009, if the substance is present in the mixture in a concentration or in any other way that does not comply with the condition specified in that column;

(h) for substances listed in Appendix 13 to this Annex, if the substance is present in the mixture in a concentration equal to or greater than the limit specified for that substance in that Appendix.

(2) For the purposes of this entry, the use of a mixture 'for tattooing purposes' means the injection or introduction of the mixture into the skin, mucous membrane or eyeball of a human being by any process (including processes commonly referred to as permanent make-up, cosmetic tattooing, microblading and micropigmentation) with the aim of applying a tattoo to the skin, mucous membrane or eyeball of a human being.

), with the purpose of creating a mark or design on the person's body.

(3) Where a substance not listed in Appendix 13 is subject to more than one of the points (a) to (g) of paragraph 1, the most stringent concentration limit specified under those points shall apply to that substance.

(Contd. on page 10)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.02.2026

Version number 2.00 (replaces version 1.00)

Revision: 18.02.2026

**Trade name: CLASSIC FENJA SL 2 EP**

(Contd. of page 9)

Where a substance listed in Annex 13 is also subject to at least one of the points listed in paragraph 1(a) to (g), the concentration limit specified in paragraph 1(h) shall apply to that substance.

4. by way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:

(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);

(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021. January 2021, the classification or reclassification of a substance is amended so that the substance becomes subject to paragraph 1(a), (b), (c) or (d) of this entry, or is subject to a different one of those letters than before, and the effective date of that initial classification or reclassification is later than the date specified in paragraph 1 or paragraph 4 of this entry, as the case may be, that amendment shall be treated, for the purposes of the application of this entry to that substance, as taking effect on the effective date of the initial classification or reclassification.

6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021. January 2021 by adding a substance or by amending the entry for that substance so that it falls within paragraph 1(e), (f) or (g) of that entry, or so that it then falls within a different one of those points than it did previously, and the amendment takes effect after the date specified in paragraph 1 or paragraph 4 of that entry, as the case may be, that amendment shall be treated, for the purposes of the application of that entry to that substance, as taking effect 18 months after the entry into force of the act making the amendment.

7. Suppliers placing a mixture for tattooing use on the market shall ensure that it is labelled after 4 January 2022 with a label containing the following information:

(a) the indication 'mixture for use in tattooing or permanent make-up';

(b) a reference number uniquely identifying the batch;

(c) the list of ingredients according to the nomenclature established in the glossary of common ingredient names referred to in Article 33 of Regulation (EC) No 1223/2009 or, in the absence of a common ingredient name, the IUPAC name. If there is no common ingredient name and no IUPAC name, the CAS and EC the CAS and EC number. The constituents shall be listed in descending order by weight or volume of constituents at the time of formulation. Ingredient' means any substance added during formulation and present in the mixture for use for tattooing purposes. Impurities shall not be considered as ingredients. Where the name of a substance used as an ingredient for the purposes of this entry is already required to be indicated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient need not be indicated in accordance with this Regulation;

(d) the additional phrase 'pH regulator' for substances to which paragraph 1(d)(i) applies;

(e) the words 'Contains nickel. May cause allergic reaction' if the mixture contains nickel below the concentration limit specified in Appendix 13;

(f) the words 'Contains chromium (VI). May cause allergic reaction' if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;

(g) safety information for use, if not already required to be provided on the label under Regulation (EC) No 1272/2008. The information shall be clearly visible, legible and indelible. The information shall be in the official languages of the Member States where the mixture is placed on the market, unless the Member States concerned provide otherwise. Where the size of the packaging so requires, the information referred to in the first subparagraph other than point (a) shall be included in the instructions for use instead.

Prior to the use of a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information recorded on the packaging or in the instructions for use in accordance with this paragraph.

Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

Legend

8. mixtures which do not bear the indication 'mixture for use in tattooing or permanent make-up' shall not be used for tattooing purposes.

9. this entry does not apply to substances which are gaseous at a temperature of 20 °C and a pressure of 101,3 kPa or which produce a vapour pressure greater than 300 kPa at a temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry shall not apply to the placing on the market of a mixture for use for tattooing purposes or to the use of a mixture for tattooing purposes if it is placed on the market exclusively as a medical device or an accessory of a medical device within the meaning of Regulation (EU) 2017/745 or used exclusively as a medical device or an accessory of a medical device within the same meaning. Where the mixture may not be placed on the market or used exclusively as a medical device or an accessory of a medical device, the requirements of Regulation (EU) 2017/745 and those of this Regulation shall apply cumulatively.

(Contd. on page 11)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.02.2026

Version number 2.00 (replaces version 1.00)

Revision: 18.02.2026

**Trade name: CLASSIC FENJA SL 2 EP**

(Contd. of page 10)

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

### National regulations:

#### Technical instructions (air):

Technical Instructions on Air Quality Control I: 5.2.5: Organic substances, to be indicated as total carbon at m  $\geq 0.50$  kg/h: Conc. 50 mg/m<sup>3</sup>.

Proportion: &gt;25 %

**Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

### Other regulations, limitations and prohibitive regulations

Water Framework Directive (WFD)

List of pollutants (WFD)

Substance name: Zinc naphthenate

Listed in: a)

Legend

A) Non-exhaustive list of the most important pollutants

### Substances of very high concern (SVHC) according to REACH, Article 57

None of the components are listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

**Department issuing SDS:** product management

**Version number of previous version:** 1.00

### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

(Contd. on page 12)

**Safety data sheet**  
**according to Regulation (EC) No 1907/2006, Article 31**

Printing date 18.02.2026

Version number 2.00 (replaces version 1.00)

Revision: 18.02.2026

**Trade name: CLASSIC FENJA SL 2 EP**

(Contd. of page 11)

vPvB: very Persistent and very Bioaccumulative

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

**Sources** The safety data sheet of the pre-supplier served as the basis for the creation.

— EU —