

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.01.2026

Version number 7.00 (replaces version 6.01)

Revision: 21.11.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **CLASSIC HAMDIR UM 22 HLPD**

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Hydraulic oil

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

CLASSIC Schmierstoff GmbH & Co. KG

Lange Straße 100-106

D-27318 HOYA

GERMANY

Phone: +49 (4251) - 8120

products@classic-oil.de

Further information obtainable from: product management

1.4 Emergency telephone number: 24-hour emergency contact number : +1 872 5888271 (CSG)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

EUH210 Safety data sheet available on request.

2.3 Other hazards

The product may form a film on the water surface which may prevent oxygen exchange.

See sections 11, 12 and 15.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Determination of endocrine-disrupting properties No ingredient is listed.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 64742-55-8 EINECS: 265-158-7 Reg.nr.: 01-2119487077-29	Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified Asp. Tox. 1, H304	1-<5%
CAS: 72623-86-0 EINECS: 276-737-9 Reg.nr.: 01-2119474878-16	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Asp. Tox. 1, H304	1-<5%

Additional information:

Mixtures are not subject to registration. The registration numbers of the ingredients of this mixture (if available) have been given under point 3.

The mineral oils in the product contain < 3% DMSO extract (IP 346).

(Contd. on page 2)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.01.2026

Version number 7.00 (replaces version 6.01)

Revision: 21.11.2025

Trade name: CLASSIC HAMDIR UM 22 HLPD

(Contd. of page 1)

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In all cases of doubt or if symptoms are present, seek medical advice.

Never administer by mouth to an unconscious person or if convulsions occur.

First aiders: Pay attention to self-protection!

After inhalation:

Take affected persons into fresh air and keep quiet.

Seek medical treatment in case of complaints.

After skin contact:

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor if skin irritation persists. Remove contaminated clothing.

After eye contact:

Rinse opened eye for several minutes under running water.

Remove any existing contact lenses if possible.

Call a doctor immediately.

After swallowing:

Do not induce vomiting.

In case of vomiting, note the risk of aspiration.

Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Foam, Dry powder, Carbon dioxide, Water spray jet

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

The formation of combustible vapours is possible at temperatures above: Flash point.

Fire may release: Pyrolysis products; hydrocarbons; carbon dioxide (CO₂); carbon monoxide (CO); hydrogen sulphide (H₂S); nitrogen oxides (NO_x); phosphorus oxides; smoke.

5.3 Advice for firefighters

Protective equipment:

In case combustion use a suitable breathing apparatus. Wear full protective suit. Do not allow run-off from fire fighting to enter drains or water courses.

Use water spray to protect people and cool containers in danger areas.

Collect contaminated extinguishing water separately. Do not allow to enter drains or watercourses.

Adapt extinguishing measures to the surroundings.

Additional information B: Burning liquid or melting substances.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

Conditions to avoid: Inhalation. Keep away from sources of ignition - Do not smoke.

Avoid contact with skin, eyes and clothes.

6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

(Contd. on page 3)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.01.2026

Version number 7.00 (replaces version 6.01)

Revision: 21.11.2025

Trade name: CLASSIC HAMDIR UM 22 HLPD

(Contd. of page 2)

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid oil mist formation

Keep away from heat, hot surfaces, sparks, open flames and other sources of ignition. Do not smoke.

Open and handle container with care.

The formation of combustible vapours is possible at temperatures above: Flash point.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Handling:

Information on general hygiene measures at the workplace:

Avoid contact with skin, eyes and clothing. Do not carry product-soaked cleaning cloths in your trouser pockets. Remove soiled, soaked clothing immediately. Wash hands before breaks and at the end of work. Do not eat, drink or smoke while working. Store work clothes separately.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Keep container tightly closed in a dry, cool and well-ventilated place.

Store only in the original receptacle.

Information about storage in one common storage facility: Keep away from: Oxidising agents, strong

Further information about storage conditions: Storage temperature: <50°C

Storage class: 10

7.3 Specific end use(s) Observe the technical data sheet

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs

CAS: 64742-55-8 Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified

Dermal	DNEL(long/systemic)	0.97 mg/kg bw/d (worker)
Inhalative	DNEL(long/systemic)	2.7 mg/m ³ (worker)
	DNEL (long/local)	5.58 mg/m ³ (worker)

CAS: 72623-86-0 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based

Dermal	DNEL, long-term, dermal, systemic	0.74 mg/kg bw/Tag (Consumer)
Inhalative		0.97 mg/kg KG/d (worker)
	DNEL, long-term, inhalation, systemic	2.73 mg/m ³ (worker)
	long-term, inhalation, local	5.58 mg/m ³ (worker)

Additional information: The safety data sheet of the pre-supplier served as the basis for the creation.

(Contd. on page 4)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.01.2026

Version number 7.00 (replaces version 6.01)

Revision: 21.11.2025

Trade name: CLASSIC HAMDIR UM 22 HLPD

(Contd. of page 3)

8.2 Exposure controls Ensure adequate ventilation and point extraction at critical points.

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Observe the usual precautions for handling chemicals. Store work clothing separately. Wash hands before breaks and after work. Cloths contaminated with product should not be kept in trouser pockets. Do not eat, drink or smoke during work time.

Respiratory protection:

Not necessary if room is well-ventilated.

Fog generation/formation: Filter unit with filter or fan filter unit type:A2 P2

Hand protection

Wear chemical protective gloves according to EN 374

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile

Recommended thickness of the material: ≥ 0.35 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

>480min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection

Wear eye/face protection.

EN 166

Body protection: Wear suitable protective clothing.

Environmental exposure controls

Technical measures to prevent exposure

Organisational measures to prevent exposure

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

Liquid

Colour:

Yellow-brown

Odour:

Odour threshold:

Not determined.

Melting point/freezing point:

Undetermined.

Boiling point or initial boiling point and boiling range

Undetermined.

Flammability

Not applicable.

Lower and upper explosion limit

Lower:

0.6 Vol %

Upper:

6.5 Vol %

Flash point:

220 °C (DIN ISO 2592)

Decomposition temperature:

Not determined.

pH

Not determined.

(Contd. on page 5)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.01.2026

Version number 7.00 (replaces version 6.01)

Revision: 21.11.2025

Trade name: **CLASSIC HAMDİR UM 22 HLPD**

(Contd. of page 4)

Viscosity:

Kinematic viscosity at 40 °C

22.5 mm²/s (ASTM D7279)

Dynamic:

Not determined.

Solubility

water:

Not miscible or difficult to mix.

Partition coefficient n-octanol/water (log value)

Not determined.

Vapour pressure:

Not determined.

Density and/or relative density

Density at 15 °C:

0.846 g/cm³ (DIN EN ISO 12185)

Relative density

Not determined.

Vapour density

Not determined.

Particle characteristics

Does not apply to liquids.

9.2 Other information

Appearance:

Form:

Fluid

Important information on protection of health and environment, and on safety.

Ignition temperature:

Product is not selfigniting.

Explosive properties:

Product does not present an explosion hazard.

Change in condition

Drip point:

Pour point

-36 °C (ASTM D7346)

Evaporation rate

Not determined.

Information with regard to physical hazard classes

Explosives

Void

Flammable gases

Void

Aerosols

Void

Oxidising gases

Void

Gases under pressure

Void

Flammable liquids

Void

Flammable solids

Void

Self-reactive substances and mixtures

Void

Pyrophoric liquids

Void

Pyrophoric solids

Void

Self-heating substances and mixtures

Void

Substances and mixtures, which emit flammable

gases in contact with water

Void

Oxidising liquids

Void

Oxidising solids

Void

Organic peroxides

Void

Corrosive to metals

Void

Desensitised explosives

Void

SECTION 10: Stability and reactivity

10.1 Reactivity No hazardous reactions when stored and handled according to prescribed instructions.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

Stable under recommended storage and handling conditions.

10.3 Possibility of hazardous reactions

The formation of combustible vapors is possible at temperatures above the flashpoint

10.4 Conditions to avoid Oxidizer, strong

10.5 Incompatible materials: Oxidising agent, strong

(Contd. on page 6)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.01.2026

Version number 7.00 (replaces version 6.01)

Revision: 21.11.2025

Trade name: **CLASSIC HAMDİR UM 22 HLPD**

(Contd. of page 5)

10.6 Hazardous decomposition products: Refer to section 5.2.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Oral	ATE	>2,000 mg/kg (Calculated)
Dermal	ATE	>2,000 mg/kg (Calculated)
Inhalative	ATE Dust/Mist	>5 mg/L (Calculated)
	ATE Vapour	>20 mg/L (Calculated)

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

Other information

There are no data for the preparation/mixture itself. The classification was made according to the calculation procedure of Regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

There are no data available on the mixture itself. The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as dangerous for the environment.

CAS: 64742-55-8 Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified

ErC50	>100 mg/l /72 h (algae)
NOEC	10 mg/l /21 d (Daphnia magna)
	>1,000 mg/l /14 d (Fish)
EC50	>10,000 mg/L (Daphnia magna)
LC50	>100 mg/L /96 h (Fish)

12.2 Persistence and degradability

There are no data for the preparation/mixture itself.

Not readily biodegradable (according to OECD criteria). Data refer to the main component.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

PBT: Not applicable.

vPvB: Not applicable.

(Contd. on page 7)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.01.2026

Version number 7.00 (replaces version 6.01)

Revision: 21.11.2025

Trade name: **CLASSIC HAMDIR UM 22 HLPD**

(Contd. of page 6)

12.6 Endocrine disrupting properties

This product does not contain any substance with endocrine disrupting properties towards non-target organisms, as no ingredient fulfils the criteria.

12.7 Other adverse effects

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Dispose of waste according to applicable legislation.

Delivery of waste oil to officially authorised collectors only.

The allocation of waste code numbers/waste designations is to be carried out according to EAVK on a sector- and process-specific basis.

European waste catalogue

13 01 10*	mineral based non-chlorinated hydraulic oils
15 01 10*	packaging containing residues of or contaminated by hazardous substances

Uncleaned packaging:

Recommendation:

Non contaminated packagings may be recycled.

Completely emptied packaging can be recycled.

Handle contaminated packages in the same way as the substance itself.

Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA

not regulated

14.2 UN proper shipping name

ADR, IMDG, IATA

not regulated

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class

not regulated

14.4 Packing group

ADR, IMDG, IATA

not regulated

14.5 Environmental hazards:

ENVIRONMENTALLY HAZARDOUS: no

14.6 Special precautions for user

Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

UN "Model Regulation":

not regulated

EU

(Contd. on page 8)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.01.2026

Version number 7.00 (replaces version 6.01)

Revision: 21.11.2025

Trade name: **CLASSIC HAMDIR UM 22 HLPD**

(Contd. of page 7)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category This product is not controlled under the Seveso Directive.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 75

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Other regulations, limitations and prohibitive regulations

The national legal regulations must also be observed!

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H304 May be fatal if swallowed and enters airways.

Department issuing SDS: product management

Date of previous version: 08.01.2025

Version number of previous version: 6.01

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Asp. Tox. 1: Aspiration hazard – Category 1