

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.06.2026

Version number 5.00 (replaces version 4.00)

Revision: 06.12.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: **CLASSIC ILSAN GM 68**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture transmission oil

#### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:

CLASSIC Schmierstoff GmbH & Co. KG

Lange Straße 100-106

D-27318 HOYA

GERMANY

Phone: +49 (4251) - 8120

products@classic-oil.de

Further information obtainable from: product management

1.4 Emergency telephone number: 24-hour emergency contact number : +1 872 5888271 (CSG)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

##### Additional information:

EUH208 Contains: polysulfides, di-tert-dodecyl. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

#### 2.3 Other hazards

The product does not contain any (>0.1%) substances of very high concern (SVHC) included in the candidate list according to REACH, Article 59.

For information or further instructions, see also section 11 or 12.

##### Results of PBT and vPvB assessment

PBT: Not applicable

vPvB: Not applicable

Determination of endocrine-disrupting properties No ingredient is listed.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

##### Dangerous components:

CAS: 68425-15-0	polysulfides, di-tert-dodecyl	⚠ Skin Sens. 1B, H317	0.5-<1%
EINECS: 270-335-7			
Reg.nr.: 01-2119540516-41			

Additional information: For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information:

In case of accident or unwellness, seek medical advice immediately.

(Contd. on page 2)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.06.2026

Version number 5.00 (replaces version 4.00)

Revision: 06.12.2024

**Trade name: CLASSIC ILSAN GM 68**

(Contd. of page 1)

If possible, show operating instructions or safety data sheet.

**After inhalation:**

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

**After skin contact:**

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, seek medical treatment.

**After eye contact:**

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

**After swallowing:**

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunk in little sips ( dilution effect).

Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

**4.2 Most important symptoms and effects, both acute and delayed**

If swallowed or vomited, danger of entering the lungs.

**4.3 Indication of any immediate medical attention and special treatment needed**

Symptomatic treatment.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents:**

Sand. Foam. Carbon dioxide (CO<sub>2</sub>). Extinguishing powder. For large fires and large quantities: Water spray, water mist.

**For safety reasons unsuitable extinguishing agents:** Water with full jet

**5.2 Special hazards arising from the substance or mixture**

When burning strong soot development

In the event of fire, the following can be produced: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>) Sulphur dioxide (SO<sub>2</sub>) Nitrogen oxides (NO<sub>x</sub>)

**5.3 Advice for firefighters****Protective equipment:**

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

**For non-emergency personnel** Personal protective equipment

**For emergency responders** No special precautions are necessary.

**6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

**6.3 Methods and material for containment and cleaning up:**

Thoroughly clean soiled objects and surfaces in compliance with environmental regulations.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

(Contd. on page 3)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.06.2026

Version number 5.00 (replaces version 4.00)

Revision: 06.12.2024

Trade name: **CLASSIC ILSAN GM 68**

(Contd. of page 2)

### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Wear suitable protective clothing.

Avoid formation of oil dust.

#### Information about fire - and explosion protection:

Usual measures of preventive fire protection

Keep ignition sources away - Do not smoke.

Fire class B

#### Handling:

Information on general hygiene measures at the workplace:

Ensure thorough skin cleansing and skin care after work.

Do not carry product-soaked cleaning rags in trouser pockets.

Do not wear contaminated work clothing outside the workplace.

Wash contaminated clothing before wearing again.

Do not breathe vapour/aerosol. Avoid contact with eyes and skin.

Advices on general occupational hygiene: See section 8.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

##### Requirements to be met by storerooms and receptacles:

Keep container tightly closed in a dry, cool and well-ventilated place.

Use only receptacles specifically permitted for this substance/product.

##### Information about storage in one common storage facility:

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances. Infectious substances.

##### Further information about storage conditions:

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

**Storage class:** 10 (TRGS 510)

**7.3 Specific end use(s)** See section 1.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

**CAS: 67-56-1 methanol**

IOELV	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
	Skin

#### PNECs

**CAS: 68425-15-0 polysulfides, di-tert-dodecyl**

PNEC	0.385 mg/Kg (Seawater sediment)
	3.85 mg/Kg (Freshwater sediment)
	66.7 mg/Kg (Intoxication secondaire)
PNEC Wastewater treatment plant	1,000 mg/l

#### Ingredients with biological limit values:

#### Additional Occupational Exposure Limit Values for possible hazards during processing:

Air limit values:

Possibility of exposure to Aerosol (Mineral oil )

Limit value (TLV-TWA ) = 5 mg/ m<sup>3</sup> - Source: ACGIH

Limit value (TLV-STEL ) = 10 mg/ m<sup>3</sup> - Source: ACGIH

(Contd. on page 4)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.06.2026

Version number 5.00 (replaces version 4.00)

Revision: 06.12.2024

**Trade name: CLASSIC ILSAN GM 68**

(Contd. of page 3)

STEL: short-term exposure limits

TLV: Threshold Limiting Value

TWA: time weighted average

ACGIH: American Conference of Governmental Industrial Hygienists

**Additional information:**

The data sheets of the upstream suppliers and lists valid at the time of production serve as a basis.

**8.2 Exposure controls**

**Appropriate engineering controls** Ensure good ventilation of the work station.

**Individual protection measures, such as personal protective equipment**

**General protective and hygienic measures:** Wash hands before breaks and at the end of work.

**Respiratory protection:**

With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory protection necessary at:

-aerosol or mist formation

-Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The respiratory protection filter class must be adapted to the maximum pollutant concentration (gas/vapour/aerosol/particles) that can arise when handling the product. If the concentration is exceeded, insulating equipment must be used!

**Hand protection**

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 347/EN 388.

The design of chemical protective gloves must be selected specifically for the workplace, depending on the concentration and quantity of hazardous substances.

It is recommended to check the chemical resistance of the above mentioned protective gloves for specific applications with the glove manufacturer.

Gloves must be checked regularly and replaced in case of wear, holes or contamination.

If gloves are to be reused, clean them before taking them off and store them in a well-ventilated place.

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection**

Safety goggles with side shield, in case of increased splash hazard additional face shield. DIN EN 166

**Body protection:**

Heavy flammable, oil-repellent protective clothing

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

**Thermal hazards**

Wear protective clothing when working with hot material: heat-resistant overalls (with trouser legs over the boots and sleeves over the glove cuffs), heat-resistant, high-performance, non-slip boots (e.g. leather).

**Environmental exposure controls** There are no data available.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

**General Information**

**Physical state**

Liquid

**Colour:**

Clear

**Odour:**

Characteristic

**Odour threshold:**

Not determined

(Contd. on page 5)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.06.2026

Version number 5.00 (replaces version 4.00)

Revision: 06.12.2024

Trade name: **CLASSIC ILSAN GM 68**

(Contd. of page 4)

<b>Melting point/freezing point:</b>	Undetermined
<b>Boiling point or initial boiling point and boiling range</b>	Undetermined
<b>Flammability</b>	Not applicable
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	Not determined
<b>Upper:</b>	Not determined
<b>Flash point:</b>	230 °C (DIN ISO 2592)
<b>Decomposition temperature:</b>	Not determined
<b>pH</b>	Not determined
<b>Viscosity:</b>	
<b>Kinematic viscosity at 40 °C</b>	69.0 mm <sup>2</sup> /s (DIN EN ISO 3104)
<b>Dynamic:</b>	Not determined
<b>Solubility</b>	
<b>water:</b>	Not miscible or difficult to mix.
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined
<b>Vapour pressure:</b>	Not determined
<b>Density and/or relative density</b>	
<b>Density at 15 °C:</b>	0.8772 g/cm <sup>3</sup> (DIN 51757)
<b>Relative density</b>	Not determined
<b>Vapour density</b>	Not determined
<b>Particle characteristics</b>	Does not apply to liquids.

### 9.2 Other information

<b>Appearance:</b>	
<b>Form:</b>	Fluid
<b>Important information on protection of health and environment, and on safety.</b>	
<b>Ignition temperature:</b>	Product is not selfigniting.
<b>Explosive properties:</b>	Product does not present an explosion hazard.
<b>Change in condition</b>	
<b>Drip point:</b>	
<b>Pour point</b>	-24 °C (ASTM D 5985)
<b>Evaporation rate</b>	Not determined

### Information with regard to physical hazard classes

<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Void
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void
<b>Pyrophoric liquids</b>	Void
<b>Pyrophoric solids</b>	Void
<b>Self-heating substances and mixtures</b>	Void
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
<b>Oxidising liquids</b>	Void
<b>Oxidising solids</b>	Void
<b>Organic peroxides</b>	Void
<b>Corrosive to metals</b>	Void
<b>Desensitised explosives</b>	Void

(Contd. on page 6)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.06.2026

Version number 5.00 (replaces version 4.00)

Revision: 06.12.2024

Trade name: **CLASSIC ILSAN GM 68**

(Contd. of page 5)

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability**

**Information on the shelf life**

The product is chemically stable under the recommended storage, use and temperature conditions.

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions**

No dangerous reactions known.

Refer to chapter 10.5.

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** Oxidising agent, strong

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

**CAS: 68425-15-0 polysulfides, di-tert-dodecyl**

Oral	LD50 oral	>2,000 mg/kg (Rat)
Dermal	LD50 dermal	>2,000 mg/kg (rabbit)
Inhalative	LC50	>15.5 mg/L /4 h (Rat)

**Primary irritant effect:**

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation**

Contains polysulphides, di-tert-dodecyl. May cause allergic reactions.

May cause sensitisation in sensitive individuals.

Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity**

Polysulphides, di-tert-dodecyl:

In vitro mutagenicity/genotoxicity: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) = positive. OECD Guideline 471 (Bacterial Reverse Mutation Assay) = negative. OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) = negative. Literature reference: ECHA Dossier

Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Polysulphides, di-tert-dodecyl:

Subacute oral toxicity: Method: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents);

Species: Rat; Result: NOAEL 1000 mg/kg; Reference: ECHA Dossier

Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Additional toxicological information:**

Oral	ATE	>2,000 mg/kg (Calculated)
Dermal	ATE	>2,000 mg/kg (Calculated)
Inhalative	ATE Dust/Mist	>5 mg/L/4h (Calculated)
	ATE Vapour	>20 mg/L (Calculated)

**CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)**

Polysulphides, di-tert-dodecyl:

Developmental toxicity / teratogenicity: Species: rat; Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Result: NOAEL 1000 mg/kg; Reference: ECHA Dossier

(Contd. on page 7)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.06.2026

Version number 5.00 (replaces version 4.00)

Revision: 06.12.2024

Trade name: **CLASSIC ILSAN GM 68**

(Contd. of page 6)

### 11.2 Information on other hazards

#### Endocrine disrupting properties

This product does not contain any substance (> 0.1%) with endocrine disrupting properties towards non-target organisms, as no ingredient fulfils the criteria.

**Other information** Frequent and prolonged skin contact may cause skin irritation.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity:

Based on available data, the classification criteria are not met.

#### CAS: 68425-15-0 polysulfides, di-tert-dodecyl

ErC50 >100 mg/l /72 h (algae)

LC50 >100 mg/L /96 h (Fish)

### 12.2 Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

#### CAS: 68425-15-0 polysulfides, di-tert-dodecyl

Biological degradation 0 % /28 d

### 12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

#### CAS: 68425-15-0 polysulfides, di-tert-dodecyl

BCF <0.01

Partition coefficient n-octanol/water >6.2

**12.4 Mobility in soil** No further relevant information available.

### 12.5 Results of PBT and vPvB assessment

The product does not contain substances meeting the criteria for PBT or vPvB in accordance with Annex XIII, Regulation (EC) No 1907/2006 (REACH), as amended.

The above statement applies to the substances contained in the product from 0.1 %.

**PBT:** Not applicable

**vPvB:** Not applicable

### 12.6 Endocrine disrupting properties

This product does not contain any substance that exhibits endocrine disrupting properties towards non-target organisms, as no ingredient fulfils the criteria.

The above statement applies to the substances contained in the product from 0.1 %.

### 12.7 Other adverse effects

**Additional ecological information:** Ozone depletion potential (ODP): No information available.

#### General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Recommendation

Dispose of in accordance with official regulations. Contact the responsible authorised waste disposal company for waste disposal. Non-contaminated and completely empty packaging can be recycled. The allocation of waste code numbers/waste designations must be carried out in accordance with EAKV on an industry and process-specific basis.

#### European waste catalogue

15 01 10\* | packaging containing residues of or contaminated by hazardous substances

(Contd. on page 8)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.06.2026

Version number 5.00 (replaces version 4.00)

Revision: 06.12.2024

Trade name: **CLASSIC ILSAN GM 68**

(Contd. of page 7)

**Uncleaned packaging:**

**Recommendation:** Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

**14.1 UN number or ID number**

ADR, IMDG, IATA not regulated

**14.2 UN proper shipping name**

ADR, IMDG, IATA not regulated

**14.3 Transport hazard class(es)**

ADR, ADN, IMDG, IATA  
Class not regulated

**14.4 Packing group**

ADR, IMDG, IATA not regulated

**14.5 Environmental hazards:**

ENVIRONMENTALLY HAZARDOUS: no

**14.6 Special precautions for user**

For information on safe handling, see chapter 7.  
For information on personal protective equipment, see chapter 8.

**14.7 Maritime transport in bulk according to IMO instruments**

Not applicable

**UN "Model Regulation":**

not regulated

### SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Labelling according to Regulation (EC) No 1272/2008** Void

**Hazard pictograms** Void

**Signal word** Void

**Hazard statements** Void

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**Seveso category** This product is not controlled under the Seveso Directive.

**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 75

**Regulation (EU) No 649/2012**

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: not relevant

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

(Contd. on page 9)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.06.2026

Version number 5.00 (replaces version 4.00)

Revision: 06.12.2024

**Trade name: CLASSIC ILSAN GM 68**

(Contd. of page 8)

### Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

### Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

#### National regulations:

#### Technical instructions (air):

Technical Instructions on Air Quality I (Germany):

5.2.5: Organic substances, to be indicated as total carbon at  $m \geq 0.50$  kg/h: Conc. 50 mg/m<sup>3</sup>.

Proportion: >99 %

**Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

#### Other regulations, limitations and prohibitive regulations

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: not relevant

The national legal regulations must also be observed!

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H317 May cause an allergic skin reaction.

#### Classification according to Regulation (EC) No 1272/2008

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: Based on test data

**Department issuing SDS:** product management

**Contact:** product management

**Date of previous version:** 13.09.2024

**Version number of previous version:** 4.00

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Sens. 1B: Skin sensitisation – Category 1B

**\* Data compared to the previous version altered.**