

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.07.2025

Version number 3.00 (replaces version 2.01)

Revision: 18.07.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **CLASSIC KOLDA EBF 12+ FG 1:1**

UFI:

AHT0-G0TG-W00Q-98N5

Notified for: Germany, Denmark, Netherlands

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Antifreeze

Coolant

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

CLASSIC Schmierstoff GmbH & Co. KG

Lange Straße 100-106

D-27318 HOYA

DEUTSCHLAND

Telephone: +49 (4251) - 8120

products@classic-oil.de

Further information obtainable from: product management

1.4 Emergency telephone number: 24-hour emergency contact number : +1 872 5888271 (CSG)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07



GHS08

Signal word Warning

Hazard-determining components of labelling:

Ethanediol

Potassium3,5,5-trimethylhexanoate

Hazard statements

H302 Harmful if swallowed.

(Contd. on page 2)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.07.2025

Version number 3.00 (replaces version 2.01)

Revision: 18.07.2025

Trade name: CLASSIC KOLDA EBF 12+ FG 1:1

(Contd. of page 1)

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture contains no substances assessed as PBT or vPvB in a concentration $\geq 0.1\%$.

PBT: Not applicable.

vPvB: Not applicable.

Determination of endocrine-disrupting properties

This product does not contain substances with endocrine disrupting properties in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 107-21-1 EINECS: 203-473-3 Reg.nr.: 01-2119456816-28	Ethanediol STOT RE 2, H373; Acute Tox. 4, H302	>25-≤50%
CAS: 93918-10-6 EINECS: 299-890-3 Reg.nr.: 01-2120747787-36	Potassium 3,5,5-trimethylhexanoate Skin Corr. 1, H314; Eye Dam. 1, H318; Acute Tox. 4, H302	1-<2%
CAS: 29385-43-1 EINECS: 249-596-6 Reg.nr.: 01-2119979081-35	methyl-1H-benzotriazole Repr. 2, H361d; Aquatic Chronic 2, H411; Acute Tox. 4, H302	<0.25%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take affected persons out of danger area and lay down.

In case of irregular breathing or respiratory arrest provide artificial respiration.

Immediately remove any clothing contaminated with the product.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

After eye contact:

Remove any contact lenses if possible. Continue rinsing.

Rinse opened eye for several minutes under running water.

(Contd. on page 3)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.07.2025

Version number 3.00 (replaces version 2.01)

Revision: 18.07.2025

Trade name: CLASSIC KOLDA EBF 12+ FG 1:1

(Contd. of page 2)

Seek medical treatment.

After swallowing:

Rinse mouth and drink plenty of water. Do not induce vomiting. If symptoms persist, seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents:**CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: Water with full jet**5.2 Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide

Nitrogen oxides.

5.3 Advice for firefighters**Protective equipment:** Wear self-contained respiratory protective device.**Additional information**

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Wear protective clothing.

6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: No special measures required.**7.2 Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.**Information about storage in one common storage facility:** Store away from oxidising agents.

(Contd. on page 4)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.07.2025

Version number 3.00 (replaces version 2.01)

Revision: 18.07.2025

Trade name: **CLASSIC KOLDA EBF 12+ FG 1:1**

(Contd. of page 3)

Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

Storage class: 10-13 (TRGS 510)

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 107-21-1 Ethanediol

IOELV	Short-term value: 104 mg/m ³ , 40 ppm
	Long-term value: 52 mg/m ³ , 20 ppm
	Skin

DNELs

CAS: 107-21-1 Ethanediol

Dermal	DNEL(long/systemic)	106 mg/kg bw/d (worker)
	DNEL(long/systemic)	53 mg/kg bw/d (Consumer)
Inhalative	DNEL(long/local)	7 mg/m ³ (Consumer)
	DNEL(long/local)	35 mg/m ³ (worker)

CAS: 29385-43-1 methyl-1H-benzotriazole

Oral	DNEL(long/systemic)	0.25 mg/kg bw/d (Consumer)
	DNEL, acute, oral, systemic	0.25 mg/kg KG/d (Consumer)
Dermal	DNEL(long/systemic)	0.5 mg/kg bw/d (worker)
		0.25 mg/kg bw/d (Consumer)
Inhalative	DNEL(long/systemic)	8.8 mg/m ³ (worker)
		4.4 mg/m ³ (Consumer)

PNECs

CAS: 107-21-1 Ethanediol

PNEC(aqua)	10 mg/L (Freshwater)
PNEC(aqua)	1 mg/L (Seawater)
PNEC(aqua)	10 mg/L (Sporadic release)
PNEC(STP)	199.5 mg/L (Wastewater treatment plant)
PNEC (sediment)	37 mg/kg sedi. dw (Freshwater sediment)
PNEC (sediment)	3.7 mg/kg sedi. dw (Seawater sediment)
PNEC (ground)	1.53 mg/kg soil dw (Soil)

CAS: 29385-43-1 methyl-1H-benzotriazole

PNEC	39.4 mg/L (Wastewater treatment plant)
	0.008 mg/L (Seawater)
	0.008 mg/L (Freshwater)
PNEC	0.002 mg/Kg (Soil)
	0.003 mg/Kg (Seawater sediment)
	0.003 mg/Kg (Freshwater sediment)

Additional information:

The data sheets of the upstream suppliers and lists valid at the time of production serve as a basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Keep away from foodstuffs, beverages and feed.

(Contd. on page 5)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.07.2025

Version number 3.00 (replaces version 2.01)

Revision: 18.07.2025

Trade name: CLASSIC KOLDA EBF 12+ FG 1:1

(Contd. of page 4)

Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Do not inhale gases / fumes / aerosols.
The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

Only use chemical-protective gloves with CE-labelling of category III.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Butyl rubber

Recommended material thickness: >0.7 mm

Nitrile rubber, NBR

Recommended material thickness: >0.4 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

≥30 min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

Body protection: Protective work clothing

Environmental exposure controls No further relevant information available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state	Liquid
Colour:	Pink
Odour:	Not determined
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	Undetermined.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.

(Contd. on page 6)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.07.2025

Version number 3.00 (replaces version 2.01)

Revision: 18.07.2025

Trade name: **CLASSIC KOLDA EBF 12+ FG 1:1**

(Contd. of page 5)

Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	7.5–9
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Particle characteristics	Does not apply to liquids.

9.2 Other information

Appearance:	
Form:	Fluid
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Not determined.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

(Contd. on page 7)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.07.2025

Version number 3.00 (replaces version 2.01)

Revision: 18.07.2025

Trade name: **CLASSIC KOLDA EBF 12+ FG 1:1**

(Contd. of page 6)

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.

LD/LC50 values relevant for classification:

CAS: 107-21-1 Ethanediol

Oral	ATE	500 mg/kg
Dermal	LD50 dermal	>3,500 mg/kg (Mouse) (derived from developmental toxicity study)

CAS: 29385-43-1 methyl-1H-benzotriazole

Oral	LD50 oral	720 mg/kg (Rat)
Dermal	LD50 dermal	>2,000 mg/kg (Rat)

CAS: 93918-10-6 Potassium3,5,5-trimethylhexanoate

Oral	LD50 oral	≥1,160 mg/kg (Rat)
------	-----------	--------------------

Primary irritant effect:

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

The substance/mixture does not contain any components that exhibit endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 107-21-1 Ethanediol

NOEC	8,590 mg/L (Daphnia magna) ((EPA 600/4-89/001)) semi-static 15,380 mg/L /7 d (Fish)
EC20	>1,995 mg/L /(0,5h) (Bacteria) ((ISO 8192, activated sludge)) (static) Read-across to CAS 111-46-6
EC50	6,500–13,000 mg/L (algae) ((EPA 600/9-78-018)) (96h)
LC50	72,860 mg/L /(96h) (Fish) (EPA 600/4-90/027, Pimephales promelas)
EC 50	>100 mg/L /(48h) (Daphnia magna) (OECD 202) (static)

(Contd. on page 8)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.07.2025

Version number 3.00 (replaces version 2.01)

Revision: 18.07.2025

Trade name: **CLASSIC KOLDA EBF 12+ FG 1:1**

(Contd. of page 7)

CAS: 29385-43-1 methyl-1H-benzotriazole

ErC50 75 mg/l /72 h (algae)

EC50 1,060 mg/L /24 h (Bacteria)

8.58 mg/L /48 h (Daphnia)

LC50 55 mg/L /48 h (Daphnia)

180 mg/L /96 h (Fish)

CAS: 93918-10-6 Potassium3,5,5-trimethylhexanoate

NOEC \geq 100 mg/L (daphnia)

12.2 Persistence and degradability

CAS: 29385-43-1 methyl-1H-benzotriazole

Persistence and degradability 4 % /28 d

CAS: 93918-10-6 Potassium3,5,5-trimethylhexanoate

Biological degradation 87.9 % /28 d (OECD 301B)

12.3 Bioaccumulative potential

CAS: 107-21-1 Ethanediol

Partition coefficient n-octanol/water -1.36

CAS: 29385-43-1 methyl-1H-benzotriazole

Partition coefficient n-octanol/water 1.079– \leq 1.083 / (OECD Guideline 117)

CAS: 93918-10-6 Potassium3,5,5-trimethylhexanoate

Partition coefficient n-octanol/water (Log Kow) -0.47 /25 °C

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

This substance/mixture does not contain components classified as either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

This product does not contain any substance that exhibits endocrine disrupting properties towards non-target organisms, as no ingredient fulfils the criteria.

The above statement applies to the substances contained in the product from 0.1 %.

12.7 Other adverse effects

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Must be specially treated adhering to official regulations.

European waste catalogue

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

HP6 Acute Toxicity

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.07.2025

Version number 3.00 (replaces version 2.01)

Revision: 18.07.2025

Trade name: CLASSIC KOLDA EBF 12+ FG 1:1

(Contd. of page 8)

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA not regulated

14.2 UN proper shipping name

ADR, IMDG, IATA not regulated

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA
Class not regulated

14.4 Packing group

ADR, IMDG, IATA not regulated

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

UN "Model Regulation":

not regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07 GHS08

Signal word Warning

Hazard-determining components of labelling:

Ethanediol

Potassium3,5,5-trimethylhexanoate

Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

(Contd. on page 10)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.07.2025

Version number 3.00 (replaces version 2.01)

Revision: 18.07.2025

Trade name: CLASSIC KOLDA EBF 12+ FG 1:1

(Contd. of page 9)

P337+P313 If eye irritation persists: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

Waterhazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.
(according to AwSV, Germany)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H361d Suspected of damaging the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Acute toxicity - oral Skin corrosion/irritation Serious eye damage/irritation Specific target organ toxicity (repeated exposure)	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
---	--

Department issuing SDS: product management

Contact: product management

Date of previous version: 11.10.2024

Version number of previous version: 2.01

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 11)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.07.2025

Version number 3.00 (replaces version 2.01)

Revision: 18.07.2025

Trade name: CLASSIC KOLDA EBF 12+ FG 1:1

(Contd. of page 10)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1: Skin corrosion/irritation – Category 1

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Sources The safety data sheet of the pre-supplier served as the basis for the creation.*** Data compared to the previous version altered.**