

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 5.00 (replaces version 4.00)

Revision: 07.08.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **CLASSIC KOLDA UE G65®**

UFI:

8A81-Y0XE-700D-S7FJ

Notified for: germany

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Coolant

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

CLASSIC Schmierstoff GmbH & Co. KG

Lange Straße 100-106

D-27318 HOYA

GERMANY

Phone: +49 (4251) - 8120

products@classic-oil.de

Further information obtainable from: product management

1.4 Emergency telephone number: 24-hour emergency contact number : +1 872 5888271 (CSG)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2 H319 Causes serious eye irritation.

Additional information:

The following methods were used for the classification of the mixture: Extrapolation to the concentration values of the hazardous substances based on test results and expert judgement. The methods used are indicated with the respective test results.

The full text of the classification and labelling elements mentioned is given in Section 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07



GHS08

Signal word Warning

Hazard-determining components of labelling:

Ethanediol

Hazard statements

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H373 May cause damage to the kidneys through prolonged or repeated exposure.

(Contd. on page 2)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 5.00 (replaces version 4.00)

Revision: 07.08.2026

Trade name: CLASSIC KOLDA UE G65®

(Contd. of page 1)

Precautionary statements

P260 Do not breathe mist/vapours/spray.
P280 Wear eye protection / face protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314 Get medical advice/attention if you feel unwell.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture/product does not contain substances that meet the criteria for classification as PBT and/or vPvB substances.

PBT: Not applicable

vPvB: Not applicable

Determination of endocrine-disrupting properties

The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Ethanediol, inhibitors

Dangerous components:

CAS: 107-21-1 EINECS: 203-473-3 Reg.nr.: 01-2119456816-28	Ethanediol ⚠ STOT RE 2, H373; ⚠ Acute Tox. 4, H302	≥75-≤100%
CAS: 52457-55-3 EINECS: 257-932-8	Dipotassium sebacate ⚠ Eye Irrit. 2, H319	≥3-≤5%
CAS: 93918-10-6 EINECS: 299-890-3 Reg.nr.: 01-2120747787-36	Potassium 3,5,5-trimethylhexanoate ⚠ Skin Corr. 1, H314; ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; STOT SE 3, H335	≥0.3-≤1%
CAS: 6295-57-4 EINECS: 228-565-0 Reg.nr.: 01-2120762667-41	(2-Benzothiazolythio)acetic acid ⚠ Repr. 2, H361fd; ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; Aquatic Chronic 3, H412	≥0.1-≤0.2%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove contaminated clothing.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: After contact with skin, wash immediately with soap and water.

After eye contact:

Rinse opened eye for several minutes under running water.

If irritation, blurred vision or swelling persists, seek medical advice from a specialist.

After swallowing:

Rinse mouth immediately and drink 200-300 ml of water,

Seek medical treatment.

Administration of 50 ml pure ethanol in drinkable concentration.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: Important or further important known symptoms and effects are described in the GHS labelling of the product (see section 2) and in section 11 (Toxicological information).

(Further) symptoms and/or effects are not known so far.

(Contd. on page 3)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 5.00 (replaces version 4.00)

Revision: 07.08.2026

Trade name: **CLASSIC KOLDA UE G65®**

(Contd. of page 2)

4.3 Indication of any immediate medical attention and special treatment needed

First aid, decontamination, symptomatic treatment.
No specific antidote known.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Water spray, dry powder, foam

For safety reasons unsuitable extinguishing agents: No information available.

5.2 Special hazards arising from the substance or mixture

Hazardous substances: Harmful vapours.

Note: Development of smoke/mist. The substances/substance groups mentioned may be released in the event of a fire.

5.3 Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device.

Additional information

The hazard depends on the combusting substances and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Mount respiratory protective device.

6.2 Environmental precautions:

Retain contaminated water/extinguishing water. Do not allow to enter drains/surface water/ground water.

6.3 Methods and material for containment and cleaning up:

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Wear appropriate coveralls to avoid skin exposure. Wear chemical resistant gloves combined with specific task training.

Do not eat, drink, smoke or snuff at work.

Information about fire - and explosion protection: Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Keep container tightly closed in a dry, cool and well-ventilated place.

Information about storage in one common storage facility: Not required

Further information about storage conditions: None.

Storage class: 10

7.3 Specific end use(s)

For the relevant identified uses according to section 1, the guidance given in this section 7 shall be followed.

EU

(Contd. on page 4)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 5.00 (replaces version 4.00)

Revision: 07.08.2026

Trade name: **CLASSIC KOLDA UE G65®**

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

In order to check the effectiveness of protective measures, e.g. ventilation or the need for respiratory protection, metrological monitoring of the workplace may be necessary. Since this requires special expertise, only accredited measuring bodies should be commissioned for this purpose. With regard to suitable methods for determining inhalation exposure, the European standards EN 482, 689 and 14042 are to be applied. In addition, TRGS 402 in Germany must be observed.

CAS: 107-21-1 Ethanediol

IOELV	Short-term value: 104 mg/m ³ , 40 ppm
	Long-term value: 52 mg/m ³ , 20 ppm
	Skin

DNELs

The data refer to the lead substance

Components with DNEL

107-21-1: ethanediol

Worker: Long-term exposure - local effects, inhalation: 35 mg/m³

Worker: Long-term exposure - systemic effects, dermal: 106 mg/kg

Consumer: Long-term exposure - local effects, inhalation: 7 mg/m³

Consumer: Long-term exposure - systemic effects, dermal: 53 mg/kg

PNECs No hazard potential.

Additional information:

The data sheets of the upstream suppliers and lists valid at the time of production serve as a basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Wear suitable protective clothing.

Do not eat, drink, smoke or sniff while working.

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection:

Respiratory protection in case of vapour/aerosol release. Combination filter for gases/vapours of organic compounds and solid and liquid particles (f.e. EN 14387 Type A-P2)

Hand protection



Protective gloves

Wearing chemical-resistant gloves combined with specific activity training.

Wear chemical protective gloves according to EN 374

Additional note: The information is based on our own tests, references in the literature and information provided by glove manufacturers, or has been derived by analogy from similar materials. It should be noted that, in practice, the daily service life of a chemical-resistant glove may be significantly shorter than the permeation time determined by tests, due to the many influencing factors (e.g. temperature). Given the wide variety of types available, the manufacturers' instructions for use must be followed.

Material of gloves

Butyl rubber

Recommended material thickness: >0.7 mm

Nitrile

Recommended material thickness: >0.4 mm

Penetration time of glove material

≥30 min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 5.00 (replaces version 4.00)

Revision: 07.08.2026

Trade name: **CLASSIC KOLDA UE G65®**

Eye/face protection

(Contd. of page 4)



Tightly sealed goggles

EN 166

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

Other

In addition to the information on personal protective equipment, it is necessary to wear closed work clothing. Do not eat, drink, smoke or snuff while working

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

Liquid

Colour:

Pink

Odour:

After glycol

Odour threshold:

Not determined

Melting point/freezing point:

Undetermined

Boiling point or initial boiling point and boiling range

160 °C (ASTM D1120)

Flammability

Not applicable

Lower and upper explosion limit

Lower:

Not subject to classification or labelling requirements for liquids.

Upper:

Not relevant for classification and labelling of liquids.

Flash point:

>120 °C (ISO 2592)

Auto-ignition temperature:

>200 °C (DIN 51794)

Decomposition temperature:

Not determined

pH at 20 °C

8.5 (ASTM D1287)

Viscosity:

Kinematic viscosity at 23 °C

30 mm²/s (DIN 51562)

Dynamic:

Not determined

Solubility

water:

Fully miscible.

Partition coefficient n-octanol/water (log value)

Not determined

Vapour pressure:

Not determined

Density and/or relative density

Density at 20 °C:

1.126 g/cm³ (DIN 51757)

Relative density

Not determined

Relative gas density

>1 (20 °C)
heavier than air.

Particle characteristics

The substance/product is placed on the market or used in a non-solid or granular state.

9.2 Other information

Appearance:

Form:

Fluid

Important information on protection of health and environment, and on safety.

Ignition temperature:

It is not a self-heating substance in the sense of UN transport classification class 4.2.

Explosive properties:

Product does not present an explosion hazard.

(Contd. on page 6)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 5.00 (replaces version 4.00)

Revision: 07.08.2026

Trade name: **CLASSIC KOLDA UE G65®**

(Contd. of page 5)

Change in condition

Drip point:

Pour point

<-15 °C (DIN ISO 3016)

Evaporation rate

Not determined

Information with regard to physical hazard classes

Explosives

Void

Flammable gases

Void

Aerosols

Void

Oxidising gases

Void

Gases under pressure

Void

Flammable liquids

Void

Flammable solids

Void

Self-reactive substances and mixtures

Void

Pyrophoric liquids

Void

Pyrophoric solids

Void

Self-heating substances and mixtures

Void

Substances and mixtures, which emit flammable
gases in contact with water

Void

Oxidising liquids

Void

Oxidising solids

Void

Organic peroxides

Void

Corrosive to metals

Does not have a corrosive effect on metal.

Desensitised explosives

Void

Metals that are corroded by the substance or
mixture

Does not have a corrosive effect on metal.

Additional information

Hygroscopicity: not hygroscopic

Thixotropy: not thixotropic

Radioactivity: not radioactive for transport

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

Corrosion to metals: No corrosive effect on metal.

10.2 Chemical stability

Stable when the recommended storage and handling instructions are applied (see section 7).

Thermal decomposition / conditions to be avoided:

The mixture is chemically stable under recommended conditions of storage, use and temperature.

The product does not contain any peroxides. The product/substance does not tend to form peroxides.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Avoid open flames.

10.5 Incompatible materials:

Strong acids and oxidising agents.

10.6 Hazardous decomposition products:

No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.

LD/LC50 values relevant for classification:

CAS: 107-21-1 Ethanediol

Oral LD50 oral 1,600 mg/kg (Human)

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Causes serious eye irritation.

(Contd. on page 7)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 5.00 (replaces version 4.00)

Revision: 07.08.2026

Trade name: CLASSIC KOLDA UE G65®

(Contd. of page 6)

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure

Information on: Ethanediol

Assessment Repeated dose toxicity:

The substance may cause damage to the kidneys with repeated oral ingestion. The substance may cause damage to the kidneys with repeated dermal ingestion of large quantities.

Aspiration hazard No aspiration risk to be assumed.

Other information (about experimental toxicology):

Information on: ethanediol

Assessment of teratogenicity:

Developmental toxicity was observed after oral ingestion of high doses in studies with rats and mice, but this effect was not seen in a study with rabbits. Mechanistic studies show that the rabbit is the relevant species for the classification for human health. As such, and since ethylene glycol is not a developmental toxicant in the rabbit, no classification is warranted.

Additional toxicological information:

Oral	ATE	1,760 mg/kg (Calculated)
Dermal	ATE	>5,000 mg/kg (Calculated)

Interactive effects No data available

11.2 Information on other hazards

Endocrine disrupting properties

The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other information

The product has not been tested. The statements on toxicology were derived from the properties of the individual components.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Information on: Ethanediol

Assessment of aquatic toxicity:

Very unlikely to be acutely harmful to aquatic organisms. With proper discharge of low concentrations into biological sewage treatment plants, disturbances of the degradation activity of activated sludge are not to be expected.

Information on: dipotassium sebacate

Assessment of aquatic toxicity:

Acutely harmful to aquatic organisms. When low concentrations are discharged correctly into biological sewage treatment plants, no disruption to the degradation activity of activated sludge is to be expected.

Information on: Potassium 3,5,5-trimethylhexanoate

Assessment of aquatic toxicity:

Highly unlikely to be acutely harmful to aquatic organisms.

Information on: (benzothiazol-2-ylthio)acetic acid

Assessment of aquatic toxicity:

Acutely harmful to aquatic organisms. When low concentrations are discharged correctly into biological sewage treatment plants, no disruption to the degradation activity of activated sludge is to be expected.

CAS: 107-21-1 Ethanediol

NOEC	8,590 mg/L (Daphnia magna) ((EPA 600/4-89/001))
	semi-static

(Contd. on page 8)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 5.00 (replaces version 4.00)

Revision: 07.08.2026

Trade name: CLASSIC KOLDA UE G65®

(Contd. of page 7)

	15,380 mg/L (Fish) semi-static
EC20	>1,995 mg/L /(0,5h) (Bacteria) ((ISO 8192, activated sludge)) (static) Analogue to CAS 111-46-6
EC50	6,500–13,000 mg/L (algae) ((EPA 600/9-78-018))
LC50	72,860 mg/L /(96h) (Fish) (EPA 600/4-90/027, Pimephales promelas)
EC 50	>100 mg/L /(48h) (Daphnia magna) (OECD 202) (static)
CAS: 52457-55-3 Dipotassium sebacate	
EC20	>1,000 mg/L /180 mi (Microorganisms)
EC50	>120 mg/L /7 d (algae) >100 mg/L /48 h (Daphnia magna)
LC50	18 mg/L /48 h (Acartia tonsa) >18 mg/L /96 h (Fish)
EC10	>120 mg/L /7 d (Lemna hump)
CAS: 93918-10-6 Potassium3,5,5-trimethylhexanoate	
NOEC	≥100 mg/L (Daphnia)
CAS: 6295-57-4 (2-Benzothiazolythio)acetic acid	
EL50	>100 mg/l /48 h (Daphnia magna)
EC50	34.3 mg/L /72 h (algae) >1,000 mg/L /3 h (Microorganisms)
LC50	14.5 mg/L /96 h (Fish)
EC10	15.7 mg/L /72 h (algae)

12.2 Persistence and degradability

Information on: dipotassium sebacate

Information on degradation:

98 % DOC reduction (7 days) (DIN EN ISO 7827) (aerobic, municipal wastewater, not adapted) Readily biodegradable.

The product has not been tested. The statement is derived from the properties of the individual components.

89 % BOD of the ThSB (28 days) (OECD Guideline 306) (aerobic, seawater) Readily biodegradable (according to OECD criteria).

The product has not been tested. This statement is derived from the properties of the individual components.

Information on: (benzothiazol-2-ylthio)acetic acid

Information on elimination:

3 % CO₂ formation of the theoretical value (28 days) (OECD 301B; ISO 9439; 92/69/EEC, C.4-C) (aerobic, activated sludge, not adapted)

Assessment of stability in water:

The substance is slowly degraded by reaction with water.

12.3 Bioaccumulative potential

Information on: Ethanediol

Assessment of bioaccumulation potential:

Based on the n-octanol/water partition coefficient (log Pow), bioaccumulation in organisms is not expected.

Information on: dipotassium sebacate

Assessment of bioaccumulation potential:

Based on the n-octanol/water partition coefficient (log Pow), bioaccumulation in organisms is not expected.

Information on: (Benzothiazol-2-ylthio)acetic acid

Assessment of bioaccumulation potential:

Based on the n-octanol/water partition coefficient (log Pow), bioaccumulation in organisms is not expected.

12.4 Mobility in soil

Information on: Ethanediol

Assessment Transport between environmental compartments:

Volatility: The substance does not evaporate from the water surface into the atmosphere.

Adsorption to soils: Binding to the solid soil phase is not expected.

Information on: dipotassium sebacate

Assessment of transport between environmental compartments:

Volatility: No data available.

Adsorption to soil: Binding to the solid soil phase is not expected.

(Contd. on page 9)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 5.00 (replaces version 4.00)

Revision: 07.08.2026

Trade name: CLASSIC KOLDA UE G65®

(Contd. of page 8)

Information on: (Benzothiazol-2-ylthio)acetic acid

Assessment of transport between environmental compartments:

Volatility: No data available.

Adsorption to soil: No data available.

12.5 Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance that meets the PBT (persistent/bioaccumulative/toxic) or vPvB (very persistent/very bioaccumulative) criteria.

PBT: Not applicable

vPvB: Not applicable

12.6 Endocrine disrupting properties

The product does not contain any substance above the legal limits that is included in the list established under Article 59(1) of Regulation (EC) No 1907/2006 on the basis of endocrine disrupting properties or that has endocrine disrupting or endocrine disrupting properties according to Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7 Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Other information:

Other ecotoxicological information:

Do not allow product to reach water bodies without pre-treatment.

The product has not been tested. The statements on ecotoxicology were derived from the properties of the individual components.

Additional ecological information:

General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Must be specially treated adhering to official regulations.

European waste catalogue

HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP6	Acute Toxicity

Uncleaned packaging:

Recommendation:

Non contaminated packagings may be recycled.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA not regulated

14.2 UN proper shipping name

ADR, IMDG, IATA not regulated

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA
Class not regulated

14.4 Packing group

ADR, IMDG, IATA not regulated

14.5 Environmental hazards:

Not applicable

(Contd. on page 10)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 5.00 (replaces version 4.00)

Revision: 07.08.2026

Trade name: **CLASSIC KOLDA UE G65®**

(Contd. of page 9)

14.6 Special precautions for user	Not applicable
14.7 Maritime transport in bulk according to IMO instruments	It is not the intention to carry out bulk transport.
UN "Model Regulation":	not regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07 GHS08

Signal word Warning

Hazard-determining components of labelling:

Ethanediol

Hazard statements

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H373 May cause damage to the kidneys through prolonged or repeated exposure.

Precautionary statements

P260 Do not breathe mist/vapours/spray.

P280 Wear eye protection / face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 75

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 11)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 5.00 (replaces version 4.00)

Revision: 07.08.2026

Trade name: CLASSIC KOLDA UE G65®

(Contd. of page 10)

National regulations:

Information about limitation of use:

Germany:

Observe restrictions according to the Youth Employment Protection Act (JArbSchG)

Breakdown regulations:

Germany:

Listed in regulation: no

Technical instructions (air):

Germany:

TA Luft (First General Administrative Regulation to the Federal Immission Control Act - Technical Instructions on Air Quality Control)

Waterhazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

(according to AwSV, Germany)

15.2 Chemical safety assessment:

A safe use assessment has been carried out for the mixture, the result is documented in section 7 and 8 of the SDS

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Acute toxicity - oral

Serious eye damage/irritation

Specific target organ toxicity (repeated exposure)

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS: product management

Date of previous version: 28.02.2025

Version number of previous version: 4.00

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1: Skin corrosion/irritation – Category 1

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

(Contd. on page 12)



Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.08.2026

Version number 5.00 (replaces version 4.00)

Revision: 07.08.2026

Trade name: CLASSIC KOLDA UE G65®

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

(Contd. of page 11)

Sources The safety data sheet of the pre-supplier served as the basis for the creation.

*** Data compared to the previous version altered.**

— EU —