

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.04.2026

Version number 2.00 (replaces version 1.00)

Revision: 10.04.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **CLASSIC MEDUNA LT 5W-20 LA**

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Lubricant

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

CLASSIC Schmierstoff GmbH & Co. KG

Lange Straße 100-106

D-27318 HOYA

GERMANY

Phone: +49 (4251) - 8120

products@classic-oil.de

Further information obtainable from: product management

1.4 Emergency telephone number: 24-hour emergency contact number : +1 872 5888271 (CSG)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

EUH208 Contains: Alkylphenol, long-chain. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3 Other hazards

If the usual precautions for handling mineral oil products and chemical products as well as the instructions for handling (point 7) and personal protective equipment (point 8) are observed, no special hazards are known. Do not allow uncontrolled release of the product into the environment.

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

PBT: Not applicable

vPvB: Not applicable

Determination of endocrine-disrupting properties

The substance/mixture does not contain any components that exhibit endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Preparation of highly refined mineral oils with additives.

Dangerous components:

CAS: 72623-87-1 EINECS: 276-738-4 Reg.nr.: 01-2119474889-13	Low viscosity mineral oil Asp. Tox. 1, H304	50-<100%
CAS: 64742-54-7 EINECS: 265-157-1 Reg.nr.: 01-2119484627-25	Base oil, low viscosity Asp. Tox. 1, H304	1-<10%

(Contd. on page 2)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.04.2026

Version number 2.00 (replaces version 1.00)

Revision: 10.04.2026

Trade name: CLASSIC MEDUNA LT 5W-20 LA

(Contd. of page 1)

CAS: 64742-56-9 EINECS: 265-159-2 Reg.nr.: 01-2119480132-48	Base oil paraffinic ⚠ Asp. Tox. 1, H304	1-<10%
CAS: 64742-65-0 EINECS: 265-169-7 Reg.nr.: 01-2119471299-27	Base oil, low viscosity ⚠ Asp. Tox. 1, H304	1-<10%
CAS: 125643-61-0 ELINCS: 406-040-9 Reg.nr.: 01-0000015551-76	Alkylphenol Aquatic Chronic 4, H413	1-<5%
EINECS: 298-577-9 Reg.nr.: 01-2119543726-33	Zinkdithiophosphat ⚠ Eye Dam. 1, H318; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 6.25 % Eye Dam. 1; H318: C ≥ 12.5 % Eye Irrit. 2; H319: 10 % ≤ C < 12.5 %	1-<2.5%
EC number: 931-468-2 Reg.nr.: 01-2119498288-19	Alkylphenol, long-chain ⚠ STOT RE 2, H373; ⚠ Skin Sens. 1B, H317	0.1-<1%

Additional information:

All concentrations are given in per cent by weight unless the ingredient is a gas. Gas concentrations are given in per cent by volume.

The highly refined mineral oils in the product contain a DMSO extract of less than 3% (w/w) according to IP 346 and are not classified as carcinogenic according to Nota L, Annex VI of Regulation EU 1272/2008.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Immediately remove any clothing contaminated with the product.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Wash with soap and water.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water.

If irritation, blurred vision or swelling persists, seek medical advice from a specialist.

After swallowing:

Rinse mouth thoroughly

Call a poison center or a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

May cause skin and eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

First aid, decontamination, symptomatic treatment.

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO₂, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

(Contd. on page 3)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.04.2026

Version number 2.00 (replaces version 1.00)

Revision: 10.04.2026

Trade name: CLASSIC MEDUNA LT 5W-20 LA

(Contd. of page 2)

5.3 Advice for firefighters

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.

Protective equipment: In case of combustion use a suitable breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

6.2 Environmental precautions:

Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Stop the flow of material, if this is without risk.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Prevent formation of aerosols.

Do not eat, drink, or smoke at work

Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Local regulations concerning handling and storage of waterpolluting products have to be followed.

Do not heat to temperatures near flash point.

Information about storage in one common storage facility: Not required

Further information about storage conditions: None.

Storage class: 10

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

Oilfog and Oilfumes TLV-8h-TWA 5mg/m³
TLV-15min-STEEL 10mg/m³

For Germany:

Zinc dithiophosphate - inhalable portion

MAK: 2 mg/m³

Zinc dithiophosphate - alveolar fraction

MAK: 0.1 mg/m³

(Contd. on page 4)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.04.2026

Version number 2.00 (replaces version 1.00)

Revision: 10.04.2026

Trade name: CLASSIC MEDUNA LT 5W-20 LA

(Contd. of page 3)

Additional information: The safety data sheet of the pre-supplier served as the basis for the creation.

8.2 Exposure controls

Appropriate engineering controls

Ensure sufficient ventilation. Ventilation levels must be adapted to conditions. Where appropriate, use process chambers, local exhaust systems or other engineering controls to maintain airborne concentrations below recommended exposure limits. If no exposure limits have been set, maintain airborne concentrations at an acceptable level.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.

Do not carry product impregnated cleaning cloths in trouser pockets.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

Wash hands before breaks and at the end of work.

Respiratory protection:

Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.

Hand protection

Avoid prolonged or repeated skin contact. Suitable protective gloves are recommended by the glove supplier. Preventive skin protection with skin protection ointment. Protective gloves where safety permits. The exact breakthrough time should be obtained from the protective glove manufacturer and adhered to, as it depends not only on the glove material but also on factors specific to the workplace.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

NBR: Acrylonitrile butadiene rubber

Recommended thickness of the material: ≥ 0.38 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

>480min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Goggles recommended during refilling

Body protection: Protective work clothing

Thermal hazards Not known.

Environmental exposure controls There are no data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

Liquid

Colour:

Light brown

Odour:

Odour threshold:

Not determined

Melting point/freezing point:

Undetermined

(Contd. on page 5)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.04.2026

Version number 2.00 (replaces version 1.00)

Revision: 10.04.2026

Trade name: CLASSIC MEDUNA LT 5W-20 LA

(Contd. of page 4)

Boiling point or initial boiling point and boiling range	Undetermined
Flammability	Not applicable
Lower and upper explosion limit	
Lower:	Not applicable to mixtures
Upper:	Not applicable to mixtures
Flash point:	216 °C
Decomposition temperature:	Not determined
pH	Not determined
Viscosity:	
Kinematic viscosity at 40 °C	46.2 mm ² /s
Dynamic:	Not determined
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined
Vapour pressure:	Not applicable to mixtures
Density and/or relative density	
Density at 15 °C:	0.85 g/cm ³
Relative density	Not determined
Vapour density	Not determined
Particle characteristics	Does not apply to liquids.

9.2 Other information

Appearance:	
Form:	Fluid
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity Stable under normal use conditions.

(Contd. on page 6)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.04.2026

Version number 2.00 (replaces version 1.00)

Revision: 10.04.2026

Trade name: CLASSIC MEDUNA LT 5W-20 LA

(Contd. of page 5)

10.2 Chemical stability Stable under normal use conditions.

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid Stable under normal use conditions.

10.5 Incompatible materials: Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous decomposition products:

Upon thermal decomposition or combustion, carbon dioxide and other toxic gases and vapors may be released.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:
CAS: 72623-87-1 Low viscosity mineral oil

Oral	LD50 oral	>5,000 mg/kg (Rat) (OECD Guideline 401)
------	-----------	---

CAS: 64742-56-9 Base oil paraffinic

Oral	LD50 oral	>5,000 mg/kg (Rat) (ECHA Dossier)
Dermal	LD50 dermal	>5,000 mg/kg (rabbit) (ECHA Dossier)
Inhalative	LC50/4h	5 mg/l (Rat)

CAS: 64742-65-0 Base oil, low viscosity

Oral	LD50 oral	>5,001 mg/kg (Rat) (OECD Guideline 401)
Dermal	LD50 dermal	>5,001 mg/kg (rabbit) (OECD Guideline 402)
Inhalative	LC50/4h	5 mg/l (Rat) (OECD 403)

Zinkdithiophosphat

Oral	LD50 oral	2,600 mg/kg (Rat)
Dermal	LD50 dermal	>3,160 mg/kg (rabbit)

Primary irritant effect:
Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards
Endocrine disrupting properties

The substance/mixture does not contain any components that exhibit endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

SECTION 12: Ecological information

12.1 Toxicity
Aquatic toxicity:
CAS: 72623-87-1 Low viscosity mineral oil

NOEC	>100 mg/L /72 h (algae)
------	-------------------------

(Contd. on page 7)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.04.2026

Version number 2.00 (replaces version 1.00)

Revision: 10.04.2026

Trade name: CLASSIC MEDUNA LT 5W-20 LA

(Contd. of page 6)

		>1,000 mg/L /14 d (Fish) 10 mg/L /21 d (Water flea)
EL50		>10,000 mg/l (Water flea) (OECD 202)
CAS: 64742-54-7 Base oil, low viscosity		
EC50		>10,000 mg/L /48 h (Water flea)
		>101 mg/L /72 h (algae)
LC50		>5000 mg/L /96 h (Fish)
Oral NOEC		10 mg/l /21 d (Water flea)
CAS: 64742-56-9 Base oil paraffinic		
ErC50		>100 mg/l /(72h) (Pseudokirchnerella subcapitata)
NOEC		>100 mg/l /72 h (algae)
LL50		>100 mg/l /96 h (Fish)
EC50		>10,000 mg/L /(48h) (Daphnia magna)
LC50		>101 mg/L /96 h (Fish)
CAS: 64742-65-0 Base oil, low viscosity		
NOEC		10 mg/L /21 d (Daphnia magna) ((OECD Guideline 211))
EC50		>101 mg/L /72 h (algae) (OECD 201)
LC50		>101 mg/L /96 h (Fish) (OECD 203)
EC 50		> 10000 mg/L /48h (Water flea)
CAS: 125643-61-0 Alkylphenol		
EC50		>101 mg/L /24 h (Daphnia magna)
LC50		>74 mg/L /96 h (Fish)
Zinkdithiophosphat		
EC50		2.1 mg/L /96 h (algae)
		5.4 mg/L /48 h (Daphnia magna)
LC50		4.5 mg/L /96 h (Fish)

12.2 Persistence and degradability

Not applicable to mixtures

CAS: 125643-61-0 Alkylphenol	
Biological degradation	(OECD 301B) Not readily biodegradable.
CAS: 64742-54-7 Base oil, low viscosity	
Biological degradation	Not readily biodegradable.
CAS: 64742-65-0 Base oil, low viscosity	
Biological degradation	31 % (28 d, OECD 301F) Not readily biodegradable.
Zinkdithiophosphat	
Biological degradation	1.5 % Not readily biodegradable

12.3 Bioaccumulative potential

Zinc dithiophosphate: Due to the distribution coefficient n-octanol/water, accumulation in organisms is not to be expected.

CAS: 125643-61-0 Alkylphenol	
BCF	260

12.4 Mobility in soil Not applicable to mixtures

12.5 Results of PBT and vPvB assessment

The product does not contain any substances fulfilling the PBT/vPvB criteria.

PBT: Not applicable

vPvB: Not applicable

(Contd. on page 8)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.04.2026

Version number 2.00 (replaces version 1.00)

Revision: 10.04.2026

Trade name: CLASSIC MEDUNA LT 5W-20 LA

(Contd. of page 7)

12.6 Endocrine disrupting properties

The substance/mixture does not contain any components that exhibit endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

12.7 Other adverse effects

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Dispose of waste according to applicable legislation.

Waste and containers must be disposed of in a safe manner.

When storing used mineral oil products, ensure that the categories for waste oil and mixing instructions are observed.

European waste catalogue

13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils
-----------	---

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA	not regulated
-----------------	---------------

14.2 UN proper shipping name

ADR, IMDG, IATA	not regulated
-----------------	---------------

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA	not regulated
Class	

14.4 Packing group

ADR, IMDG, IATA	not regulated
-----------------	---------------

14.5 Environmental hazards:

Not applicable

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

UN "Model Regulation":

not regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

(Contd. on page 9)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.04.2026

Version number 2.00 (replaces version 1.00)

Revision: 10.04.2026

Trade name: CLASSIC MEDUNA LT 5W-20 LA

(Contd. of page 8)

Hazard statements Void

Directive 2012/18/EU
Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP) No ingredient is listed.

Regulation (EU) No 649/2012

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

REGULATION (EU) 2024/590 on substances that deplete the ozone layer

Does not contain substances listed on the Ozone Depletion List (Regulation EU 2024/590 on substances that deplete the ozone layer).

National regulations:
Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

Classification according to Regulation (EC) No 1272/2008

The classification corresponds to the current EC lists, but is supplemented by information from specialised literature and company data. The following methods were used for the assessment: - Based on test data - Calculation method - Transfer principle "Essentially similar mixtures" - Expert judgement

Department issuing SDS: product management

Contact: product management

Date of previous version: 10.06.2024

Version number of previous version: 1.00

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 10)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.04.2026

Version number 2.00 (replaces version 1.00)

Revision: 10.04.2026

Trade name: CLASSIC MEDUNA LT 5W-20 LA

(Contd. of page 9)

EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 Skin Sens. 1B: Skin sensitisation – Category 1B
 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
 Asp. Tox. 1: Aspiration hazard – Category 1
 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

*** Data compared to the previous version altered.**

—EU—