

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2025

Version number 5.00 (replaces version 4.00)

Revision: 31.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **CLASSIC MEDUNA LT 5W-30 LA FA 4**

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Lubricant

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

CLASSIC Schmierstoff GmbH & Co. KG

Lange Straße 100-106

D-27318 HOYA

GERMANY

Phone: +49 (4251) - 8120

products@classic-oil.de

Further information obtainable from: product management

1.4 Emergency telephone number: 24-hour emergency contact number : +1 872 5888271 (CSG)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms Void

Signal word Void

Hazard-determining components of labelling:

2,6-di-tert-butylphenol

N-alkylated benzotriazole

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

9.0 % per cent of the mixture consists of one or more components of unknown acute toxicity (dermal).

Contains: N-alkylated benzotriazole. May produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

PBT: Not applicable.

vPvB: Not applicable.

Determination of endocrine-disrupting properties No ingredient is listed.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 64742-54-7

EINECS: 265-157-1

Reg.nr.: 01-2119484627-25

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -
unspecified

37-≤70%

(Contd. on page 2)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2025

Version number 5.00 (replaces version 4.00)

Revision: 31.10.2025

Trade name: CLASSIC MEDUNA LT 5W-30 LA FA 4

(Contd. of page 1)

EC number: 947-519-7 Reg.nr.: 01-2120765489-36	Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkylderivs. para-, calcium salts ⚠ Skin Sens. 1B, H317 Specific concentration limit: Skin Sens. 1B; H317: C ≥ 10 %	0-≤1%
CAS: 128-39-2 EINECS: 204-884-0 Reg.nr.: 01-2119490822-33	2,6-di-tert-butylphenol ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315	0-≤0.18%
EC number: 939-700-4 Reg.nr.: 01-2119982395-25	N-alkylated benzotriazole ⚠ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Skin Sens. 1B, H317	0-≤0.18%
CAS: 597-82-0 EINECS: 209-909-9 Reg.nr.: 01-2119979545-21	O,O,O-triphenyl phosphorothioate ⚠ Aquatic Chronic 1, H410 (M=10) PBT	0-≤0.045%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In case of accident or if you feel unwell, seek medical advice immediately (if possible, show operating instructions or safety data sheet). Remove the casualty from the danger zone. Remove soiled, Remove contaminated, soaked clothing. If unconscious and not breathing, place in recovery position and seek medical advice. Do not leave the victim unattended.

First aiders: Pay attention to self-protection!

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Consult a doctor if skin irritation persists.

After eye contact:

In case of eye contact, immediately rinse with clean water for 10-15 minutes.

Seek medical treatment.

After swallowing:

Rinse mouth thoroughly with water. Consult a doctor if symptoms occur. Rinse out mouth. If you feel unwell, seek medical advice/attention. Drink 1 glass of water in small sips (diluting effect).

Information for doctor: Self-protection of the first aider: Use personal protective equipment.

4.2 Most important symptoms and effects, both acute and delayed No known symptoms to date.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

Observe risk of aspiration if vomiting occurs.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Use water spray to protect persons and to cool containers in the danger zone

Water spray, alcohol-resistant foam, extinguishing powder, carbon dioxide (CO₂)

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Formation of flammable vapours is possible at temperatures above: Flash point Flammable

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂), Nitrogen oxides (NO_x)

5.3 Advice for firefighters
Protective equipment:

In case of fire: Wear self-contained breathing apparatus. Protective clothing. Wear a self-contained breathing apparatus and chemical protective clothing.

(Contd. on page 3)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2025

Version number 5.00 (replaces version 4.00)

Revision: 31.10.2025

Trade name: CLASSIC MEDUNA LT 5W-30 LA FA 4

(Contd. of page 2)

Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product. Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

Emergency procedures:

Remove persons to safety.

For emergency responders

Personal protection

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions:

Do not allow to enter into soil/subsoil. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up:

For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids.

For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Clean up spills immediately. Use suitable container to avoid contamination of the environment.

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Personal protective equipment: see section 8 Do not eat, drink, smoke or sniff at the workplace. Wash hands before breaks and at the end of work. Do not carry any product-soaked cleaning rags in your trouser pockets. Clean up spills immediately. To avoid environmental contamination use a proper container. Wear personal protective equipment (see Section 8).

Information about fire - and explosion protection:

No special fire protection measures required. Take measures against electrostatic charges. Keep away from sources of ignition - No smoking.

Handling:

Minimum standards for protective measures when handling working substances are listed in TRGS 500.

Do not eat, drink, smoke or snuff at the workplace.

Avoid contact with skin, eyes and clothing.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Keep container tightly closed in a dry, cool and well-ventilated place.

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean.

Shafts and sewers must be protected from entry of the product. Keep/Store only in original container.

(Contd. on page 4)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2025

Version number 5.00 (replaces version 4.00)

Revision: 31.10.2025

Trade name: CLASSIC MEDUNA LT 5W-30 LA FA 4

(Contd. of page 3)

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Store in a cool dry place. Keep away from heat.

Storage class: 10

7.3 Specific end use(s) Observe the technical data sheet

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs

Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkylderivs. para-, calcium salts

Dermal	DNEL, long-term, dermal, systemic	25 mg/kg KG/d (worker)
	DNEL, long-term, dermal, local	1.05 mg/kg KG/d (worker)
Inhalative	DNEL, long-term, inhalation, systemic	17.63 mg/m ³ (worker)

CAS: 128-39-2 2,6-di-tert-butylphenol

Inhalative	DNEL, long-term, inhalation, systemic	70.61 mg/m ³ (worker)
------------	---------------------------------------	----------------------------------

N-alkylated benzotriazole

Dermal	DNEL Long-term Dermal (Systemic)	0.4 mg/kg bw/d (worker)
Inhalative	DNEL Long-term Inhalation (Systemic)	1.3 mg/m ³ (worker)

CAS: 2215-35-2 zinc (O,O,O',O'-tetrakis(1,3-dimethylbutyl)bis(phosphorodithioate)

Dermal	DNEL, long-term, dermal, systemic	12.2 mg/kg KG/d (worker)
Inhalative	DNEL, long-term, inhalation, systemic	8.6 mg/m ³ (worker)

PNECs

CAS: 64741-88-4 Distillates (petroleum), solvent-refined heavy paraffinic

PNEC	9.33 mg/Kg (Intoxication secondaire)
------	--------------------------------------

Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkylderivs. para-, calcium salts

PNEC aquatic, fresh water	100 µg/l
Freshwater (intermittent releases)	1 mg/l
PNEC water bodies, sea water	100 µg/l
PNEC Wastewater treatment plant	1,000 mg/l

N-alkylated benzotriazole

PNEC aquatic, fresh water	0.976 µg/l
PNEC water bodies, sea water	0.0976 µg/l
PNEC sewage treatment plant	690 µg/l

CAS: 2215-35-2 zinc (O,O,O',O'-tetrakis(1,3-dimethylbutyl)bis(phosphorodithioate)

PNEC	100 mg/L (Wastewater treatment plant)
PNEC aquatic, fresh water	4 µg/l
PNEC water bodies, sea water	4.6 µg/l
PNEC Waters, periodic release	45 µg/l
PNEC Secondary poisoning	1,067 mg/kg /kg/d

Additional information:

Mineral oil mist, limit values: US-OSHA PEL - value 5 mg/m³, ACGIH-STEL - value 10 mg/m³

The data sheets of the upstream suppliers and lists valid at the time of production serve as a basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

Respiratory protection: Usually no personal respiratory protection necessary.

(Contd. on page 5)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2025

Version number 5.00 (replaces version 4.00)

Revision: 31.10.2025

Trade name: CLASSIC MEDUNA LT 5W-30 LA FA 4

(Contd. of page 4)

Hand protection

Wear chemical protective gloves according to EN 374

The design of chemical protective gloves must be selected specifically for the workplace, depending on the concentration and quantity of hazardous substances.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If gloves are to be reused, clean them before taking them off and store them in a well-ventilated place.

Material of gloves

Suitable material: NBR (nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber)

Recommended material thickness: >0.4 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

>480min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection

During transfer: Eye glasses with side protection

Wear eye/face protection. DIN EN 166.

Body protection: Protective work clothing

Environmental exposure controls See section 7 No further measures are required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

Liquid

Colour:

Brown

Odour:

Not determined

Odour threshold:

Not determined.

Melting point/freezing point:

-45 °C

Boiling point or initial boiling point and boiling range

Undetermined.

Flammability

Not applicable.

Lower and upper explosion limit

Lower:

Not determined.

Upper:

Not determined.

Flash point:

222 °C

Decomposition temperature:

Not determined.

pH

Not determined.

Viscosity:

Kinematic viscosity at 40 °C

59 mm²/s

Dynamic:

Not determined.

Solubility

water:

Not miscible or difficult to mix.

Partition coefficient n-octanol/water (log value)

Not determined.

Vapour pressure:

Not determined.

Density and/or relative density

Density at 15 °C:

0.855 g/cm³

Relative density

Not determined.

Vapour density

Not determined.

(Contd. on page 6)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2025

Version number 5.00 (replaces version 4.00)

Revision: 31.10.2025

Trade name: **CLASSIC MEDUNA LT 5W-30 LA FA 4**

(Contd. of page 5)

Particle characteristics

Does not apply to liquids.

9.2 Other information

Appearance:

Form:

Fluid

Important information on protection of health and environment, and on safety.

Ignition temperature:

Product is not selfigniting.

Explosive properties:

Product does not present an explosion hazard.

Change in condition

Drip point:

Not determined.

Evaporation rate

Not determined.

Information with regard to physical hazard classes

Explosives

Void

Flammable gases

Void

Aerosols

Void

Oxidising gases

Void

Gases under pressure

Void

Flammable liquids

Void

Flammable solids

Void

Self-reactive substances and mixtures

Void

Pyrophoric liquids

Void

Pyrophoric solids

Void

Self-heating substances and mixtures

Void

Substances and mixtures, which emit flammable

gases in contact with water

Void

Oxidising liquids

Void

Oxidising solids

Void

Organic peroxides

Void

Corrosive to metals

Void

Desensitised explosives

Void

SECTION 10: Stability and reactivity

10.1 Reactivity No known hazardous reactions. Combustible.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid Do not overheat to avoid decomposition by heat.

10.5 Incompatible materials: Materials to avoid: Acid, Oxidising agent, Reducing agent.

10.6 Hazardous decomposition products:

Hazardous combustion products: Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Gases/ vapours, toxic

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2025

Version number 5.00 (replaces version 4.00)

Revision: 31.10.2025

Trade name: **CLASSIC MEDUNA LT 5W-30 LA FA 4**

(Contd. of page 6)

LD/LC50 values relevant for classification:

CAS: 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified

Oral	LD50 oral	5,000 mg/kg (Rat) (OECD Guideline 401)
Dermal	LD50 dermal	5,000 mg/kg (rabbit) (OECD Guideline 402)
Inhalative	LC50/4h	5.53 mg/l (Dust/Mist) Rat

CAS: 64742-54-7 distillates (petroleum), hydrotreated heavy paraffinic

Oral	LD50 oral	>5,000 mg/kg (Rat)
Dermal	LD50 dermal	>2,000 mg/kg (rabbit)
Inhalative	LC50/4h	>5 mg/l (Rat)

Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkylderivs. para-, calcium salts

Oral	LD50 oral	>10,000–<20,000 mg/kg (Rat)
Dermal	LD50 dermal	>2,000 mg/kg (Rat) (OECD Guideline 402)
Inhalative	LC50/4h	> 1.9 mg/l (Dust/Mist) Rat

CAS: 128-39-2 2,6-di-tert-butylphenol

Oral	LD50 oral	>5,000 mg/kg (Rat)
Dermal	LD50 dermal	> 2000 mg/kg (Rat)

N-alkylated benzotriazole

Oral	LD50 oral	>3,313 mg/kg (Rat)
Dermal	LD50 dermal	>2,000 mg/kg (Rat)

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Dermal	ATE	111,111.1 mg/kg (Calculated)
Inhalative	ATE Dust/Mist	22.936 mg/L (Calculated)

11.2 Information on other hazards

Endocrine disrupting properties

This product does not contain any substance with endocrine disrupting properties towards humans, as no ingredient fulfils the criteria.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified

ErC50	>100 mg/l /72 h (algae)
NOEC	10 mg/l /3 d (algae) 100 mg/l /4 d (Fish)
EC50	10,000 mg/L /2 d (crustaceans)
LC50	>100 mg/L /96 h (Fish)

(Contd. on page 8)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2025

Version number 5.00 (replaces version 4.00)

Revision: 31.10.2025

Trade name: **CLASSIC MEDUNA LT 5W-30 LA FA 4**

(Contd. of page 7)

	10,000 mg/L /4 d (crustaceans)
CAS: 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic	
EC50	>10,000 mg/L / (48h) (Daphnia magna) (OECD 202)
LC50	>10.000 mg/L / 2 d (crustaceans)
LC50	≥100 mg/L / 3 d (Fish)
Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkylderivs. para-, calcium salts	
EC50	1,000 mg/L /3 d (algae)
	>1,000 mg/L /2 d (crustaceans)
LC50	>100 mg/L /4 d (Fish)
CAS: 128-39-2 2,6-di-tert-butylphenol	
NOEC chronic algae	0.64 mg/l / (96h) (Pseudokirchnerella subcapitata)
NOEC chronic	0.23 mg/L / 21 d (crustaceans)
EC50	1.4 mg/L /3 d (algae)
	0.45 mg/L /48 h (Daphnia)
EC50 72h algae 1	1.2 mg/l (Desmodesmus subspicatus)
LC50	1.4 mg/L /96 h (Pimephales promelas)
LOEC	0.086 mg/l /21 d (Daphnia magna)
N-alkylated benzotriazole	
NOEC	>0.658 mg/L /3 d (algae)
LC50	1.3 mg/L /96 h (Fish)
	>2.05 mg/L /3 d (crustaceans)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential

CAS: 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified

Partition coefficient n-octanol/water (Log Kow) 24.9

CAS: 128-39-2 2,6-di-tert-butylphenol

Partition coefficient n-octanol/water (Log Kow) 4.92

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

This substance/mixture does not contain components classified as either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

This product does not contain any substance that exhibits endocrine disrupting properties towards non-target organisms, as no ingredient fulfils the criteria.

The above statement applies to the substances contained in the product from 0.1 %.

12.7 Other adverse effects

Remark: Harmful to fish

Additional ecological information:

General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

EU

(Contd. on page 9)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2025

Version number 5.00 (replaces version 4.00)

Revision: 31.10.2025

Trade name: **CLASSIC MEDUNA LT 5W-30 LA FA 4**

(Contd. of page 8)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Contact the responsible authorised waste disposal company for waste disposal. Dispose of in accordance with official regulations.

Waste disposal key:

The assignment of waste code numbers/waste designations must be carried out in accordance with the EWC in a sector- and process-specific manner.

European waste catalogue

HP14	Ecotoxic
------	----------

Uncleaned packaging:

Recommendation: Non contaminated packagings may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA not regulated

14.2 UN proper shipping name

ADR, IMDG, IATA not regulated

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class not regulated

14.4 Packing group

ADR, IMDG, IATA not regulated

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Maritime transport in bulk according to

IMO instruments

Not applicable.

UN "Model Regulation":

not regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms Void

Signal word Void

Hazard-determining components of labelling:

2,6-di-tert-butylphenol

N-alkylated benzotriazole

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 10)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2025

Version number 5.00 (replaces version 4.00)

Revision: 31.10.2025

Trade name: CLASSIC MEDUNA LT 5W-30 LA FA 4

(Contd. of page 9)

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

Breakdown regulations: This product is not subject to the German Hazardous Incident Ordinance.

Technical instructions (air):

For Germany

Remark:

To be noted: 5.2.5.

Waterhazard class:

(according to AwSV, Germany)

Water hazard class 2 (Self-assessment): hazardous for water.

Other regulations, limitations and prohibitive regulations

For Germany:

Technical rules for hazardous substances

TRGS 510

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

For Germany:

Regulations of the German Social Accident Insurance Institutions (DGUV regulations):

Information from the Employer's Liability Insurance Association (DGUV Information) 868

Rules of the Employer's Liability Insurance Association (DGUV Rules) 189, 190, 192, 195

For Germany:

Altöl-Verordnung (AltöIV)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 11)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 31.10.2025

Version number 5.00 (replaces version 4.00)

Revision: 31.10.2025

Trade name: CLASSIC MEDUNA LT 5W-30 LA FA 4

(Contd. of page 10)

Classification according to Regulation (EC) No 1272/2008

Hazardous to the aquatic environment - long-term (chronic) aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS: product management

Contact: product management

Date of previous version: 21.03.2025

Version number of previous version: 4.00

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Sens. 1B: Skin sensitisation – Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*** Data compared to the previous version altered.**