

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.05.2025

Version number 3.00 (replaces version 2.00)

Revision: 26.05.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: **CLASSIC MEDUNA PT 0W-20 C5/C6**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Lubricating oil

#### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:

CLASSIC Schmierstoff GmbH & Co. KG

Lange Straße 100-106

D-27318 HOYA

DEUTSCHLAND

Telephone: +49 (4251) - 8120

products@classic-oil.de

Further information obtainable from: product management

1.4 Emergency telephone number: 24-hour emergency contact number : +1 872 5888271 (CSG)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

##### Additional information:

Contains: Benzoic acid, 2-hydroxy-, mono-C14-18 branched alkyl derivatives, calcium salts, Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., Calcium salts, Methyl methacrylate. May produce an allergic reaction.

Safety data sheet available on request.

#### 2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

##### Dangerous components:

CAS: 114959-46-5 EC number: 931-276-9 Reg.nr.: 01-2119487109-30 01-2119968558-17	Benzoic acid, 2-hydroxy-, mono-C14-18 branched alkyl derivatives, calcium salts ⚠ Skin Sens. 1, H317; Aquatic Chronic 4, H413	0-≤0.8%
CAS: 722503-68-6 Reg.nr.: ausgenommen/excepted	Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., Calcium salts ⚠ Skin Sens. 1B, H317; Aquatic Chronic 4, H413	0-≤0.8%
CAS: 80-62-6 EINECS: 201-297-1 Reg.nr.: 01-2119452498-28	Methyl methacrylate ⚠ Flam. Liq. 2, H225; ⚠ Skin Irrit. 2, H315; ⚠ Skin Sens. 1, H317; STOT SE 3, H335	0-<0.16%
CAS: 541-02-6 EINECS: 208-764-9 Reg.nr.: 01-2119511367-43	Decamethylcyclopentasiloxane Non-classified vPvB substance. Non-classified PBT substance.	0-<0.0005%

(Contd. on page 2)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.05.2025

Version number 3.00 (replaces version 2.00)

Revision: 26.05.2025

**Trade name: CLASSIC MEDUNA PT 0W-20 C5/C6**

(Contd. of page 1)

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information:

In case of accident or if you feel unwell, seek medical advice immediately (if possible, show operating instructions or safety data sheet). Remove the casualty from the danger zone. Remove soiled, Remove contaminated, soaked clothing. If unconscious and not breathing, place in recovery position and seek medical advice. Do not leave the victim unattended.

First aiders: Pay attention to self-protection!

**After inhalation:** Supply fresh air; consult doctor in case of complaints.

**After skin contact:** If skin irritation continues, consult a doctor.

##### After eye contact:

Rinse opened eye for several minutes under running water.

If irritation, blurred vision or swelling persists, seek medical advice from a specialist.

##### After swallowing:

Rinse mouth thoroughly with water.

Have plenty of water drunk in small sips (dilution effect)

If symptoms persist consult doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

Observe risk of aspiration if vomiting occurs.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing agents:

Use water spray to protect persons and to cool containers in the danger zone

Water spray, alcohol-resistant foam, extinguishing powder, carbon dioxide (CO<sub>2</sub>)

**For safety reasons unsuitable extinguishing agents:** Water with full jet

#### 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

The formation of combustible vapours is possible at temperatures above: Flash point.

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO<sub>2</sub>) Nitrogen oxides (NO<sub>x</sub>)

During heating or in case of fire poisonous gases are produced.

#### 5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus and chemical protective clothing.

**Protective equipment:** No special measures required.

##### Additional information

Do not inhale explosion and fire gases. If safe to do so, remove undamaged containers from the danger zone.

Collect contaminated extinguishing water separately. Do not allow to enter drains or waterways. Do not allow to enter the subsoil/soil.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Particular danger of slipping on leaked/spilled product.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Evacuate uninvolved persons.

(Contd. on page 3)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.05.2025

Version number 3.00 (replaces version 2.00)

Revision: 26.05.2025

**Trade name: CLASSIC MEDUNA PT 0W-20 C5/C6**

(Contd. of page 2)

### 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.  
Prevent from spreading (e.g. by damming-in or oil barriers).  
In case of gas release or seepage into the ground inform responsible authorities.

### 6.3 Methods and material for containment and cleaning up:

For containment:  
Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids  
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).  
For cleaning up:  
Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).  
Dispose of the material collected according to regulations.  
Send for recovery or disposal in suitable receptacles.

### 6.4 Reference to other sections

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

**7.1 Precautions for safe handling** No special measures required.

### Information about fire - and explosion protection:

Protect against electrostatic charges.  
Keep ignition sources away - Do not smoke.

### Handling:

Personal protective equipment: see section 8 Do not eat, drink, smoke or sniff at the workplace. Wash hands before breaks and at the end of work. Do not carry product-soaked cleaning cloths in your trouser pockets. Clean up spillages immediately. Use suitable containers to avoid environmental contamination. Wear personal protective equipment (see section 8).  
Minimum standards for protective measures when handling working substances are listed in TRGS 500.  
Avoid contact with skin, eyes and clothing.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

#### Requirements to be met by storerooms and receptacles:

Keep container tightly closed in a dry, cool and well-ventilated place.  
Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product. Keep/Store only in original container.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:** Store in a cool dry place. Keep away from heat.

**Storage class:** 10

**7.3 Specific end use(s)** Observe the technical data sheet

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

Oil vapors and oil mist  
Long-term value 5mg/m<sup>3</sup>  
Short-term value 10mg/m<sup>3</sup>

#### CAS: 80-62-6 Methyl methacrylate

IOELV	Short-term value: 100 ppm Long-term value: 50 ppm
-------	--

(Contd. on page 4)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.05.2025

Version number 3.00 (replaces version 2.00)

Revision: 26.05.2025

Trade name: **CLASSIC MEDUNA PT 0W-20 C5/C6**

(Contd. of page 3)

DNELs		
<b>CAS: 114959-46-5 Benzoic acid, 2-hydroxy-, mono-C14-18 branched alkyl derivatives, calcium salts</b>		
Dermal	DNEL, long-term, dermal, systemic	100 mg/kg KG/d (worker)
<b>CAS: 36878-20-3 Bis(nonylphenyl)amine</b>		
Dermal	DNEL(long/systemic)	5 mg/kg bw/d (worker)
<b>CAS: 125643-61-0 A mixture of isomers of: C7-9-alkyl-3-(3,5-di-trans-butyl-4-hydroxyphenyl)propionate</b>		
Inhalative	DNEL(long/systemic)	2.33 mg/m <sup>3</sup> (worker)
<b>CAS: 68784-31-6 Phosphordithioic acid, mixed O, O-bis (sec-Bu and 1,3-dimethylbutyl) esters, zinc salts</b>		
Inhalative	DNEL, long-term, inhalation, systemic	2.93 mg/m <sup>3</sup> (worker)
PNECs		
<b>CAS: 114959-46-5 Benzoic acid, 2-hydroxy-, mono-C14-18 branched alkyl derivatives, calcium salts</b>		
PNEC		10 mg/L (Freshwater)
PNEC		4.02 mg/Kg (Freshwater sediment)
<b>CAS: 36878-20-3 Bis(nonylphenyl)amine</b>		
PNEC aquatic, fresh water		412 µg/l
PNEC water bodies, sea water		41.2 µg/l
PNEC aquatic environment, intermittent release		1 mg/l
<b>CAS: 68784-31-6 Phosphordithioic acid, mixed O, O-bis (sec-Bu and 1,3-dimethylbutyl) esters, zinc salts</b>		
PNEC aquatic, fresh water		4 µg/l
PNEC water bodies, sea water		4.6 µg/l
<b>CAS: 64742-65-0 Distillates (petroleum), solvent-dewaxed heavy paraffinic</b>		
Secondary poisoning		9.33 mg/kg

### Additional information:

The data sheets of the upstream suppliers and lists valid at the time of production serve as a basis.

### 8.2 Exposure controls

**Appropriate engineering controls** No further data; see section 7.

**Individual protection measures, such as personal protective equipment**

**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

**Respiratory protection:** Not necessary if room is well-ventilated.

**Hand protection**

Wear chemical protective gloves according to EN 374

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If gloves are to be reused, clean them before taking them off and store them in a well-ventilated place.

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Suitable material: NBR (nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber)

Recommended material thickness: >0.4 mm

**Penetration time of glove material**

>480min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection** Goggles recommended during refilling

(Contd. on page 5)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.05.2025

Version number 3.00 (replaces version 2.00)

Revision: 26.05.2025

Trade name: **CLASSIC MEDUNA PT 0W-20 C5/C6**

(Contd. of page 4)

**Body protection:** Wear suitable protective clothing.

**Environmental exposure controls** See section 7. No further measures are required.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### General Information

<b>Physical state</b>	Liquid
<b>Colour:</b>	Yellow-brown
<b>Odour:</b>	Not determined
<b>Odour threshold:</b>	Not determined.
<b>Melting point/freezing point:</b>	-54 °C
<b>Boiling point or initial boiling point and boiling range</b>	Undetermined.
<b>Flammability</b>	Not applicable.
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Flash point:</b>	236 °C
<b>Decomposition temperature:</b>	Not determined.
<b>pH</b>	Not determined.
<b>Viscosity:</b>	
<b>Kinematic viscosity at 40 °C</b>	44 mm <sup>2</sup> /s
<b>Dynamic:</b>	Not determined.
<b>Solubility</b>	
<b>water:</b>	Not miscible or difficult to mix.
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
<b>Vapour pressure:</b>	Not determined.
<b>Density and/or relative density</b>	
<b>Density at 15 °C:</b>	0.847 g/cm <sup>3</sup>
<b>Relative density</b>	Not determined.
<b>Vapour density</b>	Not determined.
<b>Particle characteristics</b>	Does not apply to liquids.

#### 9.2 Other information

<b>Appearance:</b>	
<b>Form:</b>	Fluid
<b>Important information on protection of health and environment, and on safety.</b>	
<b>Ignition temperature:</b>	Not determined.
<b>Explosive properties:</b>	Not determined.
<b>Change in condition</b>	
<b>Evaporation rate</b>	Not determined.

#### Information with regard to physical hazard classes

<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Void
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void
<b>Pyrophoric liquids</b>	Void
<b>Pyrophoric solids</b>	Void

(Contd. on page 6)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.05.2025

Version number 3.00 (replaces version 2.00)

Revision: 26.05.2025

Trade name: **CLASSIC MEDUNA PT 0W-20 C5/C6**

(Contd. of page 5)

Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No known hazardous reactions. Combustible.

**10.2 Chemical stability**

Stable when the recommended storage and handling instructions are applied (see section 7).

**10.3 Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

**10.4 Conditions to avoid** Do not overheat to avoid decomposition by heat.

**10.5 Incompatible materials:** Materials to avoid: Acid, Oxidising agent, Reducing agent.

**10.6 Hazardous decomposition products:**

Hazardous combustion products: Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Gases/ vapours, toxic

### SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

**CAS: 114959-46-5 Benzoic acid, 2-hydroxy-, mono-C14-18 branched alkyl derivatives, calcium salts**

Oral	LD50 oral	>5.000 mg/kg (Rat)
Dermal	LD50 dermal	>2.000 mg/kg (Rat)

**CAS: 541-02-6 Decamethylcyclopentasiloxane**

Oral	LD50 oral	>5,000 mg/kg (Rat)
Dermal	LD50 dermal	>2,000 mg/kg (rabbit)
Inhalative	LC50 Acute inhalation toxicity (dust/mist):	8.67 mg/l (Rat) Dust/fog
	LC50	>545 ppm V /4 h (Gas)

**Primary irritant effect:**

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation**

Contains benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivatives, calcium salts, methyl methacrylate, benzoic acid, 2-hydroxy-, mono-C14-18-branched alkyl derivatives, calcium salts. May cause allergic reactions.

Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 7)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.05.2025

Version number 3.00 (replaces version 2.00)

Revision: 26.05.2025

Trade name: **CLASSIC MEDUNA PT 0W-20 C5/C6**

(Contd. of page 6)

### 11.2 Information on other hazards

#### Endocrine disrupting properties

This product does not contain any substance with endocrine disrupting properties towards humans, as no ingredient fulfils the criteria.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity:

**CAS: 114959-46-5 Benzoic acid, 2-hydroxy-, mono-C14-18 branched alkyl derivatives, calcium salts**

LC50 >1,000 mg/L /4 d (Fish)

**CAS: 541-02-6 Decamethylcyclopentasiloxane**

NOEC	≥0.012 mg/L /4 d (algae)
	≥0.016 mg/L /4 d (Fish)
	≥0.015 mg/L /21 d (crustaceans)
	≥0.0029 mg/L /2 d (daphnia)
EC50	>0.012 mg/L /4 d (algae)
LC50	0.016 mg/L /14 d (Fish)

### 12.2 Persistence and degradability

**CAS: 80-62-6 Methyl methacrylate**

Persistence and degradability | Yes, fast

### 12.3 Bioaccumulative potential

**CAS: 80-62-6 Methyl methacrylate**

Partition coefficient n-octanol/water | 1.38 (Log KOW)

**CAS: 541-02-6 Decamethylcyclopentasiloxane**

BCF	16200
Partition coefficient n-octanol/water (Log Kow)	8.023 (Log KOW)

**12.4 Mobility in soil** No further relevant information available.

### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

### 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

The above statement applies to the substances contained in the product from 0.1 %.

### 12.7 Other adverse effects

**Additional ecological information:**

#### General notes:

Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Recommendation

Contact the responsible authorised waste disposal company for waste disposal. Dispose of in accordance with official regulations.

#### Waste disposal key:

The waste codes given are recommendations based on the expected use of this product.

Due to the specific use and disposal conditions at the user's site, other waste codes may be assigned under certain circumstances. (2014/955/EU)

(Contd. on page 8)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.05.2025

Version number 3.00 (replaces version 2.00)

Revision: 26.05.2025

**Trade name: CLASSIC MEDUNA PT 0W-20 C5/C6**

(Contd. of page 7)

**Uncleaned packaging:**

**Recommendation:**

Non contaminated packagings may be recycled.

Disposal must be made according to official regulations.

### SECTION 14: Transport information

**14.1 UN number or ID number**

ADR, IMDG, IATA

not regulated

**14.2 UN proper shipping name**

ADR, IMDG, IATA

not regulated

**14.3 Transport hazard class(es)**

ADR, ADN, IMDG, IATA

Class

not regulated

**14.4 Packing group**

ADR, IMDG, IATA

not regulated

**14.5 Environmental hazards:**

Not applicable.

**14.6 Special precautions for user**

Not applicable.

**14.7 Maritime transport in bulk according to**

IMO instruments

Not applicable.

UN "Model Regulation":

not regulated

### SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

(Contd. on page 9)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.05.2025

Version number 3.00 (replaces version 2.00)

Revision: 26.05.2025

**Trade name: CLASSIC MEDUNA PT 0W-20 C5/C6**

(Contd. of page 8)

### National regulations:

#### Technical instructions (air):

For Germany

Remark:

To be noted: 5.2.5.

**Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

#### Other regulations, limitations and prohibitive regulations

For Germany:

Regulations of the German Social Accident Insurance Institutions (DGUV regulations):

Information from the Employer's Liability Insurance Association (DGUV Information) 868

Rules of the Employer's Liability Insurance Association (DGUV Rules) 189, 190, 192, 195

For Germany:

Altöl-Verordnung (AltöIV)

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H413 May cause long lasting harmful effects to aquatic life.

**Department issuing SDS:** product management

**Version number of previous version:** 2.00

### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4