

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.06.2025

Version number 3.00 (replaces version 2.00)

Revision: 20.06.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **CLASSIC MEDUNA UM 20W-20**

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Lubricant

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

CLASSIC Schmierstoff GmbH & Co. KG

Lange Straße 100-106

D-27318 HOYA

DEUTSCHLAND

Telephone: +49 (4251) - 8120

products@classic-oil.de

Further information obtainable from: product management

1.4 Emergency telephone number: 24-hour emergency contact number : +1 872 5888271 (CSG)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

Safety data sheet available on request.

2.3 Other hazards

The product does not contain any (>0.1%) substances of very high concern (SVHC) included in the candidate list according to REACH, Article 59.

For information or further instructions, see also section 11 or 12.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Determination of endocrine-disrupting properties There is no information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

	Mineral oil *(64742-54-7, 64742-65-0, 64742-55-8, 64742-56-9) ⚠ Asp. Tox. 1, H304	1-<3%
CAS: 84605-29-8 EINECS: 283-392-8 Reg.nr.: 01-2119493626-26	Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts ⚠ Eye Dam. 1, H318; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 6.25 % Eye Dam. 1; H318: C ≥ 12.5 % Eye Irrit. 2; H319: 10 % ≤ C < 12.5 %	1-<3%

Additional information:

*The mineral oil can be described by one or more EINECS numbers. 265-157-1, 265-169-7, 265-158-7, 265-159-2, (REACH-no.: 01-2119484627-25, 01-2119471299-27, 01-2119487077-29, 01-2119480132-48)

Note L : The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic

(Contd. on page 2)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.06.2025

Version number 3.00 (replaces version 2.00)

Revision: 20.06.2025

Trade name: CLASSIC MEDUNA UM 20W-20

(Contd. of page 1)

aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London).

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately.

If possible, show operating instructions or safety data sheet.

After inhalation:

Take affected persons into fresh air and keep quiet.

Seek medical treatment in case of complaints.

After skin contact:

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, seek medical treatment.

After eye contact:

Rinse opened eye for several minutes under running water.

If irritation, blurred vision or swelling persists, seek medical advice from a specialist.

After swallowing:

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect).

Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2 Most important symptoms and effects, both acute and delayed

If swallowed or vomited, danger of entering the lungs.

4.3 Indication of any immediate medical attention and special treatment needed

First aid, decontamination, symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Sand. Foam. Carbon dioxide (CO₂). Extinguishing powder. For large fires and large quantities: Water spray, water mist.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

When burning strong soot development

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO₂) Sulphur dioxide (SO₂) Nitrogenoxides (NO_x)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Protective equipment: No special measures required.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

For non-emergency personnel Personal protective equipment

(Contd. on page 3)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.06.2025

Version number 3.00 (replaces version 2.00)

Revision: 20.06.2025

Trade name: CLASSIC MEDUNA UM 20W-20

(Contd. of page 2)

For emergency responders No special precautions are necessary.

6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

Clean contaminated articles and floor according to the environmental legislation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Wear suitable protective clothing when working.

Avoid the formation of oil haze.

Information about fire - and explosion protection:

Usual measures of preventive fire protection

Keep ignition sources away - Do not smoke.

Fire class B

Handling:

Information on general hygiene measures at the workplace:

Ensure thorough skin cleansing and skin care after work.

Do not carry product-soaked cleaning rags in trouser pockets.

Do not breathe vapour/aerosol. Avoid contact with eyes and skin.

Advices on general occupational hygiene: See section 8.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Keep container tightly closed in a dry, cool and well-ventilated place.

Use only receptacles specifically permitted for this substance/product.

Information about storage in one common storage facility:

Do not store together with: Gas. Explosives. Oxidizing substances. Radioactive substances. Infectious substances.

Further information about storage conditions:

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

Storage class: 10

7.3 Specific end use(s) See section 1.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs

CAS: 84605-29-8 Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts

Oral	DNEL Long-term Oral (Systemic)	0.24 mg/kg bw/Tag (Consumer)
------	--------------------------------	---------------------------------

(Contd. on page 4)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.06.2025

Version number 3.00 (replaces version 2.00)

Revision: 20.06.2025

Trade name: CLASSIC MEDUNA UM 20W-20

(Contd. of page 3)

Dermal	DNEL, long-term, dermal, systemic	12.1 mg/kg KG/d (employee)
	DNEL, long-term, dermal, systemic	6.1 mg/kg KG/d (Verbraucher)
Inhalative	DNEL, long-term, inhalation, systemic	8.31 mg/m ³ (employee)
	DNEL, long-term, inhalation, systemic	2.11 mg/m ³ (Consumer)

PNECs

CAS: 84605-29-8 Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts

PNEC (Freshwater)	0.004 mg/l
Freshwater (intermittent releases)	0.045 mg/l
PNEC (Seawater)	0.0046 mg/l
Micro-organisms in sewage treatment plants (STP)	100 mg/l
PNEC (freshwater sediment)	0.022 mg/kg
PNEC (Seawater sediment)	0.002 mg/kg
PNEC (ground)	0.002 mg/kg
Secondary poisoning	10.67 mg/kg

Ingredients with biological limit values:

Additional Occupational Exposure Limit Values for possible hazards during processing:

Air limit values:

Possibility of exposure to Aerosol (Mineral oil)

Limit value (TLV-TWA) = 5 mg/ m³ - Source: ACGIH

Limit value (TLV-STEL) = 10 mg/ m³ - Source: ACGIH

STEL: short-term exposure limits

TLV: Threshold Limiting Value

TWA: time weighted average

ACGIH: American Conference of Governmental Industrial Hygienists

Additional information:

The data sheets of the upstream suppliers and lists valid at the time of production serve as a basis.

8.2 Exposure controls

Appropriate engineering controls Ensure good ventilation of the work station.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures: Wash hands before breaks and at the end of work.

Respiratory protection:

With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory protection necessary at:

-aerosol or mist formation

-Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The respiratory protection filter class must be adapted to the maximum pollutant concentration (gas/vapour/aerosol/particles) that can arise when handling the product. If the concentration is exceeded, insulating equipment must be used!

Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 347/EN 388.

The design of chemical protective gloves must be selected specifically for the workplace, depending on the concentration and quantity of hazardous substances.

It is recommended to check the chemical resistance of the above mentioned protective gloves for specific applications with the glove manufacturer.

Gloves must be checked regularly and replaced in case of wear, holes or contamination.

If re-use is intended, clean gloves before removing and store in a well-ventilated area.

(Contd. on page 5)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.06.2025

Version number 3.00 (replaces version 2.00)

Revision: 20.06.2025

Trade name: CLASSIC MEDUNA UM 20W-20

(Contd. of page 4)

Material of gloves

Nitrile

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection

Safety goggles with side shield, in case of increased splash hazard additional face shield. DIN EN 166

Body protection:

Heavy flammable, oil-repellent protective clothing

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Thermal hazards

Wear protective clothing when working with hot material: heat-resistant overalls (with trouser legs over the boots and sleeves over the glove cuffs), heat-resistant, high-performance, non-slip boots (e.g. leather).

Environmental exposure controls There are no data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state	Liquid
Colour:	Clear
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	Undetermined.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	248 °C (DIN ISO 2592)
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity at 40 °C	67.46 mm ² /s (DIN EN ISO 3104)
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 15 °C:	0.8837 g/cm ³ (DIN 51757)
Relative density	Not determined.
Vapour density	Not determined.
Particle characteristics	Does not apply to liquids.

9.2 Other information

Appearance:

Form: Fluid

(Contd. on page 6)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.06.2025

Version number 3.00 (replaces version 2.00)

Revision: 20.06.2025

Trade name: **CLASSIC MEDUNA UM 20W-20**

(Contd. of page 5)

Important information on protection of health and environment, and on safety.

Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Drip point:	
Pour point	-33 °C (ISO 3016)
Evaporation rate	Not determined.

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Information on the shelf life

The product is chemically stable under the recommended storage, use and temperature conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions known.

Refer to chapter 10.5.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: Oxidising agent, strong

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 84605-29-8 Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts

Oral	LD50 oral	3,100 mg/kg (Rat) (OECD Guideline 401)
Dermal	LD50 dermal	>2,000 mg/kg (rabbit) (OECD Guideline 402)

(Contd. on page 7)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.06.2025

Version number 3.00 (replaces version 2.00)

Revision: 20.06.2025

Trade name: **CLASSIC MEDUNA UM 20W-20**

(Contd. of page 6)

Primary irritant effect:

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Phosphorodithionic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts:

Specific concentration limit (SCL):

> 15% (Skin Irrit. 2)

≥ 3% (Eye Dam. 1)

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity

Phosphorodithionic acid, mixed O,O-bis(1,3-dimethylbutyl and isopropyl)esters, zinc salts:

In vitro mutagenicity/genotoxicity:

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Result: negative

Literature reference: REACH Dossier

In vivo mutagenicity/genotoxicity:

Method: OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Species: Mouse.

Result: negative

Literature reference: REACH Dossier

Developmental toxicity/teratogenicity/reproductive toxicity:

Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction

/Developmental Toxicity Screening Test)

Species: Rat

Result: NOAEL > 160 mg/kg

Literature reference: REACH Dossier

Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure

Phosphorodithionic acid, mixed O,O-bis(1,3-dimethylbutyl and isopropyl)esters, zinc salts:

Subchronic oral toxicity:

Species: Rat

Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction /

Developmental Toxicity Screening Test)

Developmental Toxicity Screening Test)

Result: NOAEL = 160 mg/kg (READ-ACROSS)

Literature reference: REACH Dossier

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Oral	ATE	>2,000 mg/kg (Calculated)
Dermal	ATE	>2,000 mg/kg (Calculated)
Inhalative	ATE Dust/Mist	>5 mg/L (Calculated)
	ATE Vapour	>20 mg/L (Calculated)

11.2 Information on other hazards

Endocrine disrupting properties

This product does not contain any substance (> 0.1%) with endocrine disrupting properties towards non-target organisms, as no ingredient fulfils the criteria.

Other information Frequent contact may cause skin and eye irritation, especially after drying.

EU

(Contd. on page 8)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.06.2025

Version number 3.00 (replaces version 2.00)

Revision: 20.06.2025

Trade name: **CLASSIC MEDUNA UM 20W-20**

(Contd. of page 7)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 84605-29-8 Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts

LC50 | 4.5 mg/L (Oncorhynchus mykiss) (OECD 203)

12.2 Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

CAS: 84605-29-8 Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts

Persistence and degradability | 1.5 % /(28d) (OECD 301B / ISO 9439 / EWG 92/69 Anhang V,C.4-C)
Not readily biodegradable (according to OECD criteria).

12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

CAS: 84605-29-8 Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts

Partition coefficient n-octanol/water | 0.56

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The above statement applies to the substances contained in the product from 0.1 %.

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

This product does not contain any substance that exhibits endocrine disrupting properties towards non-target organisms, as no ingredient fulfils the criteria.

The above statement applies to the substances contained in the product from 0.1 %.

12.7 Other adverse effects

Additional ecological information: Ozone depletion potential (ODP): No information available.

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Dispose of in accordance with official regulations. Contact the responsible authorised waste disposal company for waste disposal. Non-contaminated and completely empty packaging can be recycled. The allocation of waste code numbers/waste designations must be carried out in accordance with EAKV on an industry and process-specific basis.

European waste catalogue

15 01 10* | packaging containing residues of or contaminated by hazardous substances

Uncleaned packaging:

Recommendation: Handle contaminated packages in the same way as the substance itself.

EU

(Contd. on page 9)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.06.2025

Version number 3.00 (replaces version 2.00)

Revision: 20.06.2025

Trade name: **CLASSIC MEDUNA UM 20W-20**

(Contd. of page 8)

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA not regulated

14.2 UN proper shipping name

ADR, IMDG, IATA not regulated

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA
Class not regulated

14.4 Packing group

ADR, IMDG, IATA not regulated

14.5 Environmental hazards:

ENVIRONMENTALLY HAZARDOUS: no

14.6 Special precautions for user

For information on safe handling, see chapter 7.
For information on personal protective equipment, see chapter 8.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

UN "Model Regulation":

not regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 75

Regulation (EU) No 649/2012

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: not relevant

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 10)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.06.2025

Version number 3.00 (replaces version 2.00)

Revision: 20.06.2025

Trade name: CLASSIC MEDUNA UM 20W-20

(Contd. of page 9)

National regulations:

Technical instructions (air):

Technical Instructions on Air Quality (D)I:

5.2.5: Organic substances, to be indicated as total carbon at $m \geq 0.50$ kg/h: Conc. 50 mg/m³.

Proportion: >98 %

Technical Instructions on Air Quality (D) II:

5.2.7.1.3: Reproduction-toxic substances at $m \geq 2.5$ g/h: Conc. 1 mg/m³ or emission minimisation requirement.

Proportion: 0.1 %

Waterhazard class:

(according to AwSV, Germany)

Water hazard class 1 (Self-assessment): slightly hazardous for water.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: Based on test data

Department issuing SDS: product management

Contact: product management

Date of previous version: 18.03.2024

Version number of previous version: 2.00

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

*** Data compared to the previous version altered.**