

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CLASSIC MULTISPRAY (5901526+5901527)

Revision: 14.09.2026

Product code: 5901526+5901527

Page 1 of 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

CLASSIC MULTISPRAY (5901526+5901527)

UFI: ER35-1006-A00P-X8V5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Solvent mixture. .

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: CLASSIC Schmierstoff GmbH & Co. KG
 Street: Lange Straße 100 - 106
 Place: D-27318 Hoya
 Telephone: +49 4251 812-0
 E-mail: products@classic-oil.de
 Internet: https://classic-oil.de/
 Responsible Department: Productmanagement

1.4. Emergency telephone number:

24-hour emergency contact number : +1 872 5888271 (CSG)

Further Information

Restricted to professional users. Safety data sheet available for professional user on request. Follow the instructions for use on the label. To avoid risks to man and the environment, comply with the instructions for use.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Asp. Tox. 1; H304

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Kohlenwasserstoffe, C10-C13, n-Alkane, Isoalkane, Cyclene, <2% Aromaten (CAS 64742-48-9)
 Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified

Signal word: Danger

Pictograms:



Hazard statements

H304 May be fatal if swallowed and enters airways.
 EUH066 Repeated exposure may cause skin dryness or cracking.
 EUH208 Contains Orange, sweet, ext.. May produce an allergic reaction.

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
 P331 Do NOT induce vomiting.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CLASSIC MULTISPRAY (5901526+5901527)

Revision: 14.09.2026

Product code: 5901526+5901527

Page 2 of 15

P405 Store locked up.
P501 Dispose of contents/container to according to local / regional / national / international regulations for disposal.

Additional advice on labelling

Classification according to Regulation (EC) No 1272/2008 [CLP]

2.3. Other hazards

Contains no PBT or vPvB substance in a concentration of $\geq 0.1\%$.
Contains no endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.
Wear suitable protective clothing, gloves and eye/face protection.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances listed below with nonhazardous additions:

Relevant ingredients

CAS No	Chemical name	Quantity
	EC No Index No REACH No	
	Classification (Regulation (EC) No 1272/2008)	
	Kohlenwasserstoffe, C10-C13, n-Alkane, Isoalkane, Cyclene, <2% Aromaten (CAS 64742-48-9)	80 - < 85 %
	918-481-9 01-2119457273-39	
	Asp. Tox. 1; H304 EUH066	
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified	10 - < 15 %
	265-159-2 01-2119480132-48	
	Asp. Tox. 1; H304	
34590-94-8	(2-Methoxymethylethoxy)propanol	1 - < 5 %
	252-104-2 01-2119450011-60	
8028-48-6	Orange, sweet, ext.	< 1 %
	232-433-8 01-2119493353-35	
	Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Asp. Tox. 1, Aquatic Chronic 3; H226 H315 H317 H304 H412	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
	918-481-9	Kohlenwasserstoffe, C10-C13, n-Alkane, Isoalkane, Cyclene, <2% Aromaten (CAS 64742-48-9)	80 - < 85 %
		inhalation: LC50 = > 5 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	
64742-56-9	265-159-2	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified	10 - < 15 %
		oral: LD50 = 5000 mg/kg	
34590-94-8	252-104-2	(2-Methoxymethylethoxy)propanol	1 - < 5 %
		dermal: LD50 = 9510 mg/kg; oral: LD50 = > 5000 mg/kg	
8028-48-6	232-433-8	Orange, sweet, ext.	< 1 %
		dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	

Further Information

Full text of H- and EUH-phrases: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CLASSIC MULTISPRAY (5901526+5901527)

Revision: 14.09.2026

Product code: 5901526+5901527

Page 3 of 15

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

First aider: Pay attention to self-protection! Take off immediately all contaminated clothing and wash it before reuse. Provide adequate ventilation. When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Medical treatment necessary. If victim is at risk of losing consciousness, position and transport on their side. In the event of irregular breathing or respiratory arrest, seek medical assistance immediately and initiate first aid measures.

After contact with skin

Remove mechanically (e.g. dab away using wadding or cellulose material) then thoroughly wash the affected skin with a mild cleansing agent and water. Wash thoroughly the body (shower or bath). Take off immediately all contaminated clothing, including underwear and shoes. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eyelids open. Protect the injured eye. Rinse also under the lid of the eyelid. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Medical treatment necessary. Give nothing to eat or drink. Do NOT induce vomiting. Do not leave affected person unattended. Caution if victim vomits: Risk of aspiration! In case of spontaneous vomiting, keep the head below the waist to prevent aspiration of the product.

4.2. Most important symptoms and effects, both acute and delayed

The following symptoms may occur: Headache. Dizziness. vomiting. Depression of the central nervous system. May be fatal if swallowed and enters airways. Pneumonia. Prolonged/repetitive skin contact may cause skin defatting or dermatitis.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms. Caution if victim vomits: Risk of aspiration! Subsequent observance for pneumonia and lung oedema. Because of aspiration gastric lavage only under endotracheal intubation. Give activated carbon, in order to reduce the resorption in the gastro-enteric tract.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Carbon dioxide (CO₂). Atomized water. Foam.

5.2. Special hazards arising from the substance or mixture

This material is flammable but not easily inflammable. In case of fire and/or explosion do not breathe fumes. Vapours can form explosive mixtures with air. Thermal decomposition can lead to the escape of irritating gases and vapors. In case of fire may be liberated: carbon monoxide (CO). Carbon dioxide (CO₂). Organic cracking products. carbon black.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Wear chemical resistant suit.

Additional information

Contaminated fire-fighting water must be collected separately. Co-ordinate fire-fighting measures to the fire surroundings.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CLASSIC MULTISPRAY (5901526+5901527)

Revision: 14.09.2026

Product code: 5901526+5901527

Page 4 of 15

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Wear personal protection equipment. Avoid contact with skin, eyes and clothes. Do not breathe gas/fumes/vapour/spray. Ventilate affected area.

For non-emergency personnel

Remove persons to safety. Keep away from unprotected people. Keep upwind.

For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers). Cover drains. Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically. Collect in closed and suitable containers for disposal.

Other information

Ventilate affected area.

6.4. Reference to other sections

Treat the recovered material as prescribed in the section on waste disposal. Disposal: see section 13.

Safe handling: see section 7. Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Do not breathe gas/fumes/vapour/spray. Avoid aerosol / mist formation.

Provide adequate ventilation as well as local exhaust at critical locations. Avoid contact with skin and eyes.

Take off immediately all contaminated clothing and wash it before reuse.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking. Provide earthing of containers, equipment, pumps and ventilation facilities. Keep away from heat.

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Advice on general occupational hygiene

Work in well-ventilated zones or use proper respiratory protection. Do not eat, drink, smoke or sneeze at the workplace.

Wash hands before breaks and after work. Restore grease film of the skin after cleansing by using a fat cream to prevent dermatitis. Wash contaminated clothing prior to re-use. Wear personal protection equipment.

Further information on handling

Store only in original container.

Note laws and regulations for the storage and use of substances hazardous to water.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store only in original container. Keep container tightly closed in a cool, well-ventilated place. Always close containers tightly after the removal of product. Keep locked up.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CLASSIC MULTISPRAY (5901526+5901527)

Revision: 14.09.2026

Product code: 5901526+5901527

Page 5 of 15

5 - 30 °C

40 °C

steel. Refined steel.

Unsuitable material: (permanent contact) NR (natural rubber, Natural latex) Butyl rubber. NBR (Nitrile rubber).

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Observe regulations / technical rules for the assembly of flammable liquids.

Further information on storage conditions

Protect against: heat. UV-radiation/sunlight. frost. Keep away from sources of ignition - No smoking.

5 - 30 °C

40 °C

7.3. Specific end use(s)

Solvent mixture. . Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m ³	fib/cm ³	Category	Origin
34590-94-8	(2-Methoxymethylethoxy)propanol	50	308		TWA (8 h)	

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CLASSIC MULTISPRAY (5901526+5901527)

Revision: 14.09.2026

Product code: 5901526+5901527

Page 6 of 15

DNEL/DMEL values

CAS No	Name of agent		
DNEL type	Exposure route	Effect	Value
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified		
Worker DNEL, long-term	inhalation	systemic	2,73 mg/m ³
Worker DNEL, long-term	inhalation	local	5,58 mg/m ³
Worker DNEL, long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,74 mg/kg bw/day
Consumer DNEL, long-term	inhalation	local	1,19 mg/m ³
34590-94-8	(2-Methoxymethylethoxy)propanol		
Worker DNEL, long-term	inhalation	systemic	308 mg/m ³
Worker DNEL, long-term	dermal	systemic	65 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	37,2 mg/m ³
Consumer DNEL, long-term	dermal	systemic	15 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	1,67 mg/kg bw/day
8028-48-6	Orange, sweet, ext.		
Worker DNEL, long-term	dermal	systemic	8,89 mg/kg bw/day
Worker DNEL, acute	dermal	local	185,8
Worker DNEL, long-term	inhalation	systemic	31,1 mg/m ³
Consumer DNEL, long-term	oral	systemic	4,44 mg/kg bw/day
Consumer DNEL, long-term	dermal	systemic	4,44 mg/kg bw/day
Consumer DNEL, acute	dermal	local	92,9
Consumer DNEL, long-term	inhalation	systemic	7,78 mg/m ³

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CLASSIC MULTISPRAY (5901526+5901527)

Revision: 14.09.2026

Product code: 5901526+5901527

Page 7 of 15

PNEC values

CAS No	Name of agent	
Environmental compartment		Value
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified	
Secondary poisoning		9,33 mg/kg
34590-94-8	(2-Methoxymethylethoxy)propanol	
Freshwater		19 mg/l
Marine water		1,9 mg/l
Freshwater sediment		70,2 mg/kg
Marine sediment		7,02 mg/kg
Soil		2,74 mg/kg
8028-48-6	Orange, sweet, ext.	
Freshwater		0,014 mg/l
Marine water		0,0014 mg/l
Freshwater sediment		3,85 mg/kg
Marine sediment		0,385 mg/kg
Microorganisms in sewage treatment plants (STP)		1,8 mg/l
Soil		0,763 mg/kg

Additional advice on limit values

The lists valid during the making were used as basis.

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

Have eye showers and safety shower ready.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses. / Eye-shade. EN 165 / EN 166

Hand protection

Protect skin by using skin protective cream. Tested protective gloves are to be worn: EN ISO 374.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Protective clothing: Body protection must be selected depending on the activity and possible impact.

Suitable protective clothing: Apron. Boots. Required properties: liquid proof. solvent-resistant. Check leak tightness/impermeability prior to use.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Combination filtering device, Filter type: A-P2 (short-term)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CLASSIC MULTISPRAY (5901526+5901527)

Revision: 14.09.2026

Product code: 5901526+5901527

Page 8 of 15

Thermal hazards

Closed containers may burst when pressure and temperature rise

Environmental exposure controls

Discharge into the environment must be avoided. Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	
Odour:	like: vanilla
Odour threshold:	not determined
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	187-216 °C
Flammability:	not determined
Lower explosion limits:	0,6 vol. %
Upper explosion limits:	7,5 vol. %
Flash point:	63 °C
Auto-ignition temperature:	> 200 °C
Decomposition temperature:	not determined
pH-Value:	The product is water insoluble.
Viscosity / kinematic:	not determined
Water solubility:	Immiscible
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Vapour pressure:	not determined
Density (at 20 °C):	0,80 g/cm ³
Relative vapour density:	not determined
Particle characteristics:	not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

not Explosive.

Sustained combustibility:

No data available

Self-ignition temperature

Solid:

not determined

Gas:

not determined

Oxidizing properties

not oxidizing.

Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

Sublimation point:

not determined

Softening point:

not determined

Pour point:

not determined

Viscosity / dynamic:

< 1 mPa·s

Flow time:

not determined

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CLASSIC MULTISPRAY (5901526+5901527)

Revision: 14.09.2026

Product code: 5901526+5901527

Page 9 of 15

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is considered to be non-reactive under normal use conditions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

10.4. Conditions to avoid

heat. frost. Keep away from sources of ignition - No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapors.

In case of fire may be liberated: carbon monoxide (CO). Carbon dioxide (CO₂). Organic cracking products. carbon black.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalativ Dampf) > 20 mg/l; ATE (inhalativ Staub/Nebel) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
	Kohlenwasserstoffe, C10-C13, n-Alkane, Isoalkane, Cyclene, <2% Aromaten (CAS 64742-48-9)				
	oral	LD50 > 5000 mg/kg	Rat		OECD 401
	dermal	LD50 > 2000 mg/kg	Rat		OECD 402
	inhalation (4 h) vapour	LC50 > 5 mg/l	Rat	ECHA	OECD 403
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified				
	oral	LD50 5000 mg/kg	Rat	ECHA	OECD Guideline 420
34590-94-8	(2-Methoxymethylethoxy)propanol				
	oral	LD50 > 5000 mg/kg	Rat		OECD 401
	dermal	LD50 9510 mg/kg	Rabbit		OECD 402
8028-48-6	Orange, sweet, ext.				
	oral	LD50 > 5000 mg/kg	Rat		OECD TG 401
	dermal	LD50 > 5000 mg/kg	Rabbit		OECD TG 402

Irritation and corrosivity

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CLASSIC MULTISPRAY (5901526+5901527)

Revision: 14.09.2026

Product code: 5901526+5901527

Page 10 of 15

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Repeated exposure may cause skin dryness or cracking.

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

Sensitising effects

Based on available data, the classification criteria are not met.

Contains Orange, sweet, ext.. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

11.2. Information on other hazards**Endocrine disrupting properties**

Based on available data, the classification criteria are not met.

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information**12.1. Toxicity**

Based on available data, the classification criteria are not met.

Leakage into the environment must be prevented.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CLASSIC MULTISPRAY (5901526+5901527)

Revision: 14.09.2026

Product code: 5901526+5901527

Page 11 of 15

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
	Kohlenwasserstoffe, C10-C13, n-Alkane, Isoalkane, Cyclene, <2% Aromaten (CAS 64742-48-9)					
	Acute fish toxicity	LC50 > 1000 mg/l	96 h	Oncorhynchus mykiss	ECHA	OECD 203
	Acute algae toxicity	ErC50 > 1000 mg/l	72 h	Pseudokirchneriella subcapitata		OECD 201
	Acute crustacea toxicity	EC50 > 1000 mg/l	48 h	Daphnia magna	ECHA	
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified					
	Acute fish toxicity	LC50 > 100 mg/l	96 h	Dickkopfelritze		
	Acute algae toxicity	ErC50 > 100 mg/l		Grünalgen		
	Acute crustacea toxicity	EC50 > 1000 mg/l	48 h	Daphnia magna		
	Crustacea toxicity	NOEC 10,0 mg/l	21 d	Daphnia magna		
34590-94-8	(2-Methoxymethylethoxy)propanol					
	Acute fish toxicity	LC50 10000 mg/l	96 h	Pimephales promelas		
	Acute algae toxicity	ErC50 969 mg/l	96 h	Pseudokirchneriella subcapitata		OECD 201
	Acute crustacea toxicity	EC50 1919 mg/l	48 h	Daphnia magna		OECD 202
	Algae toxicity	NOEC >969 mg/l	4 d	Pseudokirchneriella subcapitata		
8028-48-6	Orange, sweet, ext.					
	Acute fish toxicity	LC50 5,65 mg/l	96 h	Danio rerio		OECD 203
	Acute algae toxicity	ErC50 150 mg/l	72 h	Desmodesmus Sub		OECD 201
	Acute crustacea toxicity	EL50 1,1 mg/l	48 h	Daphnia magna		OECD 202

12.2. Persistence and degradability

No data available

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
	Kohlenwasserstoffe, C10-C13, n-Alkane, Isoalkane, Cyclene, <2% Aromaten (CAS 64742-48-9)			
	OECD 301F	80%	28	ECHA
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified			
	OECD TG 301 B	30%	28	
	Inhärenter Schlamm	30 %	28	
34590-94-8	(2-Methoxymethylethoxy)propanol			
	Dissolved organic carbon (DOC): OECD 301F	96 %	28	
8028-48-6	Orange, sweet, ext.			
	OECD 301 B	72-83,4 %	28	

12.3. Bioaccumulative potential

No data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CLASSIC MULTISPRAY (5901526+5901527)

Revision: 14.09.2026

Product code: 5901526+5901527

Page 12 of 15

BCF

CAS No	Chemical name	BCF	Species	Source
	Kohlenwasserstoffe, C10-C13, n-Alkane, Isoalkane, Cyclene, <2% Aromaten (CAS 64742-48-9)	144,3		
8028-48-6	Orange, sweet, ext.	1,502-2,597		

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Based on available data, the classification criteria are not met.

12.6. Endocrine disrupting properties

Based on available data, the classification criteria are not met.

12.7. Other adverse effects

No further relevant information available.

Further information

Doesn't get into the sewage water as long as the process is carried out according to regulations. Leakage into the environment must be prevented. Do not allow uncontrolled leakage of product into the environment. Do not allow to enter into surface water or drains. hazardous to water (WGK 2)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Consult the appropriate authorities about waste disposal. The waste code has to be identified in agreement with the disposal company or the competent authority. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process. Do not allow to enter into surface water or drains. Separate contaminated water through separators and dispose according to official instructions. Do not allow to enter into soil/subsoil. Must not be disposed together with household garbage.

List of Wastes Code - residues/unused products

140603 WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (EXCEPT 07 AND 08); waste organic solvents, refrigerants and foam/aerosol propellants; other solvents and solvent mixtures; hazardous waste

List of Wastes Code - used product

140603 WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (EXCEPT 07 AND 08); waste organic solvents, refrigerants and foam/aerosol propellants; other solvents and solvent mixtures; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Hazardous waste according to Directive 2008/98/EC (waste framework directive). Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CLASSIC MULTISPRAY (5901526+5901527)

Revision: 14.09.2026

Product code: 5901526+5901527

Page 13 of 15

14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No
Marine pollutant:	Nein
14.6. Special precautions for user	
Keep away from sources of ignition - No smoking.	
14.7. Maritime transport in bulk according to IMO instruments	
No data available	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Directive 2010/75/EU on industrial emissions: 12,685 % (101,48 g/l)

Directive 2004/42/EC on VOC in paints and varnishes: 2,55 % (20,403 g/l)

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

REACH Regulation (EC) No 1907/2006, as last amended by Commission Regulation (EU) 2024/1328.

CLP Regulation (EC) No 1272/2008, as last amended by Regulation (EU) 2024/2865.

In the following under "NK" all volatile organic substances are quantitatively summed up, which according to chapter 5.2.5 of the TA-Luft are neither Class I nor Class II.

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CLASSIC MULTISPRAY (5901526+5901527)

Revision: 14.09.2026

Product code: 5901526+5901527

Page 14 of 15

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,13,15.

Abbreviations and acronyms

Flam. Liq. 3: Flammable liquids, hazard category 3

Asp. Tox. 1: Aspiration hazard, hazard category 1

Skin Irrit. 2: Skin irritation, hazard category 2

Skin Sens. 1: Skin sensitisation, hazard category 1

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard category: Chronic 3

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

ADR: Accord européen sur le transport des marchandises dangereuses par Route (Europäisches

Übereinkommen über die internationale Beförderung gefährlicher Güter auf der Straße) IMDG: International

Maritime Code for Dangerous Goods (Internationaler Seeschiffahrtscode für gefährliche Güter) IATA:

International Air Transport Association (Internationaler Luftverkehrsverband) GHS: Global harmonisiertes

System zur Einstufung und Kennzeichnung von Chemikalien EINECS: Europäisches Verzeichnis der auf dem

Markt vorhandenen chemischen Stoffe ELINCS: European List of Notified Chemical Substances CAS:

Chemical Abstracts Service LC50: Tödliche Konzentration, 50% LD50: Tödliche Dosis, 50%

Key literature references and sources for data

Information from our suppliers as well as data from the "Database of registered substances" of the European Chemicals Agency (ECHA) were used for the preparation of this safety data sheet.

Other sources:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidance on the compilation of safety data sheets as amended (ECHA).

Guidance on labelling and packaging under Regulation (EC) No 1272/2008 (CLP) as amended (ECHA).

Safety data sheets of the ingredients.

ECHA homepage - Information on chemicals.

GESTIS substance database (Germany).

Federal Environment Agency "Rigoletto" - Information page on water-polluting substances (Germany).

EU occupational exposure limit values Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU)

2017/164, (EU) 2019/1831 as amended.

National occupational exposure limit value lists of the respective countries in the respective valid version.

Regulations on the transport of dangerous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH208	Contains Orange, sweet, ext.. May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. This information is intended to give you indications for the safe handling of the product mentioned in this safety data sheet during storage, processing, transport and disposal. The details are not transferable to other products. Insofar as the product is mixed with other materials, mixed or processed, or subjected to processing, the information in this safety data sheet, unless expressly stated otherwise, can not be transferred to the new material produced in this way.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CLASSIC MULTISPRAY (5901526+5901527)

Revision: 14.09.2026

Product code: 5901526+5901527

Page 15 of 15

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	, Industrial spraying, Non industrial spraying, Roller application or brushing	-	-	14, 15, 35	7, 10, 11, 13, 28	-	-	-	ReinigerLömi

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)