

Date of issue: 16.07.2015 Replaces Data Sheet of: 08.05.2015

"*" alterations as compared to previous version; n.ap. = not applicable; n.av. = not available

CLASSIC**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade Name: CLASSIC FENJA SC2
Article No.: n.av.
Preparation No.: n.av.
Registration No.: n.av.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use: lubricant assistants

1.3 Details of the supplier of the safety data sheet**1.3.1 Address of the Company / Supplier:**

CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hoya
 Telephone: +49 - 4251-81251, Telefax: +49 - 4251-812902, E-Mail: schmierstoffe@classic-oil.de

1.3.2 Responsible for the data sheet:

CoSiChem AG, Ernst-Lemmer-Straße 27, D - 35041 Marburg, info@cosichem.de

1.4 Emergency telephone number

Emergency - Telephone of Company / Undertaking Information Centre Specialising in Symptoms of
 Poisoning
 Telephone: +49 - 4251-81251 (8:30 – 16:30) Telephone: +44 870 600 6266

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification and labelling according to Directive 1272/2008/EC:**

Eye Irrit. 2 H319 / Aquatic Chronic 3 H412

2.2 Label elements

Classification according to 1272/2008/EC: Yes.

Applicable Exemptions: No.

Signal word(s): Warning

Component(s):

Hazard pictogram(s):

**H - Phrases:**

H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

P - Phrases:

* P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

* P337+P313: If eye irritation persists: Get medical advice/attention.

* P264: Wash ... thoroughly after handling.

P273: Avoid release to the environment.

Additional Markings: None.

The above mentioned labelling is valid for distribution to private consumer.

2.3 Other hazards

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

Handle in accordance with good industrial hygiene and safety practice.

This mixture contains no substances which are assessed to be PBT or vPvB.

Trade Name: CLASSIC FENJA SC2

Company / Supplier: CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hoya
 Telephone: +49 - 4251-81251, Date of issue: 16.07.2015 Replaces Data Sheet of: 08.05.2015

SECTION 3: Composition/information on ingredients**3.1 Substances**

n. ap.

3.2 Mixtures**Chemical Characterisation:**

Petroleum products

Dangerous Ingredients:

CAS - No.	Index - No.	EC - No.	Material	m% - range	Symbol	H - phrases
4259-15-8	n.av.	224-235-5	Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) REACH_01-2119493635-27-xxxx	2.5 - 5%	GHS05 GHS09	H318 H411 EUH031

Text of H- phrases: see section 16

SECTION 4: First aid measures**4.1 Description of first aid measures****4.1.1 Inhalation:**

Move to fresh air in case of accidental inhalation of vapours or decomposition products.
 If symptoms persist, call a physician.

4.1.2 Skin Contact:

Wash off with warm water and soap.

4.1.3 Eye Contact:

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids,
 for at least 15 minutes. If eye irritation persists, consult a specialist.

4.1.4 Ingestion:

Do not induce vomiting. Rinse mouth.
 Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1 Extinguishing media****5.1.1 Suitable Extinguishing Media:**Use dry chemical, CO₂, water spray sand or "alcohol" foam.**5.1.2 Extinguishing Media to Avoid:**

High volume water jet.

5.2 Special hazards arising from the substance or mixtureIn the event of fire the following can be released: Carbon oxides nitrogen oxides (NO_x) sulphur oxides.**5.3 Advice for firefighters****5.3.1 Special Protective Equipment:**

Wear positive pressure self-contained breathing apparatus. Wear full protective clothing.

5.3.2 Additional Information:

In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing
 water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

See chapter 8.2.2

Contaminated surfaces will be extremely slippery.

6.2 Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water
 system. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Prevent spreading over a wide area (e.g. by containment or oil barriers).

Soak up with oil absorbent material. Shovel into suitable container for disposal.

6.4 Reference to other sections

None.

Trade Name: CLASSIC FENJA SC2

Company / Supplier: CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hoya
 Telephone: +49 - 4251-81251, Date of issue: 16.07.2015 Replaces Data Sheet of: 08.05.2015

SECTION 7: Handling and storage**7.1 Precautions for safe handling****7.1.1 Precautions for Safe Handling:**

Avoid contact with skin and eyes. Remove and wash contaminated clothing before re-use.

When using, do not eat, drink or smoke. Wash hands before breaks and at the end of workday.

7.1.2 Precautions in Case of Fire and Explosion:

Normal measures for preventive fire protection.

Do not smoke. Keep away from heat and sources of ignition.

7.2 Conditions for safe storage, including any incompatibilities**7.2.1 Storage Instructions:**

Keep containers tightly closed in a dry, cool and well-ventilated place.

Store in original container. Protect from frost, heat and sunlight.

7.2.2 Store away from:

Incompatible with oxidizing agents.

7.2.3 Further Information on Storage Conditions:

Avoid subsoil penetration.

7.3 Specific end use(s)

n.av.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters**

Material

Limit Value

8.2 Exposure controls**8.2.1 Appropriate engineering controls**

Provide appropriate exhaust ventilation at machinery.

8.2.2 Individual protection measures**8.2.2a Respiratory Protection:** Breathing apparatus needed only when aerosol or mist is formed.

Recommended Filter type: A2, A2P2, ABEK

8.2.2b Hand Protection:

Use protective skin cream before handling the product.

Protective gloves nitrile rubber neoprene (0,4 mm) break through time > 6 h

The data about break through time/strength of material are standard values!

The exact break through time/strength of material has to be obtained from the producer of the protective glove.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

8.2.2c Eye Protection:

safety glasses

8.2.2d Skin Protection:

n.av.

8.2.2e Further Information:

Observe wearing time limits:

8.2.3 Environmental exposure controls:

Do not allow material to contaminate ground water system.

Do not flush into surface water or sanitary sewer system.

Trade Name: CLASSIC FENJA SC2

Company / Supplier: CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hoya
 Telephone: +49 - 4251-81251, Date of issue: 16.07.2015 Replaces Data Sheet of: 08.05.2015

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

9.1.1	Form: paste	Colour: n.av.	Odour: characteristic
			Odour threshold: n.av.
9.1.2	pH-value, undiluted:	n.ap.,	pH-value, 1% aqueous solution: n.av.
9.1.3	Boiling point / Boiling - range (°C):	> 250,	Melting point / Melting range (°C): > 150
9.1.4	Flash point (°C):	> 200,	closed cup
9.1.5	Flammability (EEC A10/A13):	n.av.	
9.1.6	Ignition temperature (°C):	n.av.	
9.1.7	Autoflammability (EEC A16):	None.	
9.1.8	Oxidising properties:	None.	
9.1.9	Explosion hazard:	None.	
9.1.10	Explosion limits (Vol.%) lower:	n.av.,	upper: n.av.
9.1.11	Vapour pressure: / Vapour density (Air = 1):	n.av. /	n.av.
9.1.12	Density (g/ml):	0,93	
9.1.13	Solubility (in Water):	immiscible	
9.1.14	Partition coefficient, n-Octanol / Water:	n.av.	
9.1.15	Viscosity:	n.av.	
9.1.16	Solvent content (m %):	Not relevant	
9.1.17	Thermal decomposition (°C):	n.av.	
9.1.18	Evaporation rate:	n.av.	
9.2	Other information		
	n.av.		

SECTION 10: Stability and reactivity

10.1	Reactivity	None.
10.2	Chemical stability	Stable under normal conditions.
10.3	Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4	Conditions to avoid	Protect from frost, heat and sunlight.
10.5	Incompatible materials	Incompatible with oxidizing agents.
10.6	Hazardous decomposition products	No decomposition if stored and applied as directed. To avoid thermal decomposition, do not overheat.

SECTION 11: Toxicological information**11.1 Information on toxicological effects****11.1.1 Substances**

n. ap.

11.1.2 Mixtures

Acute Toxicity:

Inhalation:

n.av.

Ingestion:

n.av.

Skin Contact:

n.av.

Irritation / corrosion (to skin / eye):

Causes serious eye irritation.

Sensitisation:

n.av.

Carcinogenicity:

n.av.

Mutagenicity:

n.av.

Teratogenicity:

n.av.

Narcotic Effects:

None.

11.1.3 – Practical Experience

11.1.12 n.av.

11.1.13 Practical Experience

Observations relevant for classification: None.

Further Observations: Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

Classification of the preparation has been done by calculation in accordance with EEC directives.

Trade Name: CLASSIC FENJA SC2

Company / Supplier: CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hoya
 Telephone: +49 - 4251-81251, Date of issue: 16.07.2015 Replaces Data Sheet of: 08.05.2015

SECTION 12: Ecological information

- 12.1 **Toxicity**
Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- 12.2 **Persistence and degradability**
No data is available on the product itself.
- 12.3 **Bioaccumulative potential**
n.av.
- 12.4 **Mobility in soil**
n.av.
- 12.5 **Results of PBT and vPvB assessment**
This mixture contains no substances which are assessed to be PBT or vPvB.
- 12.6 **Other adverse effects**
- 12.6.1 COD-Value, mg/g: n.av.
- 12.6.2 BOD5-Value, mg/g: n.av.
- 12.6.3 AOX-Remarks: Not applicable.
- 12.6.4 Significant Components: Hydrocarbons
- 12.6.5 Other adverse effects: Not applicable.

SECTION 13: Disposal considerations

- 13.1 **Waste treatment methods**
- 13.1.1 Recommendation: *Waste - Code - No.: 12 01 12
The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

In addition comply with the regional authorities.
- 13.2 **Contaminated Packaging**
- 13.2.1 Recommendation: Wash with suitable cleaner. Otherwise as described under Residues.
- 13.2.2 Safe Handling: As described under Residues.

SECTION 14: Transport information

	ADR	IMDG	IATA
	Not a dangerous substance as defined in the above regulations.	Not a dangerous substance as defined in the above regulations.	Not a dangerous substance as defined in the above regulations.
14.1	UN number		
14.2	UN proper shipping name		
14.3	Transport hazard class(es)		
14.4	Packing group		
14.5	Environmental hazards		
14.6	Special precautions for user		
	Transport category: Classification Code: Hazard - No.: LQ:		Packing Instructions (Passenger) Packing Instructions (Cargo)
14.7	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		

Trade Name: CLASSIC FENJA SC2

Company / Supplier: CLASSIC Schmierstoff GmbH & Co. KG, Lange Straße 100 - 106, D- 27318 Hoya
Telephone: +49 - 4251-81251, Date of issue: 16.07.2015 Replaces Data Sheet of: 08.05.2015

SECTION 15: Regulatory information

- 15.1 **Safety, health and environmental regulations/legislation specific for the substance or mixture**
n.av.
- 15.2 **Chemical safety assessment :**
A chemical safety assessment has not been carried out.

SECTION 16: Other information**Text of H phrases mentioned in Section 3**

EUH031: Contact with acids liberates toxic gas.
H318: Causes serious eye damage.
H411: Toxic to aquatic life with long lasting effects.

This datasheet has been compiled in accordance with EU regulation 453/201.

The statements in this Material Safety Data Sheet were made to the best of our knowledge and are as accurate as possible. They are given for information only. They do not constitute a contractual guarantee of a product's properties. They must neither be altered nor transferred to other products.

Prepared by: CoSiChem AG, Ernst-Lemmer-Straße 23, D - 35041 Marburg, info@cosichem.de, +49-6421-886563
Receipt of Data: 10.03.2011, \$clg_0252

